

**THINH PHAT INDUSTRIAL AUTOMATION**www.tpcovn.comEmail : info@tpcovn.com

Tel : +84 948098802

Please contact for quotation and delivery time.

Part Number	OEM	Product Group	Description	In Stock
6AV HMI - OP - MP - TP - Panels				
6AV1132-0BA10	SIEMENS	HMI	OP1-220/5	
6AV1132-0DB10	SIEMENS	HMI	OP1-240/8 OPERATOR PANEL 2-LINE DISPLAY 40 CPL 8 MM CHARACTER HEIGHT 1 RECEPT.EACH F.TF1/TF2 OR TF3	
6AV1142-0DA10	SIEMENS	HMI	TD1-240/5 TEXT DISPLAY W/O TEXT MEMORY 2-LINE DISPLAY 40 CPL 5 MM CHARACTER HEIGHT	
6AV1142-0DB10	SIEMENS	HMI	TD1-240/8 TEXT DISPLAY W/O TEXT MEMORY 2-LINE DISPLAY 40 CPL 8 MM CHARACTER HEIGHT	
6AV1142-1DA10	SIEMENS	HMI	TD2-240/5 TEXT DISPLAY W. TEXT MEMORY (CMOS RAM, BUFFERED) 120 KBYTES NET 2-LINE DISPLAY, 40 CPL 5 MM CHARACTER HEIGHT	
6AV1142-1DB10	SIEMENS	HMI	TEXTDISPLAY	
6AV1202-0AA00	SIEMENS	HMI	256 KBYTE MEMORY SUBMOD.F.CP527 EPROM	
6AV1202-0BA00	SIEMENS	HMI	256 KBYTE MEMORY SUBMOD.F.CP527 RAM	
6AV1222-0AA10	SIEMENS	HMI	HMI CP2000 COROS LS-C	
6AV1222-0AA21	SIEMENS	HMI	CP2000	
6AV1222-0AC20	SIEMENS	HMI	CP-C20 INTERFACE PROCESSOR FOR SIMATIC S5 W. 4 PORTS 12 MHZ, 512/64 KBYTE RAM SOFTWARE VERSION V5.X	
6AV1222-0AD20	SIEMENS	HMI	CP-C30 INTERFACE PROCESSOR FOR SIMATIC S5 WITH 4 PORTS 16 MHZ, 512/256 KBYTE RAM SOFTWARE VERSION V5.X	
6AV1242-0AB00	SIEMENS	HMI	COMMUNICATIONS PROCESSOR (WITH PRINTER PORT) CP527, MONOCHROME; SELF-VENTILATION	
6AV1242-0AB10	SIEMENS	HMI	COMMUNICATIONS PROCESSOR (WITH PRINTER PORT) CP527, COLOR; SELF-VENTILATION	
6AV1414-0AA00	SIEMENS	HMI	51 CM COLOR MONITOR DEGREE OF PROTECTION IP 30 DESK-TOP UNIT 115/230 V AC IMAGE REFRESH RATE 45-120 HZ LINE FREQUENCY 15-38 KHZ STANDARD VERSION	
6AV1902-0AA00	SIEMENS	HMI	KEYBOARD	
6AV1902-0AB00	SIEMENS	HMI	KEYBOARD	
6AV1903-0BA01	SIEMENS	HMI	RAM CARD, 512 KBYTES	
6AV1903-0BC01	SIEMENS	HMI	RAM CARD, 2 MBYTES	
6AV1908-0BA00	SIEMENS	HMI	25-POLE/ 5 X BNC ADAPTER F. 6AV8511-1FD21-2CA1 (OM36/B3) COLOR MONITOR	
6AV2124-1MC01-0AX0	SIEMENS	HMI	SIMATIC HMI KP1200 COMFORT, COMFORT PANEL, KEY OPERATION, 12" WIDESCREEN-TFT-DISPLAY, 16 MIL. COLORS, PROFINET INTERFACE, MPI/PROFIBUS DP INTERFACE, 12 MB USER MEMORY, WINDOWS CE 6.0, CONFIGURABLE FROM WINCC COMFORT V11	
6AV3017-1NE30-0AX0	SIEMENS	HMI	TEXT DISPLAY TD17 LC DISPLAY, BACK-LIT LED, 4 LINES X 20 CHARACTERS FOR SIMATIC S5 ,S05 ,S7 ,M7 NATIVE DRIVERS, PROFIBUS-DP12	
6AV3020-1EL00	SIEMENS	HMI	TD 20/240-8 TEXT DISPLAY TWO-LINE DISPLAY 40 CHARACTERS PER LINE	
6AV3091-1CA00-0AA0	SIEMENS	HMI	MANUAL TD20 GERMAN	
6AV3505-1DB10	SIEMENS	HMI	6AV3503-1DB10 OPERATOR PANEL OP3	
6AV3505-1FB00	SIEMENS	HMI	OPERATOR PANEL OP 5/A1 4 LINES, 20 CHARACTERS/LINE	
6AV3505-1FB01	SIEMENS	HMI	OP 5/A1 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL WITH 1 X TTY/V.24	
6AV3505-1FB12	SIEMENS	HMI	OP 5/A2 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL 1 X TTY/V.24 AND 1 X RS422/485/ MPI/PPi/SINEC L2-DP	
6AV3515-1EB00	SIEMENS	HMI	OP 15/A OPERATOR PANEL TWO-LINE DISPLAY 40 CHARACTERS PER LINE	
6AV3515-1EB01	SIEMENS	HMI	OP15/A OPERATOR PANEL 2 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES (2 X TTY/V.24 AND 1 X RS 422)	
6AV3515-1EB30-1AA0	SIEMENS	HMI	OP15/A1 OPERATOR PANEL 2 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES 2 X TTY/V.24 AND 1 X RS 422/485 256 KB USER MEMORY	
6AV3515-1EB32	SIEMENS	HMI	OP15/A2 OPERATOR PANEL 2 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES 2 X TTY/V.24 AND 1 X MPI/PPi/ SINEC L2-DP	
6AV3515-1EB32-1AA0	SIEMENS	HMI	OP15/A2 OPERATOR PANEL 2 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES 2 X TTY/V.24 AND 1 X MPI/PPi/ SINEC L2-DP, 256 KB USER MEMORY	
6AV3515-1MA00	SIEMENS	HMI	OP 15/B OPERATOR PANEL 4-LINE DISPLAY WITH 20 CPL, 8 MM CHAR. HEIGHT OR 8 LINES W. 40 CPL, 4.5 MM CHAR. HEIGHT	
6AV3515-1MA01	SIEMENS	HMI	OPERATOR PANEL OP15-B	
6AV3515-1MA20	SIEMENS	HMI	OP15/C1 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES 2 X TTY/V.24 AND 1 X RS422/485 AND 8 SOFTKEYS	
6AV3515-1MA20-1AA0	SIEMENS	HMI	OP15/C1 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES 2 X TTY/V.24 AND 1 X RS422/485	
6AV3515-1MA22	SIEMENS	HMI	OP15/C2 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH 2 X TTY/V.24 AND 1 X MPI/PPi/ SINEC L2-DP, 8 SOFTKEYS	
6AV3515-1MA22-1AA0	SIEMENS	HMI	OP15/C2 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH 2 X TTY/V.24 AND 1 X MPI/PPi/ SINEC L2-DP, 8 SOFTKEYS, 256 KB	
6AV3515-1MA30	SIEMENS	HMI	OP15/C1 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES (2 X TTY/V.24 AND 1 X RS422) AND 8 SOFTKEYS	
6AV3515-1MA32	SIEMENS	HMI	OP15/C2 OPERATOR PANEL 4 LINE DISPLAY, 20 CPL OR 8 LINE DISPLAY, 40 CPL WITH INTEGRATED INTERFACES (2 X TTY/V.24) AND 8 SOFTKEYS FOR CONNECTION TO S5 WITH L2-DP	
6AV3520-1DK00	SIEMENS	HMI	OPERATOR PANEL OP20/220-5 TWO-LINE,20 CHARACTERS PER LINE	
6AV3520-1EL00	SIEMENS	HMI	OPERATOR PANEL OP20/240-8 TWO-LINE DISPLAY 40 CHARACTER PER LINE	
6AV3525-1EA01-0AX0	SIEMENS	HMI	OPERATOR PANEL OP25 WITH LC DISPLAY, MONOCHROME (PIXEL GRAPHICS), WITH 4 INTEGRATED INTERFACES 2X TTY/V.24, X.27/TTY, MPI/PPi)	
6AV3525-1EA41-0AX0	SIEMENS	HMI	OPERATOR PANEL OP25 W. MONOCHR. LCD (PIXEL GRAPH.) W. 4 INTEGR. INTERFACES (2XTTY/V.24, X.27/TTY, MPI/PPi) WITH DIRECT KEYPAD	
6AV3525-1EA41-0AX1	SIEMENS	HMI	OPERATOR PANEL OP25 W. LCD MONOCHR. (PIXEL GRAPH.) WITH 4 INTEGRATED INTERFACES (2XTTY/V.24, X.27/TTY, MPI/PPi) WITH DIRECT KEYPAD	
6AV3525-3EA01-0AX0	SIEMENS	HMI	OP25 OPERATOR PANEL(SINGULUS)	
6AV3530-1RR21	SIEMENS	HMI	OPERATOR PANEL OP 30/A (CHARACTER GRAPHICS) WITH DIRECT KEYPAD, WITH MINERAL GLAS	
6AV3530-1RR23	SIEMENS	HMI	OPERATOR PANEL OP30/A	
6AV3530-1RR30	SIEMENS	HMI	OPERATOR PANEL OP 30/B (PIXEL GRAPHICS), WITH DIRECT KEYPAD, WITH PLEXIGLAS	
6AV3530-1RR32	SIEMENS	HMI	OPERATOR PANEL OP30/B (PIXEL GRAPHICS) WITH DIRECT KEYPAD, WITH MINERAL GLASS	
6AV3530-1RR33	SIEMENS	HMI	OPERATOR PANEL OP30/A	
6AV3530-1RS32	SIEMENS	HMI	OPERATOR PANEL OP30/C COLOR LCD (PIXEL GRAPHICS) WITH DIRECT KEYPAD, WITH MINERAL GLASS	
6AV3535-1TA01-0AX0	SIEMENS	HMI	OP 35 OPERATOR PANEL WITH COLOUR LCD (PIXEL GRAPHICS WITH 4 INTEGRATED INTERFACES 2 X TTY/V.24, X.27/TTY, MPI/PPi W/O DIRECT KEYPAD	
6AV3535-1TA41-0BX0	SIEMENS	HMI	OPERATOR PANEL OP35 W. COLOR LCD (PIXEL GRAPHICS) WITH 4 INTEGR. INTERFACES (2XTTY/V.24, X.27/TTY, MPI/PPi) W. DIRECT KEYPAD AND 3.5" DRIVE	
6AV3535-1TA41-0BX1	SIEMENS	HMI	OPERATOR PANEL OP35 W. COLOR LCD (PIXEL GRAPH.) WITH 4 INTEGRATED INTERFACES (2XTTY/V.24, X.27/TTY, MPI/PPi) WITH DIRECT KEYS AND 3.5"	
6AV3545-1VB12-3FX0	SIEMENS	HMI	OP45 OPERATOR PANEL FOR LS-8 WITH ACTIVE TFT COLOR LCD 340 MB HARD DISK CONNECTION TO SINEC H1	
6AV3545-1VC12-3FX0	SIEMENS	HMI	OP45 OPERATOR PANEL FOR LS-8 WITH ACTIVE TFT COLOR LCD 340 MB HARD DISK CONNECTION TO SINEC L2	
6AV3572-1AB10	SIEMENS	HMI	TM1 KEYPAD FOR OP20/240-8 AND MR20	
6AV3572-1AB60	SIEMENS	HMI	DIRECT KEYPAD FOR OP20/240-8	

6AV3572-2FM00	SIEMENS	HMI	REPLACEMENT LCD DISPLAY FOR OP25/OP27 MONO
6AV3573-1FR00	SIEMENS	HMI	MONOCHR. LC DISPLAY FOR OP35
6AV3573-1FR10	SIEMENS	HMI	LC DISPLAY (COLOR) FOR OP35 ONLY FOR OP WITH RELEASE A00
6AV3573-2AT00	SIEMENS	HMI	REPLACEMENT ILLUMINATION FOR IW30, OP50, OP40-SM AND OP30/C (6AV3530-1RU31) COLD-CATHODE TECHNOLOGY
6AV3591-1AD00-0AA0	SIEMENS	HMI	OP3 MANUAL, GERMAN
6AV3591-1BF00-0AB0	SIEMENS	HMI	OP 15 OPERATOR PANEL MANUAL ENGLISH
6AV3607-1JC00-0AX1	SIEMENS	HMI	OPERATOR PANEL OP7/PP LC-DISPLAY, LED ILLUMINATED 4-LINES, 20 CHARAC./ LINE, SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED
6AV3607-1JC20-0AX1	SIEMENS	HMI	OPERATOR PANEL OP7/DP LC-DISPLAY, LED ILLUMINATED 4-LINES, 20 CHARAC./ LINE, SIMATIC S7, M7, PROFIBUS-DP 1,5 MBAUD
6AV3617-1JC00-0AX0	SIEMENS	HMI	OP 17/PP OPERATOR PANEL LC DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505, NATIVE DRIVERS NOT UL/CSA-LISTED
6AV3617-1JC00-0AX1	SIEMENS	HMI	OPERATOR PANEL OP17/PP LC-DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARAC. SIMATIC S5, 505,NATIVE DRIVERS, UL/CSA-LISTED
6AV3617-1JC20-0AX0	SIEMENS	HMI	OP17-DP
6AV3617-1JC20-0AX1	SIEMENS	HMI	OPERATOR PANEL OP17/DP LC-DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARAC. SIMATIC S7, M7 PROFIBUS-DP 1,5 MBAUD
6AV3617-1JC30-0AX1	SIEMENS	HMI	OPERATOR PANEL OP17/DP12 LC-DISPLAY, LED ILLUMINATED 4X20/8X40 LINESXCHARAC. SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD,
6AV3617-1JC30-0AX2	SIEMENS	HMI	OPERATOR PANEL OP17/DP12 LC DISPLAY, BACKLIT LED 4X20/8X40 LINESXCHARACTERS SIMATIC S5, 505, S7, M7, NATIVE DRIVERS, PROFIBUS-DP 12 MBAUD, UL/CSA-LISTED
6AV3617-5BA00-0BC0	SIEMENS	HMI	OPERATOR PANEL OP17/DP 6AV3607-1JC20-0AX1 CUSTOMER-SPEC. DESIGN VERSION A CUSTOMER-SPEC. DESIGN F. KRAYER
6AV3627-1K000-0AX0	SIEMENS	HMI	OPERATOR PANEL OP27 STN MONOCHROME LC DISPLAY
6AV3627-1K000-1AX0	SIEMENS	HMI	OPERATOR PANEL OP27 STN COLOR LC DISPLAY
6AV3627-1NK00-2AX0	SIEMENS	HMI	TOUCH PANEL TP27-6 6" STN MONOCHROME LC DISPLAY PCMCIA, 1 MB FLASH-EPROM
6AV3627-1QK00-0AX0	SIEMENS	HMI	TOUCH PANEL TP27 STN-COLOR-LC-DISPLAY 1 MB FLASH-EPROM
6AV3627-1QK00-2AX0	SIEMENS	HMI	TOUCH PANEL TP27-6 6" STN COLOR LC DISPLAY PCMCIA, 1 MB FLASH-EPROM
6AV3627-1QL00-0AX0	SIEMENS	HMI	TOUCH PANEL TP27-10 10.4" STN COLOR LC DISPLAY 1 MB FLASH-EPROM
6AV3627-1QL01-0AX0	SIEMENS	HMI	TOUCH PANEL TP27-10 10.4" STN COLOR LC DISPLAY 1 MB FLASH-EPROM
6AV3627-5DB00-0B	SIEMENS	HMI	OEM TP27
6AV3627-5DB00-0BR0	SIEMENS	HMI	TOUCH PANEL TP27-6 COLOR 6AV3627-1QK00-2AX0 CUSTOMER-SPEC. DESIGN VERSION B CUSTOMER-SPEC. DESIGN F. CFS
6AV3627-6QL00-1BC0	SIEMENS	HMI	OEM TP27 10.4" STN COLOR COMPLETE CUSTOMER-SPECIFIC TOUCH MEMBRANE STANDARD MECHANICS
6AV3637-1LL00-0AX0	SIEMENS	HMI	OP 37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (STN) W/O HD, W/O FD
6AV3637-1LL00-0AX1	SIEMENS	HMI	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH.DISPLAY (STN) W/O HD, W/O FD
6AV3637-1LL00-0BX0	SIEMENS	HMI	OP 37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (STN) W/O HD, WITH FD
6AV3637-1LL00-0FX1	SIEMENS	HMI	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH.DISPLAY (STN) W/O HD, WITH FD
6AV3637-1ML00-0BX0	SIEMENS	HMI	OP 37 OPERATOR PANEL 100 MHZ PENTIUM, 8 MB RAM WITH LC COLOR GRAPHIC DISPLAY (TFT) W/O HD, WITH FD
6AV3637-1ML00-0FX0	SIEMENS	HMI	OPERATOR PANEL OP37 PENTIUM 100 MHZ, 8 MB RAM W. LC COLOR GRAPH. DISPLAY(TFT) W/O HD, WITH FD
6AV3637-1PL00-0AX0	SIEMENS	HMI	TOUCH PANEL TP37 PENTIUM 100MHZ, 8MB RAM TFT-DISPLAY (8 COLORS), 10,4" ANALOG TOUCH,W/O. HD, W/O FD
6AV3637-6BC54-1AD0	SIEMENS	HMI	OEM-OP37 JCI
6AV3647-1ML02-3CC0	SIEMENS	HMI	OPERATOR PANEL OP47 WINCC PENTIUM 200MHZ, TFT COLOR DISP: 32 MB RAM, 1.6 GB HARD DISK POINT TO POINT CONNECTION
6AV3672-1CA01	SIEMENS	HMI	DIRECT CONTROL KEY MODULE FOR OP27/TP27-6 8 OUTPUTS
6AV3672-1CA11	SIEMENS	HMI	CPI 1 (CONTROL PANEL INTERFACE) FOR OP27/TP27 16 I/O
6AV3673-1CA01	SIEMENS	HMI	DIRECT KEYPAD FOR OP37/OP47/TP37 AND OP37/PRO 16 OUTPUTS
6AV3673-1CA11	SIEMENS	HMI	CPI 1 (CONTROL PANEL INTERFACE) FOR OP37/TP27/37 16 I/O
6AV3673-1CA20	SIEMENS	HMI	EXPANSION SLOTS FOR OP 37/47 AND OP37/PRO
6AV3673-1CA31	SIEMENS	HMI	CPI 2 (CONTROL PANEL INTERFACE) FOR OP27/37/TP27/37 32 I/O
6AV3681-1CB06-0AX0	SIEMENS	HMI	SIMATIC PROAGENT/MP FOR WINDOWS CE DEVICES (NOT TP/OP170) RUNTIME LICENSE, V6.X PROCESS DIAGNOSTICS BASED ON STEP7, S7-GRAPH AND S7-PDIAG
6AV3688-3AA03-0AX0	SIEMENS	HMI	PUSH BUTTON PANEL PP7 8 SHORT-STROKE KEYS 8 SURFACE LED'S, 4 DI TERMINALS (24 V) PROFIBUS DP
6AV3688-3CD13-0AX0	SIEMENS	HMI	PUSH BUTTON PANEL PP17 I 16 SHORT-STROKE KEYS 16 SURFACE LED'S, 16 DI AND 16 DO TERMINALS PROFIBUS DP12
6AV3688-3ED13-0AX0	SIEMENS	HMI	PUSH BUTTON PANEL PP17 II 32 SHORT-STROKE KEYS 32 SURFACE LED'S, 16 DI AND 16 DO TERMINALS PROFIBUS DP12
6AV3688-4CX02-0AA0	SIEMENS	HMI	PUSH BUTTON PANEL PP17-I, 1 TO 4 F-DI FOR EMERGENCY-STOP, WITH PROFISAFE COMM., 16 SHORT-STROKE KEYS, 16 SURFACE LEDES, MAX. 14 DI AND 14 DO TERMINALS, PROFIBUS DP12
6AV3688-4CX07-0AA0	SIEMENS	HMI	PUSH BUTTON PANEL PP17-I PN, 2 F-DI FOR EMERGENCY-STOP, WITH PROFISAFE COMM., 16 SHORT-STROKE KEYS, 16 SURFACE LEDES, 16 DI AND 8 DO TERMINALS, PROFINET
6AV3688-4EY06-0AA0	SIEMENS	HMI	PUSH BUTTON PANEL PP17-II PN, 32 SHORT-STROKE KEYS, 32 SURFACE LEDES, 16 DI AND 16 DO TERMINALS, PROFINET
6AV3688-4XB83-0BK0	SIEMENS	HMI	PP48/TD17 FOR DAIMLER-CHRYSLER BUILT-IN UNIT, 48 ILLUM. PUSHB. 12 ADDIT. ELEMENTS, ASSEMBLED W. PP17-II, PP17-I, TD17, DP/MP/
6AV3970-1XB00-0AA0	SIEMENS	HMI	INTERFACE MODULE FOR TD10/20, OP20/30 ITT/V.24 INTERFACE
6AV3970-1XB10-0AA0	SIEMENS	HMI	INTERFACE MODULE FOR TD10/20 PARALLEL INTERFACE
6AV3970-1XB31-0AA0	SIEMENS	HMI	INTERFACE SUBMODULE FOR TD10/20, OP20, L2 DP INTERFACE
6AV3971-0PA05-0EA0	SIEMENS	HMI	MEMORY MODULE FOR OP30-SM WITH GRACIS-ULB PROCESS OPERAT. MESSAGE SYSTEM AND PRINTER LOGGING, 256 KB USER MEMORY
6AV3971-1BA01-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD10 WITH FIRMWARE FOR AS511,FAP,L1,PARALLEL,64 KBYTES
6AV3971-1BA02-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD10 WITH FIRMWARE FOR AS511, FAP, L1, PARALLEL, 128 KBYTES
6AV3971-1BA03-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD10 WITH FIRMWARE FOR L2, 256 KBYTES
6AV3971-1CA01-0AA0	SIEMENS	HMI	MEMORY SUBMODULE FLASH-EPROM FOR TD20, 64 KBYTES
6AV3971-1CA01-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR AS511, FAP, L1, PARALLEL, 64 KBYTES
6AV3971-1CA01-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR L2, 64 KBYTES
6AV3971-1CA02-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR AS511, FAP, L1, PARALLEL, 128 KBYTES
6AV3971-1CA02-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR L2, 128 KBYTES
6AV3971-1CA03-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR TD20 WITH FIRMWARE FOR L2, 256 KBYTES
6AV3971-1NA01-0AA0	SIEMENS	HMI	MEMORY SUBMODULE FLASH-EPROM FOR OP20, 64 KBYTES
6AV3971-1NA01-0BA0	SIEMENS	HMI	SPICHERMODUL FAP OP20, 64 KB
6AV3971-1NA01-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR AS511, FAP, L1, 64 KBYTES
6AV3971-1NA01-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR L2, 64 KBYTES
6AV3971-1NA02-0AA0	SIEMENS	HMI	MEMORY SUBMODULE FLASH-EPROM FOR OP20, 128 KBYTES
6AV3971-1NA02-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR AS511, FAP, L1, 128 KBYTES
6AV3971-1NA02-0DA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR L2, 128 KBYTES
6AV3971-1NA03-0AA0	SIEMENS	HMI	MEMORY SUBMODULE FLASH-EPROM FOR OP20, 256 KBYTES
6AV3971-1NA03-0CA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP20 WITH FIRMWARE FOR AS511, FAP, L1, 256 KBYTES
6AV3971-1PA03-1AA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP30 W/O OPER. SYSTEM EPROM 256 KB FLASH-EPROM
6AV3971-1PA05-0EA0	SIEMENS	HMI	SIEMENS OP30-SM
6AV3971-1PA05-1AA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP30 W/O EPROM OPERATING SYSTEM 768 KB FLASH-EPROM
6AV3971-1XD03-0AA0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP30 V2.01 W. OPER. SYSTEM IN 256KB EPROM AND 256KB FLASH-EPROM
6AV3971-1XD03-0AB0	SIEMENS	HMI	MEMORY SUBMODULE FOR OP30 V2.03 W. OPER. SYSTEM IN 256KB EPROM AND 256KB FLASH-EPROM
6AV3980-1AA21-0AX0	SIEMENS	HMI	STANDARD FB FOR TD10/17/20, OP5/7/15/17/20/25/30/35/37, TP27/37, FLOPPY DISK: 3 1/2" (MS DOS) AND 5 1/4" (PCP/M), VERSION V3.31
6AV3991-1AB20-0AA0	SIEMENS	Software / Manual	OP5, OP15 MANUAL CONFIGURED WITH PROTOOL GERMAN
6AV3991-1BA00-0AA0	SIEMENS	Software / Manual	MANUAL "COMMUNICATION" FOR THE CONNECTION OF TD/OP TO THE CONTROLLER GERMAN
6AV3991-1BC02-0AA0	SIEMENS	Software / Manual	MANUAL "COMMUNICATION" FOR THE CONNECTION OF TD/OP TO THE CONTROLLER, RELEASE V2.0 GERMAN

6AV3991-1BC02-0AC0	SIEMENS	Software / Manual	MANUAL "COMMUNICATION" FOR THE CONNECTION OF TD/OP TO THE CONTROLLER, RELEASE V2.0 FRENCH
6AV4012-0AA10-0AB0	SIEMENS	HMI	CP 528 COMMUNICATIONS PROCESSOR ANALOG BEDI W.OPER.AND DIAGNOSTICS FUNCT.
6AV4012-0AA20-0AB0	SIEMENS	HMI	CP 528 COMMUNICATIONS PROCESSOR DIGITAL BEDI W.OPER.AND DIAGNOSTICS FUNCT.
6AV5030-1DL20-0AC0	SIEMENS	HMI	MP30/C MONITOR PANEL FOR CP 528, VP30/B AND WF48X WITH COLOR LCD AND MINERAL GLASS
6AV5040-1BF41-0BC0	SIEMENS	HMI	MP40/C36-B MONITOR PANEL FOR CP 526/527/528-A, CP 581 (WITH LOW AND HIGH RESOLUTION) FOR COROS LS-A, LS-B, LS-C AND GRACIS-55 WITH
6AV5530-1BJ22-0DB0	SIEMENS	HMI	IndustrieWorkstation IW30/B
6AV6188-3GB00-0AX3	SIEMENS	HMI	LS-B Y2000-UPDATE FOR WIN V1.12/2.0/2.01/2.1 3 DISKS INCL. P-INFO
6AV6371-1DR06-1AX1	SIEMENS	Software / Manual	WINCC/CONNECTIVITY PACK V6.1 SP1, OPTION F.SIMATIC WINCC V6.0 SP4
6AV6542-0AA15-1AX0	SIEMENS	HMI	SIMATIC MP270 MULTI PANEL 10" CSTN-DISPLAY
6AV6542-0AB15-1AX0	SIEMENS	HMI	SIMATIC MP270 MULTI PANEL 10" TFT-DISPLAY
6AV6542-0AD15-2AX0	SIEMENS	HMI	SIMATIC MP270 MULTI PANEL 10" TFT DISPLAY 12 MB FLASH-EPROM / 32 MB RAM CONFIGURABLE WITH PROTOOL FROM VERSION V5.2+SP2
6AV6542-0AF15-2AX0	SIEMENS	HMI	SIMATIC MP270 MULTI PANEL 10" TFT DISPLAY 8 MB FLASH-EPROM / 32 MB RAM CONFIGURABLE W. PROTOOL FROM VERSION V5.2
6AV6542-0AG10-0AX0	SIEMENS	HMI	SIMATIC MP270B KEYS MULTI PANEL 10.4" TFT DISPLAY 4 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6542-0BB15-2AX0	SIEMENS	HMI	SIMATIC PANEL OP170B BLUE MODE STN DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2
6AV6542-0CA10-0AX0	SIEMENS	HMI	SIMATIC OP270 6" OPERATOR PANEL 5.7" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6542-0CC10-0AX0	SIEMENS	HMI	SIMATIC OP270 10" OPERATOR PANEL 10.4" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6542-0DA10-0AX0	SIEMENS	HMI	SIMATIC MULTIPANEL MP370 12" COLOR TFT DISPLAY, KEYS WINDOWS CE 3.0 CONFIGURABLE WITH PROTOOL FROM VERSION V5.2 SP3
6AV6545-0AA15-2AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP070 5.7" STN DISPLAY RESISTIVE ANALOG TOUCH
6AV6545-0AG10-0AX0	SIEMENS	HMI	SIMATIC MP270B TOUCH MULTI PANEL 10.4" TFT DISPLAY 4 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6545-0AH10-0AX0	SIEMENS	HMI	SIMATIC MP270B 6" TOUCH MULTI PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY CONFIGURABLE WITH WINCC FLEXIBLE STANDARD V1.0 OR HIGHER
6AV6545-0BA15-2AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP170A BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP INTERFACE CONFIGURABLE W. PROTOOL/LITE FROM VERSION V5.2
6AV6545-0BB15-2AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP170B MONO BLUE MODE STN DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER/RS232 INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2
6AV6545-0BC15-2AX0	SIEMENS	HMI	SIMATIC TOUCHPANEL TP170B COLOR STN COLOR DISPLAY MPI-/PROFIBUS-DP INTERFACE PRINTER/RS232 INTERFACE SLOT FOR CF-CARD CONFIGURABLE WITH PROTOOL/LITE FROM VERSION V5.2 SP2
6AV6545-0CA10-0AX0	SIEMENS	HMI	SIMATIC TP270 6" TOUCH PANEL 5.7" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6545-0CA10-0AX1	SIEMENS	HMI	TP270 TOUCH-6 CSTN
6AV6545-0CC10-0AX0	SIEMENS	HMI	SIMATIC TP270 10" TOUCH PANEL 10.4" STN COLOR DISPLAY 2 MB CONFIGURING MEMORY CONFIGURABLE W. PROTOOL FROM VERS. V6.0
6AV6545-0DA10-0AX0	SIEMENS	HMI	SIMATIC MULTIPANEL MP370 12" COLOR TFT DISPLAY, TOUCH WINDOWS CE 3.0 CONFIGURABLE WITH PROTOOL FROM VERSION V5.2 SP3
6AV6545-0DB10-0AX0	SIEMENS	HMI	SIMATIC MULTIPANEL MP370 15" COLOR TFT DISPLAY, TOUCH WINDOWS CE 3.0 CONFIGURABLE W. PROTOOL VERSION V6.0 SP2 AND HIGHER
6AV6545-4BA16-0CX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON AND EMERGENCY-OFF BUTTON CONFIGURABLE W. PROTOOL/LITE VERSION V6.0 SP2 AND HIGHER
6AV6545-4BB16-0CX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON EMERGENCY-OFF BUTTON HANDWHEEL, KEY SWITCH AND ILLUMINATED V6.0 SP2 AND HIGHER
6AV6545-4BC16-0CX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 170 WITH INTEGRATED ENABLING BUTTON EMERGENCY-OFF BUTTON HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT CONFIGURABLE W. PROTOOL/LITE VERSION V6.0 SP2 AND HIGHER
6AV6545-6DB10-0BS0	SIEMENS	HMI	OEM MP370 15" TOUCH REMOTE OPERATE PANEL CUSTOMER-SPECIF. VERSION FOR FA. KHS
6AV6545-8BC10-0AA0	SIEMENS	HMI	TP170 B STN COLOR DISPLAY STAINLESS STEEL FRONTPANEL DISPLAY COVERED BY MEMBRANE PROTECTION CLASS IP66 AT FRONT MPI-/PROFIBUS-DP INTERFACE PRINTER-/RS232-INTERFACE SLOT FOR CF-CARD PROJECTABLE WITH PROTOOL/LITE FROM VERSION V5.2+SP2
6AV6545-8DB10-0AA0	SIEMENS	HMI	SIMATIC MULTIPANEL MP370 15" COLOR-TFT-DISPLAY, TOUCH STAINLESS STEEL FRONTPANEL, DISPLAY COVERED BY MEMBRANE PROTECTION CLASS FRONT IP66 WINDOWS CE 3.0 PROJECTABLE WITH PROTOOL FROM VERSION V6.0 SP2
6AV6574-1AD00-4CX0	SIEMENS	HMI	PROTECTIVE MEMBRANE FOR MP270B 10" TOUCH, MP370 12" TOUCH, TP270 10", C7-636 TOUCH, MP377 12" TOUCH 10 PIECES PER PACKAGING UNIT
6AV6574-1AE04-4AA0	SIEMENS	HMI	CONNECTING BOX BASIC FOR MOBILE PANEL 170
6AV6574-1AE14-4AA0	SIEMENS	HMI	JUNCTION BOX PLUS FOR MOBILE PANEL 170
6AV6574-1AF04-4AA0	SIEMENS	HMI	WALL BRACKET FOR MOBILE PANEL 170, MOBILE PANEL 177, MOBILE PANEL 277, MOBILE PANEL 277 IWLAN, MOBILE PANEL 277F IWLAN, WITHOUT MOUNTING PARTS
6AV6574-2AC00-2AA0	SIEMENS	HMI	CF CARD 128 MB
6AV6574-2AC00-2AA1	SIEMENS	HMI	SIMATIC HMI MEMORY CARD 512 MB COMPACT FLASH CARD FOR SIMATIC HMI PANEL AND IPC WITH CF SLOT
6AV6581-3BX05-0BX4	SIEMENS	HMI	SOFTWARE UPGRADE PROTOOL FROM VERSION V5.01
6AV6581-3BX06-0DX4	SIEMENS	HMI	PROTOOL SOFTWARE UPGRADE F. VERSION V6.0+SP3 WITH PROAGENT V6.0+SP3, W/O RUNTIME LICENSES W. NATIVE DRIVERS ON CD-ROM ELECTR. DOCUM, 5 LANG., FOR WIN98 SE/ME/NT4.0 SP6A/2000 /XP , SINGLE LICENSE REQUIREMENTS: PROTOOL ALREADY INSTALLED!
6AV6582-2BX05-0BX0	SIEMENS	HMI	CONFIGURING SOFTWARE PROTOOL/PRO CONFIGURATION,V5.01
6AV6584-1AB06-0CX0	SIEMENS	HMI	RUNTIME SOFTWARE PROTOOL/PRO RUNTIME V6.0 SP2 ON CD PLUS RUNTIME LICENSE FOR 128 POWER TAGS,(LICENSE APPLIC. FOR RT V5.X AND V6.X) FOR WIN98 SE/ME/NT4.0 SP6A /2000 SP3/XP SINGLE LICENSE
6AV6584-1AD06-0DX0	SIEMENS	HMI	RUNTIME SOFTWARE PROTOOL/PRO RUNTIME V6.0 SP3 ON CD PLUS RUNTIME LICENSE FOR 512 POWER TAGS,(LICENSE APPLIC. FOR RT V5.X AND V6.X), FOR WIN98 SE/ME/NT4.0 SP6A /2000 /XP, SINGLE LICENSE
6AV6594-1AA05-0AC0	SIEMENS	HMI	PROTOOL USER GUIDE CONFIGURING LINE DEVICES FRENCH
6AV6611-0AA01-1CA5	SIEMENS	Software / Manual	WINCC FLEXIBLE 2005 COMPACT ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON FD SW AND DOCUMENTATION ON CD IN GER/EN/IT/FR/SP, EXEC. UNDER WIN2000/XP/PROF FOR CONFIGURATION OF SIMATIC PANELS UPTO SERIES 170
6AV6611-0AA51-3CA5	SIEMENS	HMI	WINCC FLEXIBLE 2008 COMPACT ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB STICK, SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP/CHS/CHT/KOR/JPN EXEC. UNDER XPPROF/ WINDOWS 7 BUSINESS/ULTIMATE/ ENTERPRISE (32 BIT), FOR CONFIGURATION OF SIMATIC PANELS
6AV6613-0AA51-2CA5	SIEMENS	HMI	WINCC FLEXIBLE 2007 ADVANCED ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB STICK, SW AND DOCUMENTATION ON DVD IN GER/EN/IT/FR/SP/CHS/CHT/KOR/JPN EXEC. UNDER WIN2000/XP/PROF, FOR CONFIGURATION OF SIMATIC PANELS AND WINCC FLEXIBLE 2007 RUNTIME
6AV6613-0AA51-2CE5	SIEMENS	Software / Manual	WINCC FLEXIBLE 2007 ADVANCED, UPGRADE FROM WINCC FLEXIBLE 2004 OR 2005 ADVANCED AUF WINCC FLEXIBLE 2007 ADVANCED, INCL. CHANGE CONTROL, ENGINEERING-SW,FLOATING LICENSE LICENSE KEY ON USB-STICK, SW AND DOCUMENTATION ON DVD, GE/EN/IT/FR/SP/CHS/CHT/KOR/JAP,
6AV6640-0AA00-0AX1	SIEMENS	HMI	TD400C TEXTDISPLAY, 4 LINES FOR SIMATIC S7-200 WITH CABLE (2,5M) AND MOUNTING ACCESSORIES WITH CUSTOMIZED FACEPLATE, CONFIGURATION WITH STEP7-MICRO/WIN V4 SP6
6AV6640-0BA11-0AX0	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP 73MICRO FOR SIMATIC S7-200 3" LC DISPLAY, BACKLIT WITH GRAPHICS CAPABILITY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD

6AV6640-0CA01-0AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP170 MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WITH WINCC FLEXIBLE MICRO V1.0
6AV6640-0CA11-0AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD
6AV6640-0CA11-0AX1	SIEMENS	HMI	SIMATIC TOUCH PANEL TP 177MICRO FOR SIMATIC S7-200 5.7" BLUE MODE STN DISPLAY CONFIGURABLE WINCC FLEXIBLE 2004 MICRO HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD
6AV6641-0AA11-0AX0	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP 73 3" LC DISPLAY, BACKLIT, WITH GRAPHICS CAPABILITY, MPI-/PROFIBUS-DP INTERFACE, UP TO 1.5MB, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCL0S
6AV6641-0BA11-0AX0	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP77A BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 1,5MB, FOR CONFIGURATION WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE
6AV6641-0BA11-0AX1	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP77A BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 1,5MB, FOR CONFIGURATION WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE
6AV6641-0CA01-0AX0	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP77B BACKLIT LC DISPLAY 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 12 MB PRINTER/USB INTERFACE SLOT FOR MMC CARD FOR CONFIGURATION OF WINCC FLEXIBLE COMPACT V1.0
6AV6641-0CA01-0AX1	SIEMENS	HMI	SIMATIC OPERATOR PANEL OP77B BACKLIT LC DISPLAY, 4.5" DISPL. W. GRAPHICS CAPABIL MPI-/PROFIBUS-DP INTERFACE UP TO 12 MB, PRINTER/USB INTERFACE, SLOT FOR MMC CARD, FOR CONFIGURATION OF WINCC FLEXIBLE 2004 COMPACT
6AV6642-0AA11-0AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP 177A 5,7" BLUE MODE STN-DISPLAY, MPI-/PROFIBUS-DP INTERFACE, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE.
6AV6642-0AA11-0AX1	SIEMENS	HMI	SIMATIC TOUCH PANEL TP 177A 5,7" BLUE MODE STN-DISPLAY, MPI-/PROFIBUS-DP INTERFACE, CONFIGURABLE WINCC FLEXIBLE 2004 COMPACT HSP UPWARDS; CONTAINS OPEN-SOURCE-SW, WHICH IS PROVIDED FREE OF CHARGE. FOR DETAILS SEE ENCLOSED CD
6AV6642-0BA01-1AX0	SIEMENS	HMI	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0BA01-1AX1	SIEMENS	HMI	SIMATIC TOUCHPANEL TP177B PN/DP STN 265 COLOR-DISPLAY MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0BC01-1AX0	SIEMENS	HMI	SIMATIC TOUCH PANEL TP177B DP BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB INTERFACE PRINTER - INTERFACE SLOT FOR MMCARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0BC01-1AX1	SIEMENS	HMI	SIMATIC TP177B 6" DP BLUE MODE STN-DISPLAY MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB INTERFACE PRINTER - INTERFACE SLOT FOR MMCARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0BD01-3AX0	SIEMENS	HMI	SIMATIC TP177B 4" COLOR PN/DP TFT 256 COLOR-16:9-DISPLAY, MPI-/PROFIBUS-DP - PROTOCOL RS485-/RS422-/USB - INTERFACE ETHERNET10/100 INTERFACE PRINTER - INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2008
6AV6642-0DA01-1AX0	SIEMENS	HMI	SIMATIC PANEL OP177B PN/DP STN 256 COLOR DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE ETHERNET - INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0DA01-1AX1	SIEMENS	HMI	SIMATIC PANEL OP177B PN/DP STN 256 COLOR DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE ETHERNET - INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0DC01-1AX0	SIEMENS	HMI	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0DC01-1AX1	SIEMENS	HMI	SIMATIC PANEL OP177B DP BLUE MODE STN DISPLAY TOUCH AND KEYS MPI-/PROFIBUS-DP PROTOCOL RS485-/RS422-/USB- INTERFACE PRINTER INTERFACE SLOT FOR MM-CARD CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6642-0EA01-3AX0	SIEMENS	HMI	SIMATIC MP 177 6" TOUCH MULTI PANEL W. RETENTIVE MEMORY 5.7" TFT DISPLAY 2 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 COMPACT OR HIGHER
6AV6642-6EA10-0UHO	SIEMENS	HMI	MP 177 6" TOUCH UNIFLEX MULTI PANEL W. RETENTIVE MEMORY 5,7" TFT DISPLAY 2 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2008 SP1 STANDARD OR HIGHER ARCHIVING AND SCRIPTING
6AV6643-0AA01-1AX0	SIEMENS	HMI	SIMATIC TP 277 6" TOUCH PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD OR HIGHER
6AV6643-0BA01-1AX0	SIEMENS	HMI	SIMATIC OP 277 6" OPERATOR PANEL 5.7" TFT DISPLAY 4 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER
6AV6643-0CB01-1AX0	SIEMENS	HMI	SIMATIC MP 277 8" TOUCH TFT MULTI PANEL 7,5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1 OR HIGHER
6AV6643-0CB01-1AX1	SIEMENS	HMI	SIMATIC MP 277 8" TOUCH TFT MULTI PANEL W. RETENTIVE MEMORY 7.5" TFT DISPLAY 6 MB CONFIGURING MEMORY, CONFIGURABLE WITH WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0CD01-1AX0	SIEMENS	HMI	SIMATIC MP 277 10" TOUCH MULTI PANEL 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG: WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0CD01-1AX1	SIEMENS	HMI	SIMATIC MP 277 10" TOUCH MULTI PANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG: WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0DB01-1AX0	SIEMENS	HMI	SIMATIC MP 277 8" KEY MULTIPANEL, 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0DB01-1AX1	SIEMENS	HMI	SIMATIC MP 277 8" KEY MULTIPANEL, W. RETENTIVE MEMORY 7,5" TFT DISPLAY, 6 MB USER MEMORY, CONFIG. WITH WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0DD01-1AX0	SIEMENS	HMI	SIMATIC MP 277 10" KEY MULTIPANEL 10,4" TFT DISPLAY
6AV6643-0DD01-1AX1	SIEMENS	HMI	SIMATIC MP 277 10" KEY MULTIPANEL W. RETENTIVE MEMORY 10,4" TFT DISPLAY 6 MB USER MEMORY CONFIG. WINCC FLEXIBLE 2005 STANDARD SP1
6AV6643-0ED01-2AX0	SIEMENS	HMI	SIMATIC MP 277 10" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROT. CL. FRONT IP66K, EX 2/22 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE
6AV6643-5CB10-1DS1	SIEMENS	HMI	SIMATIC MP 277 8" TOUCH WITH CUSTOMIZED DESIGN ONLY FOR ENVIRO CHEMIE BASED ON: 6AV6643-0CB01-1AX1
6AV6643-5MA10-0NDO	SIEMENS	HMI	OEM MP 277 6" TOUCH PORTRAIT 5,7 " DISPLAY MONOCHROM WITH 4 BLUE COLOR LEVELS INTERFACES AND ELECTRONIC AS 6AV6643-0CB01-1AX0 WITH CUSTOMIZED DESIGN FOR MOSCA CONFIGURABLE WITH WINCC FLEXIBLE 200
6AV6643-5MA10-0ND2	SIEMENS	HMI	OEM MP 277 TOUCH DESIGN 5,7" WITH CUSTOMIZED DESIGN
6AV6643-6CB01-0GHO	SIEMENS	HMI	SIMATIC MP 277 8" T PORTRAIT, MULTI PANEL; CSPEC.....
6AV6643-7CY10-3AU0	SIEMENS	HMI	ECC PANEL BASED ON MP277, WINCC5.0 PLATFORM, 8,4"-VGA-COLOR-TFT-DISPLAY,, TOUCH, W/O JOYSTICK, ETHERNET, USB,, DIE-CAST ALUMINIUM HOUSING, WITH CONNECTING CABLE
6AV6643-8AD10-0AA0	SIEMENS	HMI	SIMATIC TOUCHPANEL MP 277 10" STAINLESS STEEL FRONT, DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6643-8AD10-0AA1	SIEMENS	HMI	SIMATIC MP 277 10" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROTECTION CLASS FRONT IP66K, 10.4" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE 2005
6AV6644-0AA01-2AX0	SIEMENS	HMI	SIMATIC MP 377 12" TOUCH MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-0AB01-2AX0	SIEMENS	HMI	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0 15" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-0AC01-2AX0	SIEMENS	HMI	SIMATIC MP 377 19" TOUCH MULTIPANEL, WINDOWS CE 5.0 19" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-0AC01-2AX1	SIEMENS	HMI	SIMATIC MP 377 19" TOUCH MULTIPANEL, WINDOWS CE 5.0 19" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-0BA01-2AX0	SIEMENS	HMI	SIMATIC MP 377 12" KEY MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-0BA01-2AX1	SIEMENS	HMI	SIMATIC MP 377 12" KEY MULTIPANEL, WINDOWS CE 5.0 12" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007 NEW KEY ALUMINIUM FRONT WITH UNIFORM CLAMPS
6AV6644-0CB01-2AX0	SIEMENS	HMI	SIMATIC MP 377 15" TOUCH STAINLESS STEEL FRONT, RETENTIV DISPLAY COVERED BY MEMBRANE, PROT. CL. FRONT IP66K, EX 2/22 15" TFT DISPLAY, CONFIGURABLE WITH WINCC FLEXIBLE
6AV6644-2AB01-2AX0	SIEMENS	HMI	SIMATIC MP 377 PRO 15" TOUCH MULTIPANEL, WINDOWS CE 5.0 15" COLOR-TFT-DISPLAY 12 MB USER MEMORY CONFIGURABLE FROM WINCC FLEXIBLE 2007
6AV6644-5AA10-0BJ0	SIEMENS	HMI	MP377 12" TOUCH BASED ON: 6AV6644-0AA01-2AX0 WITH BHS DESIGN

6AV6644-5AA13-0DN0	SIEMENS	HMI	SIMATIC MP377 12" TOUCH MIT CUSTOMIZED DESIGN FOR CUSTOMER HUENI ONLY INCLUSIVE TEMPERING BASED ON: 6AV6644-0AA01-2AX0
6AV6644-5AB10-0BS0	SIEMENS	HMI	OEM MP377 15" TOUCH REMOTE OPERATE PANEL CUSTOMIZED DESIGN KHS
6AV6644-8AB20-0AA1	SIEMENS	HMI	SIMATIC MP 377 15" TOUCH MULTIPANEL, WINDOWS CE 5.0, 15" FARB - TFT - DISPLAY, HIGH BRIGHTNESS, 12 MB USER MEMORY, CONFIGURABLE FROM WINCC FLEXIBLE 2008 SP1
6AV6645-0AA01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 DP WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0AB01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 DP WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0AC01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 DP W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0BA01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 PN WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0BB01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 PN WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0BC01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 177 PN W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND ILLUMINATED PUSHBUTTON UNIT, CONFIGURABLE W. WINCC FLEXIBLE COMPACT VERSION 2005 AND HIGHER
6AV6645-0BE02-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 10" W. INTEGRATED ENABLING BUTTON, STOP BUTTON AND TOUCH, CONFIGURABLE WITH WINCC FLEXIBLE STANDARD VERSION 2008 AND HIGHER
6AV6645-0CA01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 WITH INTEGRATED ENABLING BUTTON CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER
6AV6645-0CB01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 WITH INTEGRATED ENABLING BUTTON AND STOP BUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER
6AV6645-0CC01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 W. INTEGRATED ENABLING BUTTON, STOP BUTTON, HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTON, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2005 SP1 AND HIGHER
6AV6645-0DD01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 IWLAN CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CHARGING ST. 6AV6671-5CN00-0AX1 EXTERNAL POWER SUPPLY UNIT (EU)
6AV6645-0DE01-0AX0	SIEMENS	HMI	SIMATIC MOBILE PANEL 277 IWLAN WITH HANDWHEEL, KEY SWITCH AND TWO ILLUMINATED PUSHBUTTONS, CONFIGURABLE W. WINCC FLEXIBLE STANDARD VERSION 2007 AND HIGHER INCL. 1 MAIN BATTERY AND BACKUP BATTERY POWER SUPPLY TO BE ORDERED SEPARATELY: 6AV6671-5CE00-0AX0 CH
6AV6645-7AB10-0AS0	SIEMENS	HMI	OEM SIMATIC MOBILE PANEL 277 REMOTE OPERATE (RO) 10". WITH INTEGR. ENABLING BUTTON, EMERGENCY-STOP BUTTON, 2 STYLUS PEN FOR TOUCHOPERATION. SW REMOTE OPERATE CLIENT INSTALLED. SW REMOTE OPERATE SERVER ON CD IN SUBPACKAGE.
6AV6646-0AA21-2AX0	SIEMENS	HMI	SIMATIC THIN CLIENT (HARDWARE) 10" TOUCH, THIN CLIENT, 10" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB
6AV6646-0AB21-2AX0	SIEMENS	HMI	SIMATIC THIN CLIENT (HARDWARE) 15" TOUCH, THIN CLIENT, 15" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB
6AV6646-2AB21-2AX0	SIEMENS	HMI	SIMATIC THIN CLIENT PROTECTED 15" TOUCH,IP65, EXTERNAL DEVICE 15" TFT DISPLAY, 64K COLORS, CLIENT: SMARTACCESS, RDP, WEB IP65 DEVICE FOR EXTERNAL MOUNTING, NO BUILT-IN UNIT
6AV6646-7AB00-0BK0	SIEMENS	HMI	OEM SIMATIC THIN CLIENT 15" CUSTOM DOOR WITH 2 X 6 SEITL-TASTEN, 15." XGA 1024X768 DISPLAY, INTEGRATED MULTIPLE 4 USB HUB PORTS: 1 X ETHERNET RJ45, 4 X USB 1.1
6AV6647-0AA11-3AX0	SIEMENS	HMI	SIMATIC HMI KTP400 BASIC MONO PN, 3,8" MONO STN DISPLAY, ETHERNET INTERFACE CONFIGURATION FROM WINCC FLEXIBLE 2008 COMPACT SP1 OR WINCC BASIC V10.5 INCLUDED IN STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD
6AV6647-0AC11-3AX0	SIEMENS	HMI	SIMATIC HMI KTP600 BASIC COLOR DP, 5,7" TFT DISPLAY, 256 COLORS MPI/PROFIBUS DP INTERFACE CONFIGURATION FROM WINCC FLEXIBLE 2008 COMPACT SP1 CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD
6AV6647-0AD11-3AX0	SIEMENS	HMI	SIMATIC HMI KTP600 BASIC COLOR PN, 5,7" TFT DISPLAY, 256 COLORS ETHERNET INTERFACE CONFIGURATION FROM WINCC FLEXIBLE 2008 COMPACT SP1 OR WINCC BASIC V10.5 INCLUDED IN STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS
6AV6647-0AE11-3AX0	SIEMENS	HMI	SIMATIC HMI KTP1000 BASIC COLOR DP, 10,4" TFT DISPLAY, 256 COLORS MPI/PROFIBUS DP INTERFACE CONFIGURATION FROM WINCC FLEXIBLE 2008 COMPACT CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD
6AV6647-0AF11-3AX0	SIEMENS	HMI	SIMATIC HMI KTP1000 BASIC COLOR PN, 10,4" TFT DISPLAY, 256 COLORS ETHERNET INTERFACE CONFIGURATION FROM WINCC FLEXIBLE 2008 COMPACT OR WINCC BASIC V10.5 INCLUDED IN STEP7 BASIC V10.5, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SE
6AV6647-0AH11-3AX0	SIEMENS	HMI	SIMATIC HMI KP300 BASIC MONO PN, BASIC PANEL, KEY OPERATION, 3" FSTN LCD DISPLAY, MONOCHROME BLACK/WHITE, PROFINET INTERFACE, CONFIGURATION FROM WINCC BASIC V11/ STEP7 BASIC V11, CONTAINS OPEN SOURCE SW WHICH IS PROVIDED FREE OF CHARGE FOR DETAILS SEE CD
6AV6671-1CB00-0AX2	SIEMENS	HMI	MMC CARD 128 MB FOR OP77B, OP/TP 177B, OP/TP277, C7-635, MP177/277/377, MOBILE PANEL 177/277
6AV6671-3AH00-0AX0	SIEMENS	HMI	INDUSTRIAL USB HUB 4 IP65 WITH 4 USB INTERFACES, USABLE WITH PANEL PC AND MP
6AV6671-5AD00-0AX0	SIEMENS	HMI	RECHARGEABLE BUFFER BATTERY FOR MOBILE PANEL DP, CONNECTED WITH CABLES, MOBILE PANEL PN, CONNECTED WITH CABLES, MOBILE PANEL 277 IWLAN, MOBILE PANEL 277F IWLAN, AUTOMATION LTD
6AV6671-5AE00-0AX0	SIEMENS	HMI	CONNECTIVITY BOX DP BASIC FOR MOBILE PANELS (MPI/PROFIBUS)
6AV6671-5AE01-0AX0	SIEMENS	HMI	CONNECTIVITY BOX PN BASIC FOR MOBILE PANELS (PROFINET)
6AV6671-5AE10-0AX0	SIEMENS	HMI	CONNECTIVITY BOX DP PLUS FOR MOBILE PANELS (MPI/PROFIBUS)
6AV6671-5AE11-0AX0	SIEMENS	HMI	CONNECTIVITY BOX PN PLUS FOR MOBILE PANELS (PROFINET)
6AV6671-5CE00-0AX0	SIEMENS	HMI	CHARGING STATION FOR MOBILE PANEL 277(F) IWLAN WITH LOCK FOR CHARGE AND HOLD THE MOBILE PANEL 277(F) IWLAN CHARGING OF 2 SPARE BATTERIES
6AV6671-5CL00-0AX0	SIEMENS	HMI	MAIN BATTERY 7.2 V FOR MOBILE PANEL 277 IWLAN, MOBILE PANEL 277F IWLAN, MOBILE PANEL 277 IWLAN V2, MOBILE PANEL 277F IWLAN V2, MOBILE PANEL 277F IWLAN (RFID TAG)
6AV6671-5CM00-0AX0	SIEMENS	HMI	TRANSPONDER FOR MOBILE PANEL 277(F) IWLAN
6AV6671-8XS00-0AX0	SIEMENS	HMI	MOUNTING FRAME MP 277 10" TOUCH AND MP 377 12" TOUCH
6AV6675-5XD00-0AX0	SIEMENS	Simatic Net	SIMATIC-S7 NTC-MODULE. POWER SUPPLY 24VDC LIMITED POWER: AI 8X NTC A0 10VDC
6AV6675-8XQ10-0AX0	SIEMENS	HMI	RFID CHIPCARD MODULE EXTERNAL USB-INTERFACE ISO 15693
6AV6780-0AA00-0AA0	SIEMENS	HMI	HOST UNIT USB FOR MOUNTING ON STANDARD 35MM MOUNTING RAIL INCL. 0,5M USB CABLE
6AV7443-3XD11-1DG0	SIEMENS	PANEL PC	SIMATIC PANEL PC 477 OEM 15" TOUCH DISPLAY, 1024 X 768; PENTIUM III 933MHZ; 133MHZ FSB, PROFIBUS DP 12; OHNE COMPACT FLASH; 40 GB HDD EIDE; 512 MBYTE SDRAM; WINDOWS XP PROFESSIONAL, PREINSTALLED (ON HDD); AC 110/230V POWER SUPPLY POWER CABLE EUROPE; ; ;
6AV7452-6AC00-0FG0	SIEMENS	HMI	SIMATIC FLAT PANEL FP77-15 SPECIAL VARIANT ANTHRACIT 15 INCH TFT- DISPLAY WITH 1024X768 PIXEL RESOLUTION VGA, DVI-D INTERFACE WITH VGA-CABLE 1.8M 24V DC BASED ON 6AV7861-2AA00-0AA0
6AV7456-2TB00-0BS0	SIEMENS	HMI	PANEL 15 INCH TOUCH KHS DESIGN
6AV7456-2TB00-0BS1	SIEMENS	HMI	SIMATIC FLAT PANEL 15T EXTENDED CABLE LENGTH UP TO 30M CUSTOMER KHS DESIGN
6AV7461-7TA00-0AA0	SIEMENS	HMI	SIMATIC FLAT PANEL 10,4IN. WITH TOUCH, VGA
6AV7468-0FA11-0BS0	SIEMENS	HMI	KHS PC677-BOX+ RO W/O FRONT PANEL PROFIBUS/MPI (1X), ETHERNET RJ45 (2X), USB (4X), PENTIUM 4 MOBILE 2,0 GHZ 2 X 512 MB SDRAM, RAID 1, 2 X 60 GB, DVD-R/CD - RW (1X), 24V, SIMATIC PC DIAGMONITOR WINDOWS XPE LICENCE SIMATIC NET CD (TRIAL-MODUS) CUSTOM SPECIF
6AV7476-2TA61-0GCO	SIEMENS	HMI	15"TOUCH PANEL WITH STAINLESS STEEL ENCLOSURE,AND CUSTOMIZED DESIGN SARTORIUS
6AV7486-2TA10-1AA0	SIEMENS	HMI	SIMATIC FLAT PANEL 15T 15 ZOLL TOUCH INOX WITH CONSISTENT FILM, WITH 1024X768 PIXEL RESOLUTION FOR 24V DC, VGA, DVI-D INTERFACE DEDUCTABLE TO MAX. 5M
6AV7500-0AA00-0AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC IL 70 12" TOUCH DISPLAY, 128 MB SDRAM, CELERON 800 MHZ, W/O OPERATING SYSTEM
6AV7500-0AA00-0AF0	SIEMENS	PANEL PC	SIMATIC PANEL PC IL 70 12" TOUCH DISPLAY, 128 MB SDRAM, CELERON 800 MHZ, WINDOWS 2000 MULTI-LANGUAGE (EN,GER,FR,IT,SP,KOR,JAP,CHN, TAW)
6AV7501-0BA00-0AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC IL 70 15" TOUCH DISPLAY, 128 MB SDRAM, PENTIUM III 933 MHZ, W/O OPERATING SYSTEM
6AV7501-0BA00-0AF0	SIEMENS	PANEL PC	SIMATIC PANEL PC IL 70 15" TOUCH DISPLAY, 128 MB SDRAM, PENTIUM III 933 MHZ, WINDOWS 2000 MULTI-LANGUAGE (EN,GER,FR,IT,SP,KOR,JAP,CHN, TAW)

6AV7501-1BA00-0AF0	SIEMENS	PANEL PC	SIMATIC PANEL PC IL 70 15" TOUCH DISPLAY, 256 MB SDRAM, PENTIUM III 933 MHZ, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP, KOR, JAP, CHN, TAW)
6AV7604-2AA11-0CA0	SIEMENS	HMI	SIMATIC PC FI45 PRO, PENTIUM II 333 MHZ, 64MB RAM, 3.2 GB HD, CD-ROM, 115/230V, 13.3" COLOR TFT DISPL. 1024*768 MPI / PROFIBUS DP12, PROTOOL/PRO RT256, V5.10 SP1, WIN NT 4.0, SP 3, GERMAN
6AV7612-0AA10-0CE0	SIEMENS	Simatic PC	SIMATIC PANEL PC 670 12" TFT TOUCH DISPLAY, STANDARD CONFIGURATION 20 GB HD, 64 MBYTE RAM, CPU CELERON 300 MHZ, 115-230 V EUROP. MAINS CABLE, WIN98 GERMAN
6AV7612-0AA12-0CE0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 12" TF TOUCH DISPLAY, 20 GB HD, 64 MBYTE RAM, CPU PENTIUM III 500 MHZ, 115-230V EUROP. SYSTEM CABLE, WIN98 GERMAN
6AV7613-0AA10-0CE0	SIEMENS	Simatic PC	SIMATIC PANEL PC 670 12" TFT DISPLAY, STANDARD CONFIGURATION 20 GB HD, 64 MBYTE RAM, CPU CELERON 300 MHZ, 115-230 V EUROP. MAINS CABLE, WIN98 GERMAN
6AV7613-0AA10-0CG0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 12" TFT DISPLAY, STANDARD CONFIGURATION 20 GB HD, 64 MBYTE RAM, CPU CELERON 300 MHZ, 115-230 V EUROP. MAINS CABLE, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP)
6AV7613-0AA22-0CG0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 12" TFT DISPLAY, STANDARD CONFIGURATION 20 GB HD, 128 MBYTE RAM, CPU PENTIUM III 500 MHZ, 115-230 V EUROP. MAINS CABLE, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP)
6AV7614-0AB22-0CG0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 15" TFT TOUCHDISPLAY, 20 GB HD, CD-ROM, 128MBYTE RAM CPU PENTIUM III 500 MHZ, 115-230V EUROP. SYSTEM CABLE, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP)
6AV7614-0AB23-0AJ0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 15" TFT TOUCH DISPLAY, STANDARD CONFIGURATION 20 GB HD CD-ROM, 128 MBYTE RAM, CPU CELERON 500 MHZ, 24 V DC, WINDOWS NT 4.0 ENGLISH
6AV7615-0AB22-0BJ0	SIEMENS	PANEL PC	SIMATIC PANEL PC 670 15" TFT DISPLAY, STANDARD CONFIGURATION 20 GB HD CD-ROM, 128 MBYTE RAM, CPU PENTIUM III 500 MHZ, 115-230 V U.S. MAINS CABLE, WINDOWS NT 4.0 ENGLISH
6AV7651-3AC00-0AB0	SIEMENS	HMI	SIMATIC PANEL PC670, 12" TOUCH CUSTOMIZED DESIGN VERSION C BASIC UNIT: 6AV7612-0AA10-0CF0 CUSTOMER-SPEC. DESIGN F. HAUNI
6AV7660-5DA00-0AT0	SIEMENS	Simatic PC	OEM-PC FI45 V2, SPECIAL CONFIG. PIII 500 MHZ, 128 MB RAM, 8.4 GB HD, DIRECT KEY MODULE, EUROP. REINSTALLATION TO 230V 13.3" COLOR TFT DISPL. 1024X768 PIXEL 6 TOUCH, WINDOWS NT4.0 WORKSTATION ENGLISH
6AV7660-5DB00-2AT1	SIEMENS	Simatic PC	OEM-PC FI45 V2 PIII 700MHZ, 256MB RAM, 10.2 GBYTE HD, LS120 FLOPPY, 13.3" COLOR TFT DISPL. 1024X768 PIXEL WITH TOUCH, WINDOWS NT4.0 WS SP5 GERMAN, W/O APPLICATIONS SW
6AV7660-5DC00-0AT0	SIEMENS	Simatic PC	OEM-PC FI45 V2 BASIC UNIT FOR FO LINK, FO LINK SEND. MODULE 2 OUTP. PIII 500 MHZ, 256 MB RAM, 8.4 GBYTE HD, LS120 FLOPPY, 13.3" COLOR TFT DISPL. 1024X768 PIXEL 6 TOUCH, WINDOWS NT4.0 WS SP5 ENGLISH
6AV7660-5DC00-2AT0	SIEMENS	Simatic PC	OEM-PC FI45 V2 BASIC UNIT FOR FO LINK, FO LINK SEND. MODULE 2 OUTP. PIII 700MHZ, 256MB RAM, 10,2GBYTE HD, LS120 FLOPPY, 13.3" COLOR TFT DISPL. 1024X768 PIXEL WITH TOUCH, WINDOWS NT4.0 WS SP5 WITH APPLICATIONS SW
6AV7661-1AA00-1BG0	SIEMENS	DIVERSEN	OEM PC670 15" TOUCH V2A 15" TFT TOUCH W. HIGH-GRADE STEEL FRONT, CELERON 1.2 GHZ, 256 MB, 20 GB HD, CD DRIVE, 230 V AC EUROPE, WIN2000 MUI, DOC. AND DRIVER CD, RECOVERY CD SP5, RECOVERY CD SP6A, RESTORE CD, NO UL CERTIFICATION
6AV7661-4AB00-0BJ1	SIEMENS	HMI	LVDS TERMINAL, BASED ON PANEL PC870, 15.1" TFT-DISPLAY, 1024X768 TOUCH LVDS RECEIVER MODULE 3M CONNECTING CABLE
6AV7671-1EX01-0AC0	SIEMENS	PANEL PC	SIMATC PANEL PC REMOTE KIT REMOTE ADAPTER 24 V DC INCL. MOUNTING PARTS CUSTOMER-SPECIFIC NOT TO BE USED WITH PC677B
6AV7671-1EX01-0AD0	SIEMENS	PANEL PC	SIMATIC PANEL PC REMOTE KIT REMOTE ADAPTER 24 V DC INCL. MOUNTING PARTS SPARE PART AND SUB-ITEM OF 6AV7671-1EA.. UP TO 30 METER, TO BE USED WITH PC677/877 AND PC677B
6AV7671-1EX01-0BB0	SIEMENS	PANEL PC	SIMATIC PANEL PC REMOTE KIT REMOTE ADAPTER 120/240 V AC INCL. MOUNTING PARTS SPARE PART AND SUB-ITEM OF 6AV7671-1EA.. RB103B UP TO 30 METERS NOT TO BE USED WITH PC677B
6AV7671-1EX01-0BD0	SIEMENS	PANEL PC	SIMATIC PANEL PC REMOTE KIT REMOTE ADAPTER 120/240 V AC INCL. MOUNTING PARTS SPARE PART AND SUB-ITEM OF 6AV7671-1EA.. UP TO 30 METER, TO BE USED WITH PC677/877 AND PC677B
6AV7671-1EX02-0AA0	SIEMENS	HMI	SIMATIC PANEL PC REMOTE KIT USB HOST INTERFACE
6AV7671-2AA01-0AA0	SIEMENS	HMI	SIMATIC PANEL PC 670 / PC870 COMPLETE SPARE FRONT, 12" TOUCH ALU-VERSION
6AV7671-2BA00-0AA0	SIEMENS	HMI	PROTECTIVE MEMBRANE FOR PANEL PC477/577/67X/87X/IL77 12" TOUCH, PACK. OF 10
6AV7672-2AC00-0AA0	SIEMENS	HMI	SIMATIC PANEL IL 77 COMPLETE SPARE FRONT, 15" TOUCH
6AV7672-2AC00-0AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC577 COMPLETE SPARE FRONT, 15" TOUCH
6AV7674-0NE00-0AA0	SIEMENS	HMI	IP65 STAINLESS STEEL KEYBOARD MOUNTABLE AT SIMATIC HMI PRO UNITS, LAYOUT: EN/US ADJUSTABLE INCLINATION WIDTH: 400MM (19" PRO UNIT)
6AV7681-2AA00-0BJ0	SIEMENS	HMI	SENDER MODULE FOR 1 FO CABLE TERMINAL TYPE: CILINK
6AV7704-1BC10-0AD0	SIEMENS	PANEL PC	SIMATIC PANEL PC 870 STANDARD CONFIGURATION 15.1" COLOR TFT DISPLAY, TOUCH, 128 MBYTE RAM, PENTIUM III 866 MHZ, 230V, MAINS CABLE W. EUR. PLUG, 40 GBYTE HDD EIDE, CD-ROM, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP)
6AV7704-3DC10-0AD0	SIEMENS	PANEL PC	SIMATIC PANEL PC 870 STANDARD CONFIGURATION 15.1" COLOR TFT DISPLAY, TOUCH, 512 MBYTE RAM, PENTIUM III 1.26 GHZ, 230V, MAINS CABLE W. EUR. PLUG, 40 GBYTE HDD EIDE, CD-ROM, WINDOWS 2000 MULTI-LANGUAGE (EN, GER, FR, IT, SP)
6AV7744-2BB00-1AE0	SIEMENS	PANEL PC	SIMATIC PANEL PC 870 V2, STANDARD CONFIGURATION 15" COLOR TFT DISPLAY, TOUCH, 256 MB DDR266 SDRAM, PENTIUM 4, 2.4 GHZ, 533 MHZ F5B, 512 KB SLC, 115/230V, US CABLE; 40 GB HDD EIDE, CD-ROM; WINDOWS XP PROF MUI (SP1) (EN, GER, FR, IT, SP JP, CHN, KOR);
6AV7745-3BC00-2AE0	SIEMENS	PANEL PC	SIMATIC PANEL PC 870 V2, STANDARD CONFIGURATION 15" COLOR TFT DISPLAY; 512 MB DDR266 SDRAM, PENTIUM 4, 2.4 GHZ, 533 MHZ F5B, 512 KB SLC; 110/230V, EURO CABLE; 40 GB HDD EIDE, CD-R/RW/DVD (COMBO); WINDOWS XP PROF MUI (SP1) (EN, GER, FR, IT, SP JP, CHN, KOR);
6AV7761-4AA00-0BS0	SIEMENS	PANEL PC	OEM-PC870 15" TOUCH 20GB HD, W/O CD-ROM, 256 MB RAM CELERON 1.26 GHZ, 24 V DC, WINDOWS 2000, LS240 DRIVE, CUSTOMER-SPECIFIC DESIGN KHS
6AV7764-0AA00-0AT0	SIEMENS	PANEL PC	OEM-PC870 15"-TOUCH PIII 1.2 GHZ, 512 MB RAM, 20.4 GBYTE HD, LS240 FLOPPY, WITHOUT OPERATING SYSTEM, WITHOUT APPLICATION SW PREPARED FOR HMI-FO LINK
6AV7764-0AA01-0AT0	SIEMENS	PANEL PC	OEM-PC870 15"-TOUCH PIII 1.2 GHZ, 512 MB RAM, 20.4 GBYTE HD, LS240 FLOPPY, WITHOUT OPERATING SYSTEM, CUST.-SPECIFIC APPLICATION SW INCLUDED PREPARED FOR HMI-FO LINK
6AV7764-0AA02-0AA0	SIEMENS	PANEL PC	FO HOST MODULE FOR CONNECTION OF MAX. 2 EXTERNAL PANELS TO HMI FO LINK (ADD-ON KIT)
6AV7764-0AA02-0AT0	SIEMENS	PANEL PC	OEM-PC870 15"-TOUCH PIII 1.2 GHZ, 512 MB RAM, 20.4 GBYTE HD, LS240 FLOPPY, WITHOUT OPERATING SYSTEM, CUST.-SPECIFIC APPLICATION SW INCLUDED FO HOST MODULE FOR CONNECTION OF MAX. 2 EXTERNAL PANELS
6AV7764-0AA03-0AA0	SIEMENS	PANEL PC	FO HOST MODULE FOR CONNECTION OF MAX. 4 EXTERNAL PANELS TO HMI FO LINK
6AV7764-0AA04-0AT0	SIEMENS	PANEL PC	EXTERNAL PANEL 15" TOUCH OEM FO EXTERNAL PANEL BASED ON PC870-15" TOUCH FRONT 1024 X 768 PIXEL, HMI FO RECEIVER MODULE
6AV7764-0AA04-0AT1	SIEMENS	PANEL PC	EXTERNAL PANEL 15" TOUCH OEM FO EXTERN. PANEL BASED ON PC870 15" TOUCH FRONT 1024 X 768 PIXELS, HMI FO LINK RECEIVER UNIT FOR PROJEKTE BMW 1ER/3ER
6AV7802-0BA11-0AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677 15" TOUCH, 1024X768; WITH FRONT SIDE USB INTERFACE AC110-230V, POWER CABLE EUROPE CELERON M370/1.5 GHZ; 400 MHZ F5B; 1MB SLC; 512MB DDR266 SDRAM (1X512MB); 160 GBYTE SATA HARD DRIVE 3,5" W/O OPTICAL DRIVE, W/O OPERATING SYSTEM;
6AV7802-0BC10-2AB0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677 15" TOUCH, 1024X768; WITH FRONT SIDE USB INTERFACE AC110-230V, POWER CABLE EUROPE PENTIUM M760/2.0 GHZ; 533 MHZ F5B; 2MB SLC; 512MB DDR266 SDRAM (1X512MB); 80 GBYTE SATA HARD DRIVE 3,5" DVD+-RW+-R; WINDOWS 2000 PROF MUI (EN, GE, FR, IT, S)
6AV7822-0AA00-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 577 15" TOUCH DISPLAY; CELERON 2.0 GHZ; 256 MBYTE DDR400 SDRAM; DVD-ROM; WINDOWS XP SP1 PROFESSIONAL MUI (EN, GE, FR, IT, SP, JP, CHN, KOR)
6AV7822-0AB10-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 577 15" TOUCH; 1024X768; STANDARD AC110-230V, POWER CABLE EUROPE PENTIUM 4 2,4 GHZ; 512MB DDR400 SDRAM (2X256MB); 40 GBYTE HARDDISK 2,5"; DVD-ROM; WINDOWS XP PROF. SP2 MUI
6AV7822-0AB20-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 577 15" TOUCH DISPLAY; PENTIUM 4 2.4 GHZ; 1 GBYTE DDR400 SDRAM; DVD-ROM; WINDOWS XP SP1 PROFESSIONAL MUI (EN, GE, FR, IT, SP, JP, CHN, KOR)

6AV7842-0BD10-0CB0	SIEMENS	PANEL PC	SIMATIC PANEL PC 477 12" KEY DISPLAY, 800 X 600; STANDARD FRONT W. USB INTERFACE AC 110/230V POWER SUPPLY WTH NAMUR, POWER CABLE EUROPE; CELERON 650 MHZ; 100MHZ FSB, PROFIBUS DP 12; 512 MBYTE SDRAM; W/O 2. MASS STORAGE 1 GBYTE COMPACT-FLASH; WINDOWS XP SP
6AV7851-0AE20-1AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC 477B 12" TOUCH DISPLAY, 800X600 STANDARD FRONT W. USB INTERFACE INTEL CELERON M 1,0 GHZ PROFIBUS DP 12 1 GB RAM (DDR2) 2 X ETHERNET 1 GBIT/5 4 X USB 2.0, 500MA 1 X RS232 (COM1) POWER SUPPLY DC 24V 2 CF-SLOTS W/O MASS STORAGE
6AV7853-0AE20-1AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC 477B 15" TOUCH DISPLAY, 1024X768 STANDARD FRONT W. USB INTERFACE INTEL CELERON M 1,0 GHZ PROFIBUS DP 12 1 GB RAM (DDR2) 2 X ETHERNET 1 GBIT/5 4 X USB 2.0, 500MA 1 X RS232 (COM1) POWER SUPPLY DC 24V 2 CF-SLOTS W/O MASS STORAGE
6AV7860-0BH20-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL MONITORE ZUBEHOR
6AV7860-0BH30-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL CABLE INDUSTRIAL GRADE DVI-D 3M
6AV7861-1AB00-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL FP77-12 12 INCH TFT- DISPLAY WITH 800X600 PIXEL RESOLUTION 24V DC AND 110/220V AC VGA, DVI-D INTERFACE INCL. VGA- CABLE 1,8M
6AV7861-1AB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 12" EXTENDED 12 INCH TFT- DISPLAY WITH 800X600 PIXEL RESOLUTION 24V DC AND 110/220V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-1KB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 12" KEY EXT. 12" TFT- DISPLAY WITH KEYS WITH 800X600 PIXEL RESOLUTION 24V DC AND 110/220V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-1TA00-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL FP77-12T 12 INCH TOUCH TFT- DISPLAY WITH 800X600 PIXEL RESOLUTION 24V DC VGA, DVI-D INTERFACE WITH VGA- CABLE 1,8M
6AV7861-1TA00-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 12T 12 INCH TOUCH TFT- DISPLAY WITH 800X600 PIXEL RESOLUTION 24V DC VGA, DVI-D INTERFACE WITH VGA-CABLE 1,8M
6AV7861-1TB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 12T EXTENDED 12 INCH TOUCH TFT- DISPLAY WITH 800X600 PIXEL RESOLUTION 24V DC AND 110/220V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-2TA00-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 15T 15 INCH TOUCH TFT-DISPLAY WITH 1024X768 PIXEL RESOLUTION 24V DC VGA, DVI-D INTERFACE INCL. VGA-CABLE 1,8M
6AV7861-2TB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 15T EXTENDED 15 INCH TOUCH TFT-DISPLAY WITH 1024X768 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-3AB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 19 EXTENDED 19 INCH TFT- DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-3TA00-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL FP77-19T 19 INCH TOUCH TFT-DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC VGA, DVI-DINTERFACE, INCL. VGA- CABLE 1,8M
6AV7861-3TB00-0AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL FP77-19T 19 INCH TOUCH TFT- DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE INCL. VGA-CABLE 1,8M
6AV7861-3TB00-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 19T 19 INCH TOUCH TFT- DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE INCL. VGA-CABLE 1,8M
6AV7861-3TB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 19T EXTENDED 19 INCH TOUCH TFT- DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7861-4AB00-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 17T 17 INCH TFT-DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE INCL. VGA-CABLE 1,8M
6AV7861-4TB10-1AA0	SIEMENS	PANEL PC	SIMATIC FLAT PANEL 17T EXTENDED 17 INCH TOUCH TFT-DISPLAY WITH 1280X1024 PIXEL RESOLUTION 24V DC AND 120/240V AC VGA, DVI-D INTERFACE CABLE LENGTH UP TO 30M
6AV7872-0BC20-1AA0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677B 2X10/100/1000 MBIT/S ETHERNET; 4XUSB V2.0, 1 X SERIAL (COM1); 15" TOUCH; 1024 X 768
6AV7872-2AF41-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677B 2X10/100/1000 MBIT/S ETHERNET; 4XUSB V2.0, 1 X SERIAL (COM1); 15" TOUCH; 1024 X 768; STAINLESS STEEL FRONT F. FAB, W/O FRONT SIDE USB INTERFACE;
6AV7873-0AA10-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677B 2X10/100/1000 MBIT/S ETHERNET; 4XUSB V2.0, 1 X SERIAL (COM1); 15" KEY; 1024 X 768;
6AV7875-0AD32-1AC0	SIEMENS	PANEL PC	SIMATIC PANEL PC 677B 2X10/100/1000 MBIT/S ETHERNET; 4XUSB V2.0, 1 X SERIAL (COM1); 19" TOUCH, 1280X1024; WITH FRONT SIDE USB INTERFACE; AC110/230V POWER SUPP. W. MAMUR POWER CABLE EUROPE; CORE 2 DUO T5500, 1.66 GHZ; 2MB SLC, 2 X PCI; 1GB DDR2 RAM; 160 GB
6AV8011-2JE32-0DA0	SIEMENS	HMI	PM51/C3D COLOR MONITOR
6AV8021-1JE22-0CA0	SIEMENS	HMI	PM51/2C2 COLOR MONITOR 115/230 AC V, REFRESH FREQUENCY 45-120 HZ, LINE FREQUENCY 15-38 KHZ, RACK MOUNTING: CHASSIS, DEGREE OF PROTECTION IP54 W. CORRESPONDING SCREEN FRAME STANDARD VERSION
6AV8100-0BB00-0AA1	SIEMENS	HMI	SCD 1297-ET, 12" LCD MONITOR WITH RESISTIVE TOUCH, FLUSH-MOUNT. IND., UL1950/IP54, RESOLUTION: 800X600, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-0BC00-0AA0	SIEMENS	HMI	SCD 1297-K, 12" LCD MONITOR FLUSH-MOUNT. IND., UL1950/IP65 WITH MEMBRANE KEYS OPT. RESOLUTION: 800X600, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-0BC00-1AA1	SIEMENS	HMI	SCD 1297-K, 12" LCD MONITOR FLUSH-MOUNT. IND., UL1950/IP65 WITH MEMBRANE KEYS, RESOLUTION: 800X600, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-0CA00-0AA1	SIEMENS	HMI	SCD 1297-R, 12" LCD MONITOR RACK 19" VERSION, UL1950/IP65, RESOLUTION: 800X600, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, PROTECT. GLASS ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-0CB00-1AA1	SIEMENS	HMI	SCD 1297-RT, 12" LCD MONITOR WITH RESISTIVE TOUCH, RACK 19" VERSION, UL1950/IP54, RESOLUTION: 800X600, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-1AA00-0AA0	SIEMENS	HMI	SCD 1597-I, 15" LCD MONITOR DESKTOP INDUSTRY, UL1950/IP20, OPT. RESOLUTION: 1024X768, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL WITH PROTECTIVE GLASS, ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-1BB00-0AA1	SIEMENS	HMI	SCD 1597-ET, 15" LCD MONITOR WITH RESISTIVE TOUCH, FLUSH-MOUNT. IND., UL1950/IP54, RESOLUTION: 1024X768, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, ON-SCREEN CONTROLS, W/O POWER SUPPLY.
6AV8100-1BC00-0AA0	SIEMENS	HMI	SCD 1597-K, 15" LCD Monitor
6AV8100-1BC00-0AA1	SIEMENS	HMI	SCD 1597-K, 15" LCD MONITOR FLUSH-MOUNT. IND., UL1950/IP65 WITH MEMBRANE KEYS, RESOLUTION: 1024X768, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL, PROTECT. GLASS ON-SCREEN CONTROLS, W/O POWER SUPPLY
6AV8100-2BA00-0AA0	SIEMENS	HMI	SCD 1897-E, LCD MONITOR 18
6AV8100-2BB00-0AA0	SIEMENS	HMI	SCD 1897-ET, 18" LCD MONITOR WITH RESISTIVE TOUCH, FLUSH-MOUNT. IND., UL1950/IP54 OPT. RESOLUTION: 1280X1024, 30-97 KHZ, SCALING DSP, COLOR TFT PANEL WITH HIGH VIEWING ANGLE, ON-SCREEN CONTROLS, 230V AC POWER UNIT 1.8 M CONN. CABLE
6AV8100-2CA00-1AA0	SIEMENS	HMI	SCD 1997-R, 1" LCD MONITOR RACK 19" VERSION, UL1950/IP65, OPT. RESOLUTION: 1280X1024, 30-97 KHZ, SCALING DSP, COLOR TFT WITH HIGH VIEWING ANGLE AND PROTECTIVE GLASS, ON-SCREEN CONTROLS, 230V AC POWER UNIT 1.8 M CONN. CABLE
6AV8107-1AA00-0AA0	SIEMENS	HMI	POWER UNIT 230V AC FOR LC DISPLAY SCD 1297 A. SCD 1597
6AV8511-1FD21-2CA1	SIEMENS	HMI	OM36/B3 COLOR MONITOR DEGREE OF PROTECTION IP20, 220 V AC, IMAGE REFRESH RATE 45-90HZ, AUTOM., LINE FREQUENCY 15,5-38KHZ,AUTOM., MITSUBISHI VGA-CONNECTION, LIGHT BEIGE
6AV9600-1AA00-0AA0	SIEMENS	HMI	CONFIGURING SOFTWARE COM O&M TEXT WITH MANUAL GERMAN
6AV9621-1AA07-1AX0	SIEMENS	HMI	CONFIGURING SOFTWARE PROTOCOL V4.01, CD ROM, SEVERAL LANGUAGES

Part Number	OEM	Product Group	Description
6EP SITOP			
6EP1311-1SH01	SIEMENS	Sitop	LOGO! POWER 5 V STABILIZED POWER SUPPLY INPUT: 120-230 V AC OUTPUT: 5 V DC/ 3 A
6EP1321-1SH02	SIEMENS	Sitop	LOGO!POWER 12 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 12 V DC/1.9 A
6EP1321-1SH03	SIEMENS	Sitop	LOGO!POWER 12 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC (110-300 V DC) OUTPUT: 12 V/1.9 A DC
6EP1322-1SH02	SIEMENS	Sitop	LOGO!POWER 12 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 12 V DC/4.5 A
6EP1322-1SH03	SIEMENS	Sitop	LOGO!POWER 12 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 12 V/4.5 A DC
6EP1331-1SH01	SIEMENS	Sitop	LOGO!POWER 1.3 STABILIZED POWER SUPPLY INPUT: 93 - 264 V AC, OUTPUT: 24 V DC, 1.3 A LOGO! DESIGN
6EP1331-1SH02	SIEMENS	Sitop	LOGO!POWER 24 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 24 V DC/1.3 A
6EP1331-1SH03	SIEMENS	Sitop	LOGO!POWER 24 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC (110-300 V DC) OUTPUT: 24 V/1.3 A DC

6EP1331-1SL11	SIEMENS	Sitop	SITOP POWER 2, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V/2 A DC S7-300 DESIGN
6EP1331-2BA00	SIEMENS	Sitop	SITOP POWER 2 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V / 2 A DC
6EP1331-2BA10	SIEMENS	Sitop	SITOP POWER 0.5 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/0.5 A
6EP1332-1SH12	SIEMENS	Sitop	SITOP POWER 2.5, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120-230 V AC (110-350 V DC) OUTPUT: 24 V DC/2.5 A
6EP1332-1SH22	SIEMENS	Sitop	SITOP POWER 4, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC (110-350 V DC) OUTPUT: 24 V DC/4 A
6EP1332-1SH31	SIEMENS	Sitop	SITOP POWER 3.5, UNIVERSAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/3.5 A S7-200 DESIGN
6EP1332-1SH41	SIEMENS	Sitop	LOGO!POWER 2.5 STABILIZED POWER SUPPLY INPUT: 120-230 V AC, OUTPUT: 24 V DC, 2.5 A LOGO! DESIGN
6EP1332-1SH42	SIEMENS	Sitop	LOGO!POWER 24 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 24 V DC / 2.5 A
6EP1332-1SH43	SIEMENS	Sitop	LOGO!POWER 24 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC (110-300 V DC) OUTPUT: 24 V/2.5 A DC
6EP1332-1SH51	SIEMENS	Sitop	LOGO!POWER 24 V STABILIZED POWER SUPPLY INPUT: 100-240 V AC OUTPUT: 24 V DC/4 A
6EP1332-1SH71	SIEMENS	Sitop	SIMATIC S7-1200 POWER MODULE PM1207 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/2.5 A
6EP1332-2BA10	SIEMENS	Sitop	SITOP SMART 60 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/2.5 A
6EP1333-1AL12	SIEMENS	Sitop	SITOP POWER 5, SPECIAL LINE STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A
6EP1333-1LB00	SIEMENS	Sitop	SITOP PSU100L 24 V/5 A STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V/5 A DC
6EP1333-1SL11	SIEMENS	Sitop	SITOP POWER 5, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A S7-300 DESIGN
6EP1333-2AA00	SIEMENS	Sitop	SITOP POWER 5 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V / 5 A DC
6EP1333-2AA01	SIEMENS	Sitop	SITOP SMART 120 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A
6EP1333-2BA00	SIEMENS	Sitop	SITOP POWER 5 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V / 5 A DC
6EP1333-2BA01	SIEMENS	Sitop	SITOP SMART 120 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A PFC VERSION
6EP1333-3BA00	SIEMENS	Sitop	SITOP MODULAR 5 STABILIZED POWER SUPPLY INPUT: 120/230-500 V AC OUTPUT: 24 V DC/5 A
6EP1334-1AL11	SIEMENS	Sitop	SITOP POWER 10, SPECIAL LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A
6EP1334-1SH01	SIEMENS	Sitop	SITOP POWER 10, UNIVERSAL LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A S7-300 DESIGN
6EP1334-1SL11	SIEMENS	Sitop	SITOP POWER 10, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A S7-300 DESIGN
6EP1334-1SL12	SIEMENS	Sitop	SITOP POWER 10, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A S7-300 DESIGN
6EP1334-2AA00	SIEMENS	Sitop	SITOP POWER 10 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V / 10 A DC
6EP1334-2AA01	SIEMENS	Sitop	SITOP SMART 240 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/10 A
6EP1334-2BA00	SIEMENS	Sitop	SITOP POWER 10 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V / 10 A DC
6EP1334-2BA01	SIEMENS	Sitop	SITOP SMART 240 W STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC / 10 A PFC VERSION
6EP1334-3BA00	SIEMENS	Sitop	SITOP MODULAR 10 STABILIZED POWER SUPPLY INPUT: 120/230-500 V AC OUTPUT: 24 V DC/10 A
6EP1336-1SH01	SIEMENS	Sitop	SITOP POWER 20, UNIVERSAL LINE STABILIZED LOAD POWER SUPPLY INPUT: 230 V AC OUTPUT: 24 V DC/20 A
6EP1336-2BA00	SIEMENS	Sitop	SITOP POWER 20 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/20 A
6EP1336-3BA00	SIEMENS	Sitop	SITOP MODULAR 20 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/20 A
6EP1336-3BA10	SIEMENS	Sitop	SITOP PSU100M 20A STABILIZED POWER SUPPLY INPUT: 120-230 V AC 110-220 V DC OUTPUT: 24 V/20 A DC
6EP1337-3BA00	SIEMENS	Sitop	SITOP MODULAR 40 STABILIZED POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 24 V DC/40 A
6EP1353-0AA00	SIEMENS	Sitop	SITOP POWER 15 V DUAL OUTPUT STABILIZED POWER SUPPLY INPUT: 120-230 V AC OUTPUT: 2X 15 V DC/3.5 A
6EP1353-2BA00	SIEMENS	Sitop	SITOP POWER FLEXI STABILIZED POWER SUPPLY INPUT: 120-230 V AC OUTPUT: 3-52 V DC / 10 A, 120 W
6EP1354-1AL01	SIEMENS	Sitop	SITOP POWER 7, SPECIAL LINE, STABILIZED LOAD POWER SUPPLY INPUT: 120/230 V AC OUTPUT: 30 V DC/7 A S7-300 DESIGN
6EP1433-2CA00	SIEMENS	Sitop	SITOP PSU300P 8 A STABILIZED POWER SUPPLY, DEGREE OF PROTECTION IP67 INPUT: 400-480 V 3 AC OUTPUT: 24 V DC/8 A
6EP1434-1SH01	SIEMENS	Sitop	SITOP POWER 10, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 3 X 480 V AC (360-550V), OUTPUT: 24 V DC/10 A
6EP1434-1SL01	SIEMENS	Sitop	SITOP POWER 10, BASIC LINE, STABILIZED LOAD POWER SUPPLY INPUT: 3 X 400 V AC (340...460V) OUTPUT: 24 V DC/10 A
6EP1434-2BA00	SIEMENS	Sitop	SITOP POWER 10 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/10 A
6EP1434-2BA10	SIEMENS	Sitop	SITOP PSU300S 10 A STABILIZED POWER SUPPLY INPUT: 3 400-500 V 3AC OUTPUT: 24 V DC/10 A
6EP1436-1SH01	SIEMENS	Sitop	SITOP, POWER 20, BASIC LINE, STABILIZED LOAD POWER SUPPLY INPUT: 3 X 480V AC (360...550V) OUTPUT: 24 V DC/20 A
6EP1436-1SL11	SIEMENS	Sitop	SITOP, POWER 20, BASIC LINE, STABILIZED LOAD POWER SUPPLY INPUT: 3 X 400 V AC (340...460V) OUTPUT: 24 V DC/20 A
6EP1436-2BA00	SIEMENS	Sitop	SITOP POWER 20 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A
6EP1436-2BA10	SIEMENS	Sitop	SITOP PSU300S 20 A STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A
6EP1436-3BA00	SIEMENS	Sitop	SITOP MODULAR 20 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A
6EP1436-3BA01	SIEMENS	Sitop	SITOP MODULAR 20 A STABILIZED POWER SUPPLY INPUT: 400 TO 500 V 3 AC OUTPUT: 24 V DC/20 A
6EP1436-3BA10	SIEMENS	Sitop	SITOP PSU300M 20 A STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/20 A
6EP1437-1SH01	SIEMENS	Sitop	SITOP POWER 40, BASIC LINE STABILIZED POWER SUPPLY INPUT: 3 X 480V AC (340...550V) OUTPUT: 24 V DC, 40 A
6EP1437-1SL01	SIEMENS	Sitop	SITOP POWER 30, SPECIAL LINE STABILIZED LOAD POWER SUPPLY INPUT: 3 X 400 V AC (340...460) OUTPUT: 24 V DC/30 A
6EP1437-1SL11	SIEMENS	Sitop	SITOP POWER 40, BASIC LINE STABILIZED LOAD POWER SUPPLY INPUT: 3 X 400 V AC (340...460V) OUTPUT: 24 V DC/40 A
6EP1437-2BA00	SIEMENS	Sitop	SITOP POWER 30 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/30 A
6EP1437-2BA10	SIEMENS	Sitop	SITOP POWER 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A
6EP1437-3BA00	SIEMENS	Sitop	SITOP MODULAR 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A
6EP1437-3BA10	SIEMENS	Sitop	SITOP PSU300M 40 STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 24 V DC/40 A
6EP1456-2BA00	SIEMENS	Sitop	SITOP SMART 480 W STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 48 V DC/10 A
6EP1456-3BA00	SIEMENS	Sitop	SITOP PSU300M 48V/10A STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 48 V/10 A DC
6EP1457-3BA00	SIEMENS	Sitop	SITOP MODULAR 48 V/20 A STABILIZED POWER SUPPLY INPUT: 400-500 V 3 AC OUTPUT: 48 V DC/20 A
6EP1534-1SL01	SIEMENS	Sitop	SITOP POWER 12, DC/DC CONVERTER STABILIZED POWER SUPPLY INPUT: 300-770 V DC OUTPUT: 24 V DC/12 A
6EP1621-2BA00	SIEMENS	Sitop	SITOP 2.5 A, DC/DC-CONVERTER STABILIZED POWER SUPPLY INPUT: 24 V DC OUTPUT: 12 V DC/2.5 A
6EP1632-1AL01	SIEMENS	Sitop	SITOP POWER 2.4, SPECIAL LINE STABILIZED AS-I POWER SUPPLY INPUT: 24 V DC (20.4...28.8 V) OUTPUT: 30 V DC/2.4 A
6EP1632-1AL01-Z	SIEMENS	Sitop	SITOP POWER 2.4, SPECIAL LINE STABILIZED AS-I POWER SUPPLY INPUT: 24 V DC (20.4...28.8 V) OUTPUT: 30 V DC/2.4 A
6EP1931-2DC31	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/6 A UNINTERRUPTIBLE POWER SUPPLY WITH SERIAL INTERFACE INPUT: DC 24 V/6.85 A OUTPUT: DC 24 V/6 A
6EP1931-2DC41	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/6 A WITH USB INTERFACE INPUT: 24 V DC/6.85 A OUTPUT: 24 V DC/6 A
6EP1931-2DC42	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/6 A UNINTERRUPTIBLE POWER SUPPLY WITH USB INTERFACE INPUT: 24 V DC/6.85 A OUTPUT: 24 V DC/6 A
6EP1931-2EC01	SIEMENS	Sitop	SITOP POWER DC UPS MODULE 15 WITH CHARGER F. 24 V LEAD-ACID BATTERY, INPUT: 24 V DC / 16 A OUTPUT: 24 V DC / 15 A
6EP1931-2EC11	SIEMENS	Sitop	SITOP POWER DC UPS MODULE 15 WITH CHARGER FOR 24 V LEAD-ACID BATTERY, WITH RS232 INTERFACE INPUT: 24 V DC / 16 A OUTPUT: 24 V DC / 15A
6EP1931-2EC21	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/15 A UNINTERRUPTIBLE POWER SUPPLY WITHOUT INTERFACE INPUT: 24 V DC/16 A OUTPUT: 24 V DC/15 A
6EP1931-2EC31	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/15 A UNINTERRUPTIBLE POWER SUPPLY WITH SERIAL INTERFACE INPUT: 24 V DC/16 A OUTPUT: 24 V DC/15 A
6EP1931-2EC41	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/15 A WITH USB INTERFACE INPUT: 24 V DC/16 A OUTPUT: 24 V DC/15 A
6EP1931-2EC42	SIEMENS	Sitop	SITOP DC UPS MODULE 24 V/15 A UNINTERRUPTIBLE POWER SUPPLY WITH USB INTERFACE INPUT: 24 V DC/16 A OUTPUT: 24 V DC/15 A
6EP1931-2FC21	SIEMENS	Sitop	SITOP DC USV MODULE 24 V/40 A UNINTERRUPTIBLE POWER SUPPLY WITHOUT INTERFACE INPUT: 24 V DC/43 A OUTPUT: 24 V DC/40 A
6EP1933-2EC41	SIEMENS	Sitop	SITOP UPS500S SERVICE-FREE UNINTERRUPTIBLE POWER SUPPLY WITH USB-INTERFACE BASIC UNIT 2.5 KWS INPUT: 24 V DC OUTPUT: 24 V/15 A DC DEGREE OF PROTECTION IP20
6EP1933-2EC51	SIEMENS	Sitop	SITOP UPS500S SERVICE-FREE UNINTERRUPTIBLE POWER SUPPLY WITH USB-INTERFACE BASIC UNIT 5 KWS INPUT: 24 V DC OUTPUT: 24 V/15 A DC DEGREE OF PROTECTION IP20
6EP1935-5PG01	SIEMENS	Sitop	SITOP UPS501S EXPANSION MODULE 5 KWS FOR UPS500S (2.5 KWS, 5 KWS) DEGREE OF PROTECTION IP20
6EP1935-6MC01	SIEMENS	Sitop	SITOP BATTERY MODULE 24 V/1.2 AH WITH SERVICE-FREE SEALED LEAD-ACID BATTERIES FOR SITOP DC UPS MODULE 6 A
6EP1935-6MD31	SIEMENS	Sitop	SITOP PURE LEAD BATTERY MODULE 24 V/2.5 AH WITH SERVICE-FREE SEALED LEAD-ACID BATTERIES FOR SITOP DC UPS MODULE 6 A AND 15 A
6EP1935-6ME21	SIEMENS	Sitop	SITOP BATTERY MODULE 24 V/7 AH WITH SERVICE-FREE SEALED LEAD-ACID BATTERIES FOR SITOP DC UPS MODULE 6 A, 15 A AND 40 A
6EP1935-6MF01	SIEMENS	Sitop	SITOP BATTERY MODULE 24 V/12 AH WITH SERVICE-FREE SEALED LEAD-ACID BATTERIES FOR SITOP DC UPS MODULE 6 A, 15 A AND 40 A
6EP1961-2BA00	SIEMENS	Sitop	SITOP SELECT 4-CHANNEL DIAGNOSIS MODULE INPUT: 24 V DC OUTPUT: 24 V DC/10 A PER CHANNEL OUTPUT CURRENT ADJUSTABLE 2-10 A

6EP1961-2BA20	SIEMENS	Sitop	SITOP PSE200U 10 A 4-CHANNEL SELECTIVITY MODULE INPUT: 24 V DC OUTPUT: 24 V DC/10 A PER CHANNEL OUTPUT CURRENT ADJUSTABLE 3-10 A
6EP1961-2BA21	SIEMENS	Sitop	SITOP PSE200U 10 A SELECTIVITY MODULE 4-CHANNEL INPUT: 24 V DC; OUTPUT: 24 V D/10 A PER EACH CHANNEL OUTPUT CURRENT ADJUSTABLE 3-10
6EP1961-2BA31	SIEMENS	Sitop	SITOP PSE200U 3A SELECTIVITY MODULE 4 CHANNELS INPUT: 24 V DC OUTPUT: 24V DC/3 PER CHANNEL OUTPUT CURRENT ADJUSTABLE 0.5-3 WITH STATUS MESSAGE PER CHANNEL
6EP1961-3BA00	SIEMENS	Sitop	SITOP BUFFER MODULE FOR 6EP1X3X-3BA00 BUFFERING TIME 100 MS/40 A, 200 MS/20 A, MAX. 3 SECONDS WITH LOW LOAD CURRENT
6EP1961-3BA10	SIEMENS	Sitop	SITOP MODULAR SIGNAL MODULE FOR 6EP1XXX-3BA00 SIGNAL CONTACTS: OUTPUT VOLTAGE OK, STAND-BY OK; REMOTE ON/OFF
6EP5100-1AA00	SIEMENS	Sitop	FRONT CONNECTOR MODULE FOR S5-95U/100U, FRONT CONNECTOR 6ES5490-8MA03 WITH BOARD FOR 4 X 14-PIN IDC CONNECTOR
6EP5135-5AA00	SIEMENS	Sitop	FRONT CONNECTOR MODULE FOR S5-135U/155U, FRONT CONNECTOR 6ES5497-4UA12 WITH BOARD FOR 50-PIN IDC CONNECTOR
6EP5200-2BC50	SIEMENS	Sitop	FRONT CONNECTOR F. S5-95U/-100U (6ES5490-8MA03) WITH 38 SINGLE CORES 0.5 SQ.MM 2.5 M
6EP5215-2BF00	SIEMENS	Sitop	FRONT CONNECTOR F. S5-115U (6ES5490-7LA21) WITH 40 SINGLE CORES 0.5 SQ.MM 5 M
6EP5215-5BC00	SIEMENS	Sitop	FRONT CONN. ELEMENT F. S5-115U FRONT CONNECTOR 6ES5490-7LA21 WITH BOARD AND CABLE 50 X 0.14 SQ.MM, 2 M
6EP5235-5BC50	SIEMENS	Sitop	FRONT CONNECTOR ELEMENT FOR S5-135U/-155U FRONT CONNECTOR 6ES5497-4UA12 WITH BOARD AND CABLE 50 X 0.14 SQ.MM, 2.5 M
6EP5300-5BC00	SIEMENS	Sitop	CONNECTING CABLE 50 X 0.14 MM2 WITH 50-PIN IDC CONNECTOR ON BOTH SIDES, FROM SIMATIC S5 TO 32 I/O TRANSMISSION MODULE L = 2 M
6EP5301-2BB00	SIEMENS	Sitop	CONNECTING CABLE 26 X 0.14 MM2 FOR CONNECT. OF A SMP MODULE TO A TRANSFER MODULE L = 1.0 M
6EP5301-2BC50	SIEMENS	Sitop	CONNECTING CABLE 26 X 0.14 MM2 FOR CONNECT. OF A SMP MODULE TO A TRANSFER MODULE L = 2.5 M
6EP5400-1AA00	SIEMENS	Sitop	TRANSFER MODULE FROM 14-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS F. 1-WIRE CONNECTION, W/O LED
6EP5400-1AB00	SIEMENS	Sitop	TRANSFER MODULE FROM 14-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS F. 1-WIRE CONNECTION, WITH LED
6EP5400-1CA00	SIEMENS	Sitop	TRANSFER MODULE FROM 14-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS FOR 4-WIRE INITIATORS W/O LED
6EP5400-1CB00	SIEMENS	Sitop	TRANSFER MODULE FROM 14-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS FOR 4-WIRE INITIATORS WITH LED
6EP5400-5AA00	SIEMENS	Sitop	TRANSFER MODULE FROM 50-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS FOR 1-WIRE CONNECTION WITHOUT LED
6EP5400-5BA00	SIEMENS	Sitop	TRANSFER MODULE FROM 50-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS FOR 3-WIRE INITIATORS W/O LED
6EP5400-5CB00	SIEMENS	Sitop	TRANSFER MODULE FROM 50-PIN IDC-CONNECTOR TO SCREW-TYPE TERMINALS FOR 4-WIRE INITIATORS WITH LED
6EP6146-1BA21	SIEMENS	Sitop	SITOP SOLAR 4600 IPS4 SOLARCONVERTER 4600 W MPP-RANGE 200-630 V DC MAX. 6,0 KW PEAK U BLANK MAX. 675 V DC I MAX. 2*10 A DC 2
6EP6245-1AA01	SIEMENS	Sitop	INDEPENDENT MPP-TRACKER NO TRANSFORMER WITH SEAMLESS PE INVERTER 1-PHASE WITH ENS SITOP SOLAR T 2000 H SOLARINVERTER 2000 W MAX. 2.4 KW PEAK MPP RANGE 195 ... 350 V DC U NO-LOAD MAX. 450 V DC I MAX. 12 A DC LINE INVERTER SINGLE-PHASE WITH ELECTRONIC LINE SWITCH
6EP8090-0AA00	SIEMENS	Sitop	POWER SUPPLY MODULE FOR SICAM SYSTEM, INPUT: 24/48/60 V DC OUTPUT: 5 V DC/20 A, 24 V/1 A
6EP8090-0CA00	SIEMENS	Sitop	POWER SUPPLY MODULE FOR SICAM SYSTEM INPUT: 120/230V AC, 110/220V DC OUTPUT: 5 V DC/20 A, 24 V/1 A
6EP8106-0AC20	SIEMENS	Sitop	SIMATIC DP, SPARE PART PLUG FOR BUS-TEST UNIT BT200

Part Number	OEM	Product Group	Description
6ES5 SIMATIC S5 PLC			
6ES5090-8MA01	SIEMENS	Simatic S5	SIMATIC S5, COMPACT S5-90U PROGRAMMABLE CONTROLLER WITH BATTERY, 10 DI 24V, 6RELAY CONTACTS, SUPPLY VOLTAGE 115/230V
6ES5095-8FA01	SIEMENS	Simatic S5	SIMATIC S5 SINGLE PLC FOR S5-95F REDUNDANT SYSTEM, W/O INSTRUCTIONS
6ES5095-8FA02	SIEMENS	Simatic S5	CPU 95-F FAILSAFE
6ES5095-8FB01	SIEMENS	Simatic S5	SIMATIC S5 SINGLE PLC FOR S5-95F REDUNDANT SYSTEM, W/O INSTRUCTIONS
6ES5095-8MA01	SIEMENS	Simatic S5	SIMATIC S5 S5-95U PROGRAMMABLE CONTROLLER W. 1 PG INTERF., 16DI, 16DO 24V DC, 8AI, 1AO, 4ALARM DI, 2COUNTER DI
6ES5095-8MA02	SIEMENS	Simatic S5	SIMATIC S5 S5-95U PLC
6ES5095-8MA03	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT
6ES5095-8MA04	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT
6ES5095-8MA05	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT
6ES5095-8MB01	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT WITH PROFIBUS INTERFACE
6ES5095-8MB02	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT WITH PROFIBUS INTERFACE
6ES5095-8MB03	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT WITH PROFIBUS INTERFACE
6ES5095-8MC01	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT WITH 2 INTERFACES AS511
6ES5095-8ME01	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT W. PROFIBUS-DP MASTER INTERFACE INCLUDING MASTER MODULE
6ES5095-8ME02	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT W. PROFIBUS-DP MASTER INTERFACE INCLUDING MASTER MODULE
6ES5095-8ME03	SIEMENS	Simatic S5	SIMATIC S5, S5-95U COMPACT UNIT W. PROFIBUS-DP MASTER INTERFACE INCLUDING MEMORY MODULE
6ES5100-8MA01	SIEMENS	Simatic S5	SIMATIC S5, CPU 100 FOR S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O INSTRUCTION MANUAL
6ES5100-8MA02	SIEMENS	Simatic S5	SIMATIC S5, CPU 100 FOR S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O INSTRUCTION MANUAL
6ES5101-8UA11	SIEMENS	Simatic S5	SIMATIC S5-101U
6ES5101-8UA12	SIEMENS	Simatic S5	SIMATIC S5 101U CENTRAL CONTROLLER F. 1K STATEMENTS MAINS CONNECTION AC 220/240V W/O BACKUP BATTERY W/O MANUAL 20
6ES5101-8UA13	SIEMENS	Simatic S5	INPUTS, DC 24V 12 RELAY CONTACT OUTPUTS
6ES5101-8UA14	SIEMENS	Simatic S5	SIMATIC S5 101U CENTRAL CONTROLLER F. 1K STATEMENTS MAINS CONNECTION 220/240V AC W/O BACKUP BATTERY,W/O MANUAL 12 RELAY
6ES5101-8UA15	SIEMENS	Simatic S5	CONTACT OUTPUTS
6ES5101-8UA23	SIEMENS	Simatic S5	SIMATIC S5 101U CENTRAL CONTROLLER F. 1K STATEMENTS MAINS CONNECTION 220/240V AC W/O BACKUP BATTERY W/O MANUAL 16
6ES5101-8UA33	SIEMENS	Simatic S5	INPUTS, 220V AC 8 OUTPUTS, 220V AC TRIAC
6ES5101-8UB13	SIEMENS	Simatic S5	SIMATIC S5 101U CENTRAL CONTROLLER F. 1K STATEMENTS MAINS CONNECTION 24V DC W/O BACKUP BATTERY 20 INPUTS, 24V DC
6ES5101-8UC11	SIEMENS	Simatic S5	SIMATIC S5 101U CENTRAL CONTROLLER F. 1K STATEMENTS MAINS CONNECTION 220/240V AC W/O BACKUP BATTERY 10 INPUTS, 24V DC
6ES5101-8UC31	SIEMENS	Simatic S5	SIMATIC S5 101U EXPANSION UNIT MAINS CONNECTION 220/240 V AC W/O MANUAL 20 INPUTS 24V DC
6ES5102-8MA01	SIEMENS	Simatic S5	SIMATIC S5 101U EXPANSION UNIT MAINS CONNECTION 24V DC W/O MANUAL 20 INPUTS, 24V DC
6ES5102-8MA02	SIEMENS	Simatic S5	SIMATIC S5, CPU 102 F.S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O INSTRUCTION MANUAL
6ES5103-8MA01	SIEMENS	Simatic S5	SIMATIC S5, CPU 102 F.S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O INSTRUCTION MANUAL
6ES5103-8MA02	SIEMENS	Simatic S5	SIMATIC S5, CPU 103 CENTR.PROC.UNIT F.S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O MANUAL
6ES5103-8MA03	SIEMENS	Simatic S5	SIMATIC S5, CPU 103 F.S5-100U PC W.POWER SUPPLY UNIT 24V/9V DC W/O MANUAL
6ES5103-8MA04	SIEMENS	Simatic S5	SIMATIC S5, CPU 103 F.S5-100U PC
6ES5130-3WE63	SIEMENS	Simatic S5	SIMATIC S5, 130W CENTR. CONTR. FOR 24K STATEMENTS, COMPACT VERSION, 15 SLOTS W. POWER SUPPLY DC 24V/5V 18A
6ES5135-3KA13	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W/O PROCESSOR W/O MANUAL W.POW.SUPPLY 230/115V AC;5V 18A
6ES5135-3KA21	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W/O PROCESSOR W/O MANUAL W.POW.SUPPLY 230/115V AC;5V 40A
6ES5135-3KB13	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W. 5 PROCESSOR W/O INSTRUCTION MANUAL W.POW.SUPPLY AC 240/115V/5V 18A
6ES5135-3UA11	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W/O PROCESSOR W/O MANUAL W.POW.SUPPLY 230/115V AC;5V 18A
6ES5135-3UA21	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W/O PROCESSOR W/O MANUAL W.POW.SUPPLY 230/115V AC;5V 40A
6ES5135-3UA41	SIEMENS	Simatic S5	SIMATIC S5 135U CENTRAL CONTROLLER 21 SLOTS W/O PROCESSOR W/O MANUAL W.POW.SUPPLY 24V DC; 5V 10A
6ES5150-3SB61	SIEMENS	Simatic S5	SIMATIC S5 150U CENTRAL CONTROLLER 16 SLOTS W/O INSTRUCTION MANUAL W.POW.SUPPLY 240/115V/5V AC 40A
6ES5180-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 180-3A EXPANS. UNIT "A" VERSION W/O POWER SUPPLY 8 RECEPTACLES/1 SLOT
6ES5181-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 181-3A EXPANS. UNIT "A" VERSION W/O POWER SUPPLY 6 MODULE LOCATIONS/1 RECEPTACLE
6ES5182-3AA21	SIEMENS	Simatic S5	SIMATIC S5 182-3A EXPANSION UNIT "A" VERSION W/O MANUAL 3 MODULE LOCATIONS + 3 RECEPT. W.POW.SUPPLY AC 220V/5V 10A
6ES5182-3KH61	SIEMENS	Simatic S5	SIMATIC S5,182-3KH EXPANS. UNIT COMPACT VERSION W.POWER SUPPLY DC 24V/5V 8A 18 MODULE LOCATIONS
6ES5183-3UA12	SIEMENS	Simatic S5	SIMATIC S5 183U EXPANSION UNIT 21 SLOTS WITH FAN W/O INSTRUCTION MANUAL W.POW.SUPPLY 230/115V/5V AC 18A
6ES5183-3UA13	SIEMENS	Simatic S5	SIMATIC S5 EU 183U EXPANSION UNIT W.NEW PS 21 SLOTS, FAN, W/O MANUAL 230/115 V AC; 5 V, 18 A

6ESS183-3UA22	SIEMENS	Simatic S5	SIMATIC S5 EU 183U EXPANSION UNIT W.NEW PS 21 SLOTS, FAN, W/O MANUAL 24 V DC; 5 V, 18 A
6ESS184-3UA11	SIEMENS	Simatic S5	SIMATIC S5, EXPANSION UNIT 184U 21 SLOTS, W/O POWER SUPPLY W/O INSTRUCTION MANUAL WITH FAN 115/230V AC
6ESS184-3UA21	SIEMENS	Simatic S5	SIMATIC S5, EXPANSION UNIT 184U 21 SLOTS, W/O POWER SUPPLY W/O INSTRUCTION MANUAL WITH FAN 24V DC
6ESS185-3UA11	SIEMENS	Simatic S5	SIMATIC S5 185U EXPANSION UNIT 21 SLOTS WITH FAN W/O MANUAL W.POW.SUPPLY 230/115V AC;5V 18A
6ESS188-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CC 135U/155U CENTRAL UNIT 21 SLOTS, W/O CPU, W/O MANUAL 230/115 V AC; 5 V, 18 A
6ESS188-3UA12	SIEMENS	Simatic S5	SIMATIC S5, 135U/155U CENTRAL CONTROLLER, 21 SLOTS, W/O CPU, BATTERY AND MANUAL, POWER SUPPLY 120/230V AC; 5V, 18A
6ESS188-3UA21	SIEMENS	Simatic S5	SIMATIC S5 CC 135U/155U CENTRAL UNIT 21 SLOTS, W/O CPU, W/O MANUAL 230/115 V AC; 5 V, 40 A
6ESS188-3UA22	SIEMENS	Simatic S5	SIMATIC S5, 135U/155U CENTRAL CONTROLLER, 21 SLOTS, W/O CPU, BATTERY AND MANUAL, POWER SUPPLY 120/230V AC; 5V, 40A
6ESS188-3UA32	SIEMENS	Simatic S5	SIMATIC S5, 135U/155U CENTRAL CONTROLLER, 21 SLOTS, W/O CPU, BATTERY AND MANUAL, POWER SUPPLY 24V DC; 5V, 18A
6ESS234-1AD11	SIEMENS	Simatic S5	S5-210 MICROCOMPUTER SYSTEM MEMORY/PARAMETER ENTRY MODULE 12 EPROM RECEPTACLES W. 8 K BYTES OF CMOS-RAM
6ESS240-1AA11	SIEMENS	Simatic S5	IP240 CNTR.
6ESS240-1AA12	SIEMENS	Simatic S5	SIMATIC S5, IP240 COUNTER, POSITION ENCODER AND POSITIONING MODULE
6ESS240-1AA21	SIEMENS	Simatic S5	SIMATIC S5, IP 240 COUNTER AND POSITION DECODER MODULE
6ESS240-5AA11	SIEMENS	Software / Manual	SIMATIC S5, CONFIG.SW IP240 SINGLE LICENSE F.1 INSTALLATION R-SW, SW ON FD, PAPER-DOCU. CLASS A, 1-LANGUAGE (G) EXECUTABLE U. S5:WIN95/98/ME/NT /2000PROF/XPPROF; S7:WIN95/98 REFERENCE-HW:S5-115U,135U,155U
6ESS241-1AA11	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER ENCODER MATCH.MOD.(1 CHANNEL) INCREMENTAL
6ESS241-1AA12	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER BASIC MODULE, 2 CHANNELS COMPACT VERSION
6ESS241-1AB11	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER ENCODER MATCH.MOD.(1 CHANNEL) INCREMENTAL
6ESS241-1AC11	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER ENCODER MATCH.MOD.(1 CHANNEL) DIGITAL, GRAY-CODE EXCESS-3 BCD
6ESS241-1AD12	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER ENCODER MATCH.MOD.(1 CHANNEL) ABSOLUTE, BINARY/BCD CODE
6ESS241-1AF12	SIEMENS	Simatic S5	SIMATIC S5 IP 241 DIGITAL POSITION DECODER ENCODER MATCH. MOD.(1 CHANNEL) ABSOLUTE (DIGITAL) SYNCHRONOUS-SERIAL
6ESS241-3CA12	SIEMENS	Simatic S5	POS DECODER,MIR VERSION
6ESS242-1AA12	SIEMENS	Simatic S5	SIMATIC S5 242 COUNTER MODULE COMPACT VERSION
6ESS242-1AA13	SIEMENS	Simatic S5	SIMATIC S5 IP 242 COUNTER MODULE COMPACT VERSION
6ESS242-1AA21	SIEMENS	Simatic S5	SIMATIC S5 242 COUNTER MODULE COMPACT VERSIO
6ESS242-1AA31	SIEMENS	Simatic S5	SIMATIC S5 IP 242A COUNTER MODULE
6ESS242-1AA32	SIEMENS	Simatic S5	SIMATIC S5 IP 242A COUNTER MODULE FOR FOR ACQUISITION A.PREPROCESSING OF HIGH-SPEED COUNTING PULSES, FOR S5-115U/-135U/-155U
6ESS242-1AA41	SIEMENS	Simatic S5	SIMATIC S5 IP 242B HIGH SPEED COUNTER MOD. 7 CHANNEL, F. S5-115U/135U/155U
6ESS243-1AA11	SIEMENS	Simatic S5	SIMATIC S5 IP 243 ANALOG MODULE FULL CONFIGURATION
6ESS243-1AA12	SIEMENS	Simatic S5	SIMATIC S5 IP 243 ANALOG MODULE FULL CONFIGURATION
6ESS243-1AA13	SIEMENS	Simatic S5	SIMATIC S5,IP 243 ANALOG MODULE FULL CONFIGURATION 1 A/D TRANSFORMER W. 8 INPUTS, 3 D/A TRANSFORMER W. 8 INPUTS
6ESS243-1AB11	SIEMENS	Simatic S5	SIMATIC S5,IP 243 ANALOG MODULE W/O DIGITAL/ANALOG CONVERTER
6ESS243-1AB12	SIEMENS	Simatic S5	SIMATIC S5,IP 243 ANALOG MODULE W/O DIGITAL/ANALOG CONVERTER
6ESS243-1AC11	SIEMENS	Simatic S5	SIMATIC S5 IP 243 ANALOG MODULE W/O ANALOG/DIGITAL CONVERTER
6ESS244-3AA13	SIEMENS	Simatic S5	SIMATIC S5, IP 244 TEMP.CONTROL MODULE
6ESS244-3AA21	SIEMENS	Simatic S5	SIMATIC S5, IP 244 TEMPERATURE CONTROL MODULE
6ESS245-1AA12	SIEMENS	Simatic S5	IP245 VALVE CONTROL MODULE FOR PROPORTIONAL VALVES
6ESS245-1AB12	SIEMENS	Simatic S5	SIMATIC S5 IP 245 VALVE CONTROL MODULE F. SERVO VALVES
6ESS246-4UA21	SIEMENS	Simatic S5	POS.MOD. IP246I INT.FAN INCREM
6ESS246-4UA31	SIEMENS	Simatic S5	SIMATIC S5 IP 246 I POSITIONING MODULE F. DC DRIVES INCREMENTAL,
6ESS246-4UA41	SIEMENS	Simatic S5	SIMATIC S5 IP 246 I POSITIONING MODULE F. DC DRIVES INCREMENTAL, SELF-VENTILATION
6ESS246-4UB11	SIEMENS	Simatic S5	SIMATIC S5 IP 246 A POSITIONING MODULE F. DC DRIVES ABSOLUTE (DIGITAL)
6ESS246-4UB21	SIEMENS	Simatic S5	IP246A ABSOLUTE POSITION MOD 1
6ESS247-4UA11	SIEMENS	Simatic S5	IP247 STEPPER MOTOR,NEED FAN,1
6ESS247-4UA21	SIEMENS	Simatic S5	SIMATIC S5 IP 247 POSITIONING MODULE FOR STEP MOTORS SELF-VENTILATED
6ESS247-4UA31	SIEMENS	Simatic S5	SIMATIC S5 IP 247 POSITIONING MODULE F. STEPPER MOTORS
6ESS247-4UA41	SIEMENS	Simatic S5	SIMATIC S5 IP 247 POSITIONING MODULE F. STEPPER MOTORS FORCED VENTILATION
6ESS247-5AA11	SIEMENS	Software / Manual	SIMATIC S5, CONFIG.SW IP247 SINGLE LICENSE F.1 INSTALLATION R-SW, SW ON FD, PAPER-DOCU. CLASS A, 1-LANGUAGE (G) EXECUTABLE U. S5:WIN95/98/ME/NT /2000PROF/XPPROF S7:WIN95/98 REFERENCE-HW:S5-115U,135U,155U
6ESS250-1AA31	SIEMENS	Simatic S5	S5-210 MICROCOMPUTER SYSTEM CRT INTERFACE MODULE PROVIT W. KEYBOARD INTERFACE
6ESS251-1AA11	SIEMENS	Simatic S5	S5-210 MICROCOMPUTER SYSTEM 251 SERIAL INTERFACE MODULE
6ESS252-3AA11	SIEMENS	Simatic S5	CTRL MOD. R/B 6ES5 -252-3AA13
6ESS252-3AA13	SIEMENS	Simatic S5	SIMATIC S5 IP 252 CLOSED-LOOP CONTROL MOD.
6ESS254-4UA21	SIEMENS	Simatic S5	MOBY-M IFM ... MOBY-SP INTERFACE MODULE F. SIMATIC S5 ASM 254/2
6ESS254-4UB11	SIEMENS	Simatic S5	SIMATIC MOBY-M INTERFACE MODULE
6ESS254-4UB21	SIEMENS	Simatic S5	S5, IP 255 DISPLAY MODULE, FOR COLOR MONITOR (MONA-C)
6ESS255-3AA11	SIEMENS	Simatic S5	IP255 MONA C DISPLAY MODULE
6ESS255-3AC11	SIEMENS	Simatic S5	AS 256 INTERFACE GERMAN
6ESS256-3AA11	SIEMENS	Simatic S5	AS 256 INTERFACE MODULE GERMAN
6ESS256-3AB11	SIEMENS	Simatic S5	AS 256 INTERFACE MODULE GERMAN
6ESS262-8MA12	SIEMENS	Simatic S5	SIMATIC S5 IP 262 CLOSED-LOOP CTRL MODULE S5-90U/-95U/-100U PLC (K-LOOP CONTROLLER)
6ESS262-8MB12	SIEMENS	Simatic S5	SIMATIC S5 IP 262 CLOSED-LOOP CTRL MODULE S5-90U/-95U/-100U PLC (S-LOOP CONTROLLER)
6ESS262-8MB13	SIEMENS	Simatic S5	SIMATIC S5, CLOSED-LOOP CONTROL MODULE IP 262 4 CONTINUOUS-ACTION CONTROLLERS WITH PDM SIGNALS AND STEPPER CONTROLLERS FOR S5-90U/95U/100U WITH SELF-ADJUSTING FUNCTIONS AND ANALOG INPUTS WITH HIGH INTERFERENCE SUPPRESSION
6ESS263-8MA11	SIEMENS	Simatic S5	SIMATIC S5 IP 263 POSITIONING MODULE FOR RAPID TRAVERSE CREEP SPEED 2 CHAN. INCREMENTAL/SSI-ENCODER FOR S5-90U/95U/100U, ET 200U
6ESS263-8MA12	SIEMENS	Simatic S5	SIMATIC S5 IP 263 POSITIONING MODULE FOR RAPID TRAVERSE CREEP SPEED 2 CHAN. INCREMENTAL/SSI-ENCODER FOR S5-90U/95U/100U, ET 200U
6ESS263-8MA13	SIEMENS	Simatic S5	SIMATIC S5 IP 263 POSITIONING MODULE FOR RAPID TRAVERSE CREEP SPEED 2 CHAN. INCREMENTAL/SSI-ENCODER FOR S5-90U/95U/100U, ET 200U
6ESS265-8MA01	SIEMENS	Simatic S5	SIMATIC S5, IP 265 HIGH SPEED HIGH SPEED SUBCONTROL FOR S5-90U, -95U, -100U, ET 200
6ESS266-8MA11	SIEMENS	Simatic S5	SIMATIC S5 IP 266 POSITIONING MODULE FOR MINI PROGRAM CONTROLLER S5-90U/-95U/-100U PLC F. CLOSED-LOOP POSITION CONTROL
6ESS267-8MA11	SIEMENS	Simatic S5	SIMATIC S5 IP 267 POSITIONING MODULE F. S5-90U/-95U/-100U PLC F. STEPPER MOTOR CONTROL
6ESS281-4UA11	SIEMENS	Simatic S5	SIMATIC S5, TELL.MOD. IP281 24V SENS.SUPP.
6ESS281-4UB12	SIEMENS	Simatic S5	SIMATIC S5, PLUGIN SUBMODULE FOR IP 281 COUNTER MODULE UL-/CSA LISTED
6ESS288-4UA11	SIEMENS	Simatic S5	SIMATIC S5 IP 288 POSITION DECODER MODULE FOR RAPID-TRAVERSE/CREEP-SPEED DRIVES, ELECTRONIC CAM CONTROL. 3 CHANNELS, INCREMENTAL AND ABSOLUTE POSITION ENCODERS
6ESS300-3AB11	SIEMENS	Simatic S5	SIMATIC S5 IM300 EU INTERFACE MODULE F.CENTRALIZED CONFIGURATION F.CONNECT.EU TO CC OR EU COMPACT VERSION; EXPANSION UNIT W.POWER SUPPLY
6ESS300-5AA12	SIEMENS	Simatic S5	SIMATIC S5,300 EU INTERF.MOD. F. CENTRALIZED CONFIGURATION F.CONNECTING EXPANSION UNITS TO A CENTRAL CONTROLLER OR TO AN EXPANSION UNIT "A" VERSION
6ESS300-5CA11	SIEMENS	Simatic S5	SIMATIC S5 IM300 EU INTERFACE MODULE F.CENTRALIZED CONFIGURATION F.CONNECT.EU TO CC OR EU COMPACT VERSION;
6ESS300-5LB11	SIEMENS	Simatic S5	SIMATIC S5 IM300 EU INTERFACE MODULE F.CENTRALIZED CONFIGURATION F.CONNECT.3 115U EXP.UNITS TO S5-130K/-130V(B)/-135U/-150K/

6ESS301-3AB13	SIEMENS	Simatic S5	SIMATIC S5 IM301 EU INTERFACE MODULE FOR DISTRIB.CONFIG.UP TO 200M FOR CONNECT.EU OR 484 ELECTR.TERMN. TO CC W.CENTRALIZED CONNECT. EXPANSION UNIT W.POWER SUPPLY
6ESS301-5AA12	SIEMENS	Simatic S5	SIMATIC S5, 301 EU INTERF.MOD. F. DISTRIBUT.CONFIG. UP TO 200M F. CONNECTING EXPANSION UNITS OR 484 ELECTRONIC TERMINATOR TO A CENTRAL CONTROLLER FOR CENTRAL CONNECTION OF EXPANSION UNIT WITHOUT POWER SUPPLY""A"" VERSION"
6ESS301-5AA13	SIEMENS	Simatic S5	SIMATIC S5, 301 EU INTERF.MOD. F. DISTRIBUT.CONFIG. UP TO 200M F. CONNECTING EXPANSION UNITS OR 484 ELECTRONIC TERMINATOR TO A CENTRAL CONTROLLER FOR CENTRAL CONNECTION OF EXPANSION UNIT WITHOUT POWER SUPPLY""A"" VERSION
6ESS301-5CA12	SIEMENS	Simatic S5	SIMATIC S5 IM301 EU INTERFACE MODULE FOR DISTRIB.CONFIG.UP TO 200M FOR CONNECT.EU OR 484 ELECTR.TERMN. TO CC W.CENTRALIZED CONNECT. EXPANSION UNIT W/O POWER SUPPLY
6ESS302-3KA11	SIEMENS	Simatic S5	SIMATIC S5,302 EU INTERF.MOD. F.DISTRIBUTED CONFIGURATION UP TO 1000M F. CONNECTING EXPANSION UNITS OR 110A SUBRACK TO A CENTRAL CONTROL. COMPACT VERSION
6ESS304-3UA11	SIEMENS	Simatic S5	SIMATIC S5,304 EU INTERF. MOD. F. DISTRIBUTED CONFIGURATION UP TO 600M F.CONNECTING EXPANSION UNIT TO A CENTRAL CONTROLLER, INTERFACING CENTRAL CONTROLLER WITH CC S5-115F
6ESS304-3UA12	SIEMENS	Simatic S5	SIMATIC S5,304 EU INTERF.MOD. F. DISTRIBUTED CONFIGURATION UP TO 600M F. CONNECTING EXPANSION UNIT TO A CENTRAL CONTROLLER AND INTERFACING CC S5-150H, S5-155H, S5-115H
6ESS304-3UB11	SIEMENS	Simatic S5	SIMATIC S5, IM304 EU INT.MOD. F. DISTRIBUTED CONFIGURATION UP TO 600M F.CONNECTING EU TO A CC AND INTERFACING CENTRAL CONTROLLERS
6ESS305-7LA11	SIEMENS	Simatic S5	SIMATIC S5 IM 305 INTERFACE MODULE F. S5-115U PLC 2 MOD. F.CENTRALIZED CONNECTION OF 1 EU TO A CENTR.CONTROLLER
6ESS305-7LB11	SIEMENS	Simatic S5	SIMATIC S5 IM 305 INTERFACE MODULE F. S5-115U PLC 2 MOD. F.CENTRALIZED CONNECTION OF 1 EU TO A CENTRAL CONTROLLER
6ESS306-7LA11	SIEMENS	Simatic S5	SIMATIC S5 IM 306 INTERFACE MODULE F. S5-115U PLC F.CENTRALIZED CONNECTION OF EXPANSION UNITS TO A CENTRAL
6ESS307-0MM11	SIEMENS	Simatic S5	SIMATIC S5 FIBER OPTIC MEDIA MODULE F. IM 307/317
6ESS307-3UA11	SIEMENS	Simatic S5	SIMATIC S5 IM 307 EU INTERFACE MODULE ON FIBER OPTIC BASIS
6ESS308-3UA11	SIEMENS	Simatic S5	SIMATIC S5 308 ET INTERFACE MODULE F.CONNECTION OF ET 100U TO 115U,135U,150U CENTR.CONTR. W.CABLE CONNECTOR AND THREE TERMINATING RESISTORS ATTENTION
6ESS308-3UA12	SIEMENS	Simatic S5	SIMATIC S5 IM308 EU INTERFACE MODULE F.DISTRIBUTED CONNECTION UP TO 3000M OF EXPAN.UNIT ICM 560 OR ET 100U TO CC, WITH CABLE CONN. A.3 TERMIN.RESIST. WITH CABLE CONNECTOR AND THREE TERMINATING RESISTORS
6ESS308-3UB11	SIEMENS	Simatic S5	SIMATIC S5, IM308-B INTERFACE MODULE (IN CENTRAL CONTROLLER) MASTER INTERFACE FOR S5-115U TO TO S5-155U TO PROFIBUS-DP
6ESS308-3UC11	SIEMENS	Simatic S5	SIMATIC S5, IM308-C INTERFACE MODULE INCLUDING MEMORY MODULE PROFIBUS-DP MASTER INTERFACE FOR ET 200, TO BE USED WITH S5-115U TO S5-155U
6ESS308-3UC21	SIEMENS	Simatic S5	SIMATIC S5, IM308-C INTERFACE MODULE FOR PROFIBUS-DP, MASTER INTERFACE FOR S5-115U/135U/155U; NOTE: ONLY MEMORY CARDS SV PROGRAMMABLE IN IM308-C
6ESS310-3AB11	SIEMENS	Simatic S5	SIMATIC S5 IM310 CC INTERFACE MODULE FOR DISTRIB.CONFIG.UP TO 200M F.CONNECT.EU TO CC OR EU COMPACT VERSION
6ESS310-5AA12	SIEMENS	Simatic S5	SIMATIC S5 310 CC INTERFACE MODULE F. DISTRIBUTED CONFIGURATION UP TO 200M,F. CONNECTING EXPANSION UNITS TO A CENTRAL CONTROLLER, ROUGH VERSION
6ESS311-3KA11	SIEMENS	Simatic S5	SIMATIC S5 311 CC INTERFACE MODULE F. DISTRIBUTED CONFIGURATION UP TO 1000MF. CONNECTING EXPAN. UNITS TO A CENTRAL CONTROLLER COMPACT VERSION,
6ESS312-3AB11	SIEMENS	Simatic S5	CENTRALIZED CONNECTION OF THE IM312 EXTENSION UNIT INTERFACE MODULE
6ESS312-3AB12	SIEMENS	Simatic S5	SIMATIC S5, IM312 EXTENSION UNIT INTERFACE MODULE FOR CENTRALIZED CONNECTION OF EU WITH CC OR EU, EU WITH POWER SUPPLY, COMPACT VERSION, EU 0.5 M
6ESS312-3AB31	SIEMENS	Simatic S5	SIMATIC S5, IM312 EXTENSION UNIT INTERFACE MODULE FOR CENTRALIZED CONNECTION OF EU WITH CC OR EU, EU WITH POWER SUPPLY, COMPACT VERSION,EU LOC. UNDER CC, INCLUDING CONN. CABLE 0.95 M, ATTENTION!
6ESS312-3AB32	SIEMENS	Simatic S5	SIMATIC S5 IM310 CC INTERFACE MODULE FOR CENTRALIZED CONFIG.UP TO 200M F.CONNECT.EU TO CC OR EU W. PS, COMPACT VERSION, EU BELOW CC,
6ESS312-5AA13	SIEMENS	Simatic S5	SIMATIC S5,312 CC INTERF.MOD. F.CENTRALIZED CONFIGURATION F.CONNECTING EXPANSION UNITS TO A CENTRAL CONTROLLER OR AN EXPANSION UNIT, "A" VERSION CABLE LENGTH 0.3M
6ESS312-5AA31	SIEMENS	Simatic S5	SIMATIC S5 312 CC INTERFACE MODULE F. CENTRALIZED CONFIGURATION F. CONNECTING EXPANSION UNITS TO A CENTRAL CONTROLLER OR AN EU LOCATED ADJACENT TO THE CC
6ESS312-5CA11	SIEMENS	Simatic S5	SIMATIC S5, IM312 INTERFACE MODULE FOR CENTRALIZED CONFIG. OF EU TO CC OR EU COMPACT VERSION, EU W/O POWER SUPPLY, EU LOCATED ABOVE CC CABLE 0.5 M
6ESS312-5CA12	SIEMENS	Simatic S5	SIMATIC S5 IM310 CC INTERFACE MODULE FOR CENTRALIZED CONFIG.UP TO 200M F.CONNECT.EU TO CC OR EU COMPACT VERSION EU LOCATED ABOVE CC
6ESS312-5CA21	SIEMENS	Simatic S5	SIMATIC S5 IM310 CC INTERFACE MODULE FOR CENTRALIZED CONFIG.UP TO 200M F.CONNECT.EU TO CC OR EU COMPACT VERSION, EU W/O POWER SUPPLY, OPTIONAL LOCATION CABLE 1.5M
6ESS312-5CA22	SIEMENS	Simatic S5	SIMATIC S5 IM310 CC INTERFACE MODULE FOR CENTRALIZED CONFIG.UP TO 200M F.CONNECT.EU TO CC OR EU W/O PS COMPACT VERSION, FREE LOCATION OPTIONAL LOCATION
6ESS314-3UA11	SIEMENS	Simatic S5	SIMATIC S5, IM 314 CC INTERFACE MODULE F. DISTRIBUTED CONFIG. UP TO 600M, F.CONNECTING AN EU TO A CC
6ESS314-3UH12	SIEMENS	Simatic S5	SIMATIC S5 314 CC INTERFACE MODULE-IM S5-150H PC WITH 150U CC
6ESS314-3UR11	SIEMENS	Simatic S5	SIMATIC S5 IM 314R CC INTERFACE MODULE F. DISTRIBUTED CONFIGURATION UP TO 600M F.CONNECTING AN EU TO A CC WITH
6ESS315-8MA11	SIEMENS	Simatic S5	SIMATIC S5 IM 315 INTERFACE MODULE F. CONNECTING AN EXPANSION RACK OF THE S5-100U/ET 100U/ET 200U
6ESS316-8FA12	SIEMENS	Simatic S5	SIMATIC S5, IM 316F INTERFACE MODULE FOR CONNECT. UP TO 3 EXPANSION RACKS FOR S5-90U,-95U/F,S5-100U, ET 100U, ET 200U, ENHANCED EMC
6ESS316-8MA11	SIEMENS	Simatic S5	INTERFACE MODULE 100 EXPANSION
6ESS316-8MA12	SIEMENS	Simatic S5	SIMATIC S5 IM 316 INTERFACE MODULE F. CONNECTING MAX. 3 TIERS OF THE S5-100U PLC/ET 100U
6ESS318-3UA11	SIEMENS	Simatic S5	SIMATIC S5 IM 318 CC INTERFACE MODULE F. DISTRIBUTED CONFIGURATION UP TO 3000M; FOR CONNECTING EXPANSION UNITS TO A CU
6ESS318-8MA12	SIEMENS	Simatic S5	SIMATIC S5 IM318 CC INTERFACE MODULE FOR USE IN THE ET 100U W.CABLE CONNECTOR
6ESS318-8MB11	SIEMENS	Simatic S5	SIMATIC S5, IM318-B INTERFACE SLAVE INTERFACE, FOR ET200U TO SINEC L2-DP/-TF
6ESS318-8MB12	SIEMENS	Simatic S5	SIMATIC S5, IM318-B INTERFACE SLAVE INTERFACE, FOR ET200U TO PROFIBUS-DP
6ESS318-8MB13	SIEMENS	Simatic S5	SIMATIC S5, IM318-B INTERFACE SLAVE INTERFACE, FOR ET200U TO PROFIBUS-DP
6ESS318-8MC12	SIEMENS	Simatic S5	SIMATIC S5, IM318-C INTERFACE MOD.,SLAVE INTERFACE,FOR ET200U TO PROFIBUS DP/FMS
6ESS321-0AA11	SIEMENS	Simatic S5	SIMATIC S5 321 INTERFACE ADAPTER FOR CHECKING DATA TRANSMISSION IN THE CP 530 + PROGR.PORT
6ESS324-3UA12	SIEMENS	Simatic S5	SIMATIC S5 IM 324R INTERFACE MODULE F. CONNECTING CENTRAL C. UNITS USED W. S5-115H/-155H PLC
6ESS324-3UR11	SIEMENS	Simatic S5	SIMATIC S5 IM 324R INTERFACE MODULE F. CONNECTING CENTRAL C. UNITS USED W. S5-115H/-155H PLC
6ESS325-0UA11	SIEMENS	Simatic S5	SIEMENS FOX PG ADAPTER PG730/750
6ESS330-7AB11	SIEMENS	Simatic S5	TEST MODULE,110A
6ESS330-8MA11	SIEMENS	Simatic S5	SIMATIC S5 330 DIAGNOSTICS MODULE F. S5-90U/-95U/-100U, ET 100U, ET 200U
6ESS331-5AA11	SIEMENS	Simatic S5	SIMATIC S5 331 TEST MODULE
6ESS340-3KA11	SIEMENS	Simatic S5	R/REPLACED BY 6ES5 3403KB42
6ESS340-3KA21	SIEMENS	Simatic S5	R/6ES5 3403KB42
6ESS340-3KB11	SIEMENS	Simatic S5	SIMATIC S5, 340 MEMORY MODULE COMPACT VERSION RAM, 16K BYTES
6ESS340-3KB21	SIEMENS	Simatic S5	SIMATIC S5 MEMORY CARD S5-150, RAM, 16 KBYTE
6ESS340-3KB31	SIEMENS	Simatic S5	SIMATIC S5, 340 MEMORY MODULE COMPACT VERSION RAM, 48K BYTES
6ESS340-3KB41	SIEMENS	Simatic S5	SIMATIC S5, 340 MEMORY MODULE COMPACT VERSION RAM, 64 KBYTES
6ESS340-3KB42	SIEMENS	Simatic S5	SIMATIC S5 340 MEMORY MODULE COMPACT VERSION RAM, 64K BYTES
6ESS340-5AA11	SIEMENS	Simatic S5	SIMATIC S5 340 READ-WRITE MEMRY MODULE(RAM RUGGED VERSION 8K STATEMENTS
6ESS340-5AA21	SIEMENS	Simatic S5	SIMATIC S5 340 READ-WRITE MEMRY MODULE(RAM RUGGED VERSION 16K STATEMENTS AVAILABLE AS A SPARE PART ONLY!
6ESS340-5AB21	SIEMENS	Simatic S5	SIMATIC S5 MEMORY CARD S5-150A, RAM, 16 KBYTE
6ESS340-5AB31	SIEMENS	Simatic S5	SIMATIC S5, 340 MEMORY MODULE "A" VERSION RAM, 48K BYTES AVAILABLE AS A SPARE PART ONLY!
6ESS341-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 341 EXTERNAL MEMORY INTERFACE MODULE F. INTERFACING EXTERNAL MEMORY COMPACT VERSION
6ESS350-3KA21	SIEMENS	Simatic S5	SIMATIC S5 350 MEMORY MODULE COMPACT VERSION 2 SLOTS F.372 MEMORY SUBMODULE RAM, 8K BYTES
6ESS350-3KA41	SIEMENS	Simatic S5	SIMATIC S5 350 MEMORY MODULE COMPACT VERSION 2 SLOTS F.372 MEMORY SUBMODULE W/O RAM
6ESS350-5AA21	SIEMENS	Simatic S5	SIMATIC S5, 350 MEMORY MODULE "A" VERSION 2 RECEPT.F.370/371 MEM.SUBMOD. RAM, 8K BYTES

6ES5355-3UA11	SIEMENS	Simatic S5	SIMATIC S5,355 MEMORY SUBMODULE RAM/EPROM 3 SLOTS F.373/377 MEMORY SUBMODULE
6ES5370-0AA31	SIEMENS	Simatic S5	SIMATIC S5 MEMORY SUBMODUL 370, EPROM 4KB, FOR MEMORY MODUL 350
6ES5370-0AA41	SIEMENS	Simatic S5	SIMATIC S5, 370 MEMORY SUBMOD. EPROM, 8K BYTES
6ES5370-0AB11	SIEMENS	Simatic S5	EPROM
6ES5371-0AA51	SIEMENS	Simatic S5	R/REPLACED BY 6ES5 3730AA41
6ES5372-0AA51	SIEMENS	Simatic S5	SIMATIC S5, 372 MEMORY SUBMOD. EPROM, 16K BYTES
6ES5372-0AA61	SIEMENS	Simatic S5	SIMATIC S5 372 MEMORY SUBMODULE EPROM, 32K BYTES
6ES5373-0AA21	SIEMENS	Simatic S5	SIMATIC S5, 373 MEMORY SUBMOD. EPROM, 16K BYTES
6ES5373-0AA41	SIEMENS	Simatic S5	SIMATIC S5 373 MEMORY SUBMODULE EPROM, 32K BYTES
6ES5373-0AA61	SIEMENS	Simatic S5	SIMATIC S5 373 MEMORY SUBMODULE EPROM, 64K BYTES
6ES5373-0AA81	SIEMENS	Simatic S5	MEMORY SUBMODULE,EPROM,12KB,5
6ES5373-1AA21	SIEMENS	Simatic S5	SIMATIC S5,373 MEMORY SUBMODULE CMOS EPROM, 16 KBYTES
6ES5373-1AA41	SIEMENS	Simatic S5	SIMATIC S5,373 MEMORY SUBMODULE CMOS EPROM, 32 KBYTES
6ES5373-1AA61	SIEMENS	Simatic S5	SIMATIC S5,373 MEMORY SUBMODULE CMOS EPROM, 64 KBYTES
6ES5373-1AA81	SIEMENS	Simatic S5	SIMATIC S5,373 MEMORY SUBMODULE CMOS EPROM, 128 KBYTES
6ES5374-0AA11	SIEMENS	Simatic S5	SIMATIC S5,374 MEMORY SUBMODULE F.IP 252 CLOSED-LOOP CONTR.MOD. EPROM 2 X 32 KBYTES, F.IP 252 CLOSED-LOOP CONTR.MOD. F.STANDARD AND DRIVE CONTROLLER
6ES5374-0AB11	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD, SHORT TYPE, FLASH-EPROM, 128 KO (8 BIT) AVAILABLE AS A SPARE PART ONLY! DRIVE CONTROLLER WITH
6ES5374-0BA11	SIEMENS	Simatic S5	SIMATIC S5,374 MEMORY SUBMODULE SPECIAL VERSION FOR IP 252
6ES5374-1FH21	SIEMENS	Simatic S5	SIMATIC S5 MEMORY CARD, SHORT TYPE FLASH-EPROM, 256 KBYTES (16BIT)
6ES5374-1FJ21	SIEMENS	Simatic S5	SIMATIC S5 MEMORY CARD, SHORT TYPE FLASH-EPROM, 512 KBYTES (16BIT)
6ES5374-1KG11	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD SHORT TYPE 5V ONLY FLASH-EPROM, 128 KBYTES
6ES5374-1KH21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD SHORT TYPE 5V ONLY FLASH-EPROM, 256 KBYTES
6ES5374-1KK21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD SHORT TYPE 5V ONLY FLASH-EPROM, 1 MBYTES
6ES5374-2AH21	SIEMENS	Simatic S5	SIMATIC S5 MEMORY CARD, LONG TYPE RAM, 256 KBYTES (16 BIT)
6ES5374-2FH21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD, LONG TYPE FLASH EPROM, 256 KBYTES (16BIT)
6ES5374-2KG21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD LONG TYPE 5V ONLY FLASH-EPROM, 128 KBYTE
6ES5374-2KH21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD LONG TYPE 5V ONLY FLASH-EPROM, 256 KBYTES
6ES5374-2KK21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD LONG TYPE 5V ONLY FLASH-EPROM, 1 MBYTES
6ES5374-2KL21	SIEMENS	Simatic S5	SIMATIC S5, MEMORY CARD LONG TYPE 5V ONLY FLASH-EPROM, 2 MBYTES
6ES5375-0LA11	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 96K BYTES
6ES5375-0LA15	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 8K BYTES
6ES5375-0LA21	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 16K BYTES
6ES5375-0LA41	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 32K BYTES
6ES5375-0LB11	SIEMENS	Simatic S5	MEMORY SUBMODULE,EEPROM,1KB,10
6ES5375-0LC11	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 2 KBYTES 384 PROGRAM ELEMENTS
6ES5375-0LC21	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 4 KBYTES
6ES5375-0LC31	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 8 KBYTES
6ES5375-0LC41	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 16 KBYTES
6ES5375-0LC61	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 32 KBYTES
6ES5375-0LD11	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE RAM, 8 KBYTES
6ES5375-0LD21	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE RAM, 16 KBYTES
6ES5375-0LD31	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE RAM, 32 KBYTES
6ES5375-1LA15	SIEMENS	Simatic S5	SIMATIC S5, 375 MEMORY SUBMOD. CMOS EPROM, 8 KBYTES
6ES5375-1LA21	SIEMENS	Simatic S5	SIMATIC S5, 375 MEMORY SUBMOD. CMOS EPROM, 16 KBYTES
6ES5375-1LA41	SIEMENS	Simatic S5	SIMATIC S5, 375 MEMORY SUBMOD. CMOS EPROM, 32 KBYTES
6ES5375-1LA61	SIEMENS	Simatic S5	SIMATIC S5, 375 MEMORY SUBMOD. CMOS EPROM, 64 KBYTES
6ES5375-8LA11	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EPROM, 8 KBYTES
6ES5375-8LA12	SIEMENS	Simatic S5	SIMATIC S5,375 MEMORY SUBMODULE FLASH EPROM, 8 KBYTES FOR PROGRAMMING STEP 5 V6.6 NECESSARY
6ES5375-8LC11	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 2 KBYTES
6ES5375-8LC21	SIEMENS	Simatic S5	SIMATIC S5 375 MEMORY SUBMODULE EEPROM, 4 KBYTES
6ES5376-0AA11	SIEMENS	Simatic S5	SIMATIC S5 376 MEMORY SUBMODULE EPROM, 16K BYTES
6ES5376-0AA21	SIEMENS	Simatic S5	SIMATIC S5 376 MEMORY SUBMODULE EPROM, 32K BYTES
6ES5376-0AA31	SIEMENS	Simatic S5	SIMATIC S5 376 MEMORY SUBMODULE EPROM, 64K BYTES
6ES5376-1AA11	SIEMENS	Simatic S5	SIMATIC S5, 376 MEMORY SUPMOD. CMOS EPROM, 16 KBYTES
6ES5376-1AA21	SIEMENS	Simatic S5	SIMATIC S5, 376 MEMORY SUBMOD. CMOS EPROM, 32 KBYTES
6ES5376-1AA31	SIEMENS	Simatic S5	SIMATIC S5, 376 MEMORY SUBMOD. CMOS EPROM, 64 KBYTES
6ES5377-0AA11	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE SHORT TYPE RAM, 16 KBYTES
6ES5377-0AA21	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE SHORT TYPE RAM, 32 KBYTES
6ES5377-0AA31	SIEMENS	Simatic S5	SIMATIC S5, 377 MEMORY SUBMOD. SHORT TYPE RAM, 64K BYTES
6ES5377-0AA32	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE SHORT TYPE RAM, 64 KBYTES
6ES5377-0AB21	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE LONG TYPE RAM, 32 KBYTES
6ES5377-0AB31	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE LONG TYPE RAM, 64 KBYTES
6ES5377-0AB41	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE LONG TYPE RAM, 128 KBYTES
6ES5377-0AB41	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE SHORT TYPE RAM, 64 KBYTES,W.BACKUP BATTERY
6ES5377-0BB41	SIEMENS	Simatic S5	SIMATIC S5 377 MEMORY SUBMODULE LONG TYPE RAM,128 KBYTES,W.BACKUP BATTERY
6ES5378-0AA11	SIEMENS	Simatic S5	378 MEMORY SUBMODULE EEPROM, 2 KBYTES
6ES5380-7AA11	SIEMENS	Simatic S5	TIMER/COUNTER MODULE
6ES5380-7AA12	SIEMENS	Simatic S5	SIMATIC S5 TIMER MODULE 380 4 TIMING ELEMENTS 10MS TO 100S
6ES5380-8MA11	SIEMENS	Simatic S5	SIMATIC S5 380 TIMER MODULE FOR S5-90U/-95U/-100U, ET 100U, ET 200U 2 TIMERS FOR 0.3 TO 300 S
6ES5382-0AA32	SIEMENS	Simatic S5	SIMATIC S5, TYPE 1 ADAPTER BLOCK F.381 TIMER/COUNTER MODULE
6ES5385-8MA11	SIEMENS	Simatic S5	SIMATIC S5, 385A COUNTER MODULE FOR S5-90U/-95U/-100U, ET 100U, ET200U COUNTING FREQUENCY UP TO 500HZ
6ES5385-8MB11	SIEMENS	Simatic S5	SIMATIC S5 385B COUNTER MODULE FOR S5-90U/-95U/-100U, ET 100U, ET200U COUNTING FREQUENCY UP TO 500KHZ
6ES5390-5AA22	SIEMENS	Simatic S5	SIMATIC S5 390 TIMER/COUNTER MODULE 64 DIGITAL TIMERS,16 COUNTERS
6ES5391-5AA12	SIEMENS	Simatic S5	OPERATOR PANEL
6ES5391-5AA13	SIEMENS	Simatic S5	SIMATIC S5, 391 OPERATOR PANEL WITH HOUSING FOR 390 TIMER/COUNTER MODULE
6ES5393-0UA11	SIEMENS	Simatic S5	SIMATIC S5 393 OPERATOR PANEL FOR S5-100U/115U PC
6ES5393-0UA12	SIEMENS	Simatic S5	OP 393-II OPERATOR PANEL 393 OPERATOR PANEL FOR S5-100U/115U PC
6ES5393-0UA13	SIEMENS	Simatic S5	OP 393 II OPERATOR PANEL CAN BE USED IN CMOS TECHNOLOGY IN COMBINATION WITH S5-90U TO S5-150U
6ES5393-0UA15	SIEMENS	Simatic S5	OP393-III OPERATOR PANEL
6ES5395-0UA11	SIEMENS	Simatic S5	OP395 OPERATOR PANEL GERMAN VERSION
6ES5396-0UA11	SIEMENS	Simatic S5	OP396 OPERATOR PANEL,HANDHLD.8
6ES5400-0AA11	SIEMENS	Simatic S5	SIMATIC S5, MODULE 400 DIGIT. INPUT/TIMER MODULE FOR S5-010W PLC, 4 ANALOG TIMES 40 INPUTS, 24 V DC
6ES5400-7AA11	SIEMENS	Simatic S5	DIG IN,81,24VDC,110A,5
6ES5400-7AA12	SIEMENS	Simatic S5	
6ES5400-7AA13	SIEMENS	Simatic S5	SIMATIC S5,400 DIGIT.INP.MODULE FLOATING 8 INPUTS DC 24V
6ES5401-7AA13	SIEMENS	Simatic S5	SIMATIC S5,401 DIGIT.INP.MODULE FLOATING 8 INPUTS DC 24V, W.GROUP SIGNAL
6ES5405-7AA21	SIEMENS	Simatic S5	
6ES5405-7AB11	SIEMENS	Simatic S5	SIMATIC S5,405 DIGIT.INP.MODULE FLOATING 8 INPUTS AC 115V
6ES5405-7AB21	SIEMENS	Simatic S5	SIMATIC S5,405 DIGIT.INP.MODULE FLOATING 8 INPUTS AC 220V
6ES5410-0AA11	SIEMENS	Simatic S5	
6ES5410-0AA12	SIEMENS	Simatic S5	DIG OUT,TYPE 010

6ESS410-0AA41	SIEMENS	Simatic S5	SIMATIC S5, DIGITAL OUTPUT MODULE 410 F. S5-010W PC STATIC 16 OUTPUTS DC 24V, 2A
6ESS410-7AA11	SIEMENS	Simatic S5	SIMATIC S5 410 DIGITAL OUTPUT MODULE FLOATING 8 OUTPUTS DC 24V, 2A
6ESS410-7FA11	SIEMENS	Simatic S5	SIMATIC S5, DIGITAL OUTPUT MODULE 410 F. S5-110F PC STATIC 8 OUTPUTS DC 24V, 1.8A
6ESS415-7AA11	SIEMENS	Simatic S5	DIGITAL OUTPUT MODULE
6ESS415-7AA31	SIEMENS	Simatic S5	SIMATIC S5, 415 DIGITAL OUTPUT MODULE FLOATING 8 OUTPUTS AC 24/48V, 2A
6ESS415-7AB11	SIEMENS	Simatic S5	SIMATIC S5 415 DIGITAL OUTPUT MODULE FLOATING 8 OUTPUTS, AC 115V, 2A
6ESS415-7AB21	SIEMENS	Simatic S5	SIMATIC S5 415 DIGITAL OUTPUT MODULE FLOATING 8 OUTPUTS AC 220V, 2A
6ESS417-7AA21	SIEMENS	Simatic S5	SIMATIC S5 417 DIGITAL OUTPUT MODULE FLOATING, WITH RELAYS 8 OUTPUTS DC 30V TO AC 250V, 5A
6ESS418-8MB11	SIEMENS	Simatic S5	SIMATIC S5, ET200K COMPACT STAT. WITH PG JOINT, IP65, INTEGRATED SINEC L2 INTERFACE
6ESS420-3BA11	SIEMENS	Simatic S5	SIMATIC S5, 420 DIGITAL INPUT NON-ISOLATED 32 INPUTS, 24 V DC COMPACT VERSION K
6ESS420-4UA11	SIEMENS	Simatic S5	SIMATIC S5 420 DIGITAL INPUT MODULE NON-FLOATING, COMPACT VERSION 32 INPUTS, 24V DC
6ESS420-4UA12	SIEMENS	Simatic S5	SIMATIC S5 420 DIGITAL INPUT MODULE NON-FLOATING, COMPACT VERSION 32 INPUTS, 24V DC
6ESS420-4UA13	SIEMENS	Simatic S5	SIMATIC S5 420 DIGITAL INPUT MODULE NON-FLOATING, COMPACT VERSION U 32 INPUTS, 24V DC
6ESS420-4UA14	SIEMENS	Simatic S5	SIMATIC S5 420-4 DIGITAL INPUT MODULE NON-FLOATING, COMPACT VERSION 32 INPUTS, 24V DC
6ESS420-5AA11	SIEMENS	Simatic S5	SIMATIC S5, 420 DIGIT.INP.MODULE NON-FLOATING 32 INPUTS, 24V DC, "A" VERSION
6ESS420-7LA11	SIEMENS	Simatic S5	SIMATIC S5 420 DIGITAL INPUT MODULE NON-FLOATING 32 INPUTS, 24 V DC F. S5-115U PLC
6ESS420-8MA11	SIEMENS	Simatic S5	SIMATIC S5 420 DIGITAL INPUT MODULE NON-FLOATING 4 INPUTS, 24 V DC F. S5-90U/-95U/-100U, ET 100U,
6ESS421-8MA11	SIEMENS	Simatic S5	SIMATIC S5,424 DIGIT.INPUT MOD. NON-FLOATING 8 INPUTS DC 24V F.PC/ET 100U
6ESS421-8MA12	SIEMENS	Simatic S5	SIMATIC S5 421 DIGITAL INPUT MODULE NON-FLOATING, 8 INPUTS 24V DC FOR S5-90U/-95U/-100U, ET 100U, ET 200U
6ESS422-8MA11	SIEMENS	Simatic S5	SIMATIC S5 422 DIGITAL INPUT MODULE NON-FLOATING FOR S5-90U, -95U, -100U, ET 100U/200U, 16 INPUTS 24V DC
6ESS430-2BA11	SIEMENS	Simatic S5	SIMATIC S5, ELECTRONIC MODULE (ET 200B), 32 INPUTS 24V DC,
6ESS430-3BA11	SIEMENS	Simatic S5	SIMATIC S5, 430 DIGITAL INPUT GALVANICALLY ISOLATED 32 INPUTS 24 V DC COMPACT VERSION K
6ESS430-4UA11	SIEMENS	Simatic S5	SIMATIC S5,430 DIGIT.INP.MODULE FLOATING 32 INPUTS, DC 24V COMPACT VERSION U
6ESS430-4UA12	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING 32 INPUTS, 24 V DC COMPACT VERSION U
6ESS430-4UA13	SIEMENS	Simatic S5	SIMATIC S5, DI 430 DIGITAL INPUT MODULE, 32 INPUTS 24V DC, FLOATING, COMPACT VERSION U, FOR S5-135U155U PLC (CAN BE USED IN S5-115U WITH ADAPTOR CASING 6ESS491-0LB11)
6ESS430-4UA14	SIEMENS	Simatic S5	SIMATIC S5 430-4 DIGITAL INPUT MODULE FLOATING, COMPACT VERSION 32 INPUTS, 24 V DC
6ESS430-6AA11	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT GALVANICALLY ISOLATED 32 INPUTS, 24 V DC RUGGED VERSION
6ESS430-7LA11	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING 32 INPUTS, 24 V DC F.S5-115U/F PC'S
6ESS430-7LA12	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING, FOR S5-115U/F 32 INPUTS, 24 V DC
6ESS430-7LA12-Z	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING, FOR S5-115U/F 32 INPUTS, 24 V DC
6ESS430-8MB11	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 4 INPUTS,24V TO 60V DC
6ESS430-8MC11	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U, ET100U, ET 200U, 4 INPUTS 115V AC/DC
6ESS430-8MD11	SIEMENS	Simatic S5	SIMATIC S5 430 DIGITAL INPUT MODULE FLOATING FOR S5-90U/-95U/-100U, ET100U, ET 200U, 4 INPUTS 230V AC/DC
6ESS431-2BA11	SIEMENS	Simatic S5	SIMATIC S5 16DE ELECTRONICS MODULE (ET 200B), 16 INPUTS 24 V DC FOR TB1/DC TERMINAL BLOCK
6ESS431-3BA11	SIEMENS	Simatic S5	SIMATIC S5 431-3 DIGITAL INPUT MODULE FOR S5-130/150 PLC, (16) 24/60V DC DIGITAL INPUTS, SINK, FLOATING, COMPACT VERSION K
6ESS431-4UA12	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FLOATING COMPACT VERSION U 16 INPUTS 24V/48V/60V DC.
6ESS431-6AA11	SIEMENS	Simatic S5	SIMATIC S5, DIGITAL INPUT MODULE 431, 16 INPUTS 24/60V DC, FLOATING, ROUGH VERSION A, FOR S5-150
6ESS431-7LA11	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FLOATING, FOR S5-115U, 16 INPUTS 24 TO 48V AC
6ESS431-8FA11	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FLOATING, FAILSAFE, FOR S5-95F, 8 INPUTS 24V DC
6ESS431-8MA11	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FLOATING FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 8 INPUTS 24V DC
6ESS431-8MC11	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 8 INPUTS, 115V AC/DC
6ESS431-8MD11	SIEMENS	Simatic S5	SIMATIC S5 431 DIGITAL INPUT MODULE FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 8 INPUTS, 230V AC/DC
6ESS432-3BA12	SIEMENS	Simatic S5	SIMATIC S5,432 DIGIT.INP.MODULE GALVANICALLY ISOLATED 16 INPUTS,24V DC, W. GROUP SIGNAL COMPACT VERSION K
6ESS432-4UA11	SIEMENS	Simatic S5	SIMATIC S5 432 DIGITAL INPUT MODULE FLOATING 32 INPUTS, 24V DC W.GROUP SIGNAL
6ESS432-4UA12	SIEMENS	Simatic S5	SIMATIC S5 432 DIGITAL INPUT MODULE FLOATING, COMPACT FORM U, 32 INPUTS, 24V DC, WITH GROUP SIGNALS
6ESS432-6AA12	SIEMENS	Simatic S5	SIMATIC S5,432 DIGIT.INP.MODULE FLOATING, "A" VERSION,16 INPUTS, 24V DC, WITH,GROUP SIGNALS
6ESS432-7LA11	SIEMENS	Simatic S5	SIMATIC S5 432 DIGITAL INPUT MODULE FLOATING 16 INPUTS 48 TO 60V AC/DC F.S5-115U PC
6ESS433-7LA11	SIEMENS	Simatic S5	SIMATIC S5 433-7 DIGITAL INPUT MODULE FOR S5-115U PLC (32) 5/24V DC DIGITAL INPUTS
6ESS433-8MA11	SIEMENS	Simatic S5	SIMATIC S5 433 DIGITAL INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 8 INPUTS, 5V TO 24V DC
6ESS434-4UA11	SIEMENS	Simatic S5	SIMATIC S5,434 DIGIT.INP.MODULE FLOATING 32 INPUTS 5V/15V DC COMPACT VERSION U
6ESS434-4UA12	SIEMENS	Simatic S5	SIMATIC S5 434 DIGITAL INPUT MODULE FLOATING, COMPACT VERSION U 32 INPUTS 5V DC; 15 V
6ESS434-7LA11	SIEMENS	Simatic S5	SIMATIC S5 434 DIGITAL INPUT MODULE FLOATING, W. GROUP SIGNAL 8 INPUTS, 24 V DC F.S5-115U/F PC
6ESS434-7LA12	SIEMENS	Simatic S5	SIMATIC S5 434 DIGITAL INPUT MODULE FLOATING, W. ALARM SIGNAL 8 INPUTS, 24 V DC FOR S5-115U/F PLC
6ESS435-4UA12	SIEMENS	Simatic S5	SIMATIC S5 435 DIGITAL INPUT MODULE FLOATING 16 INPUTS, 24/48/60V AC COMPACT VERSION U
6ESS435-7LA11	SIEMENS	Simatic S5	SIMATIC S5 435 DIGITAL INPUT MODULE FLOATING, F. S5-115U PLC 16 INPUTS 115V AC/DC, 4 GROUPS
6ESS435-7LB11	SIEMENS	Simatic S5	SIMATIC S5 435 DIGITAL INPUT MODULE FLOATING, F. S5-115U PLC 16 INPUTS 115V AC/DC, 8 GROUPS
6ESS435-7LC11	SIEMENS	Simatic S5	SIMATIC S5 435 DIGITAL INPUT MODULE FLOATING, F. S5-115U/H/F PLC 8 INPUTS 115V AC/DC, 1ST ROOT
6ESS436-4UA11	SIEMENS	Simatic S5	SIMATIC S5,436 DIGIT.INP.MODULE FLOATING COMPACT VERSION U 16 INPUTS, AC 115/240V
6ESS436-4UA12	SIEMENS	Simatic S5	SIMATIC S5 436 DIGITAL INPUT MODULE FLOATING, 16 INPUTS 115/240V AC 16 INPUTS 115/230V AC
6ESS436-4UB12	SIEMENS	Simatic S5	SIMATIC S5 436 DIGITAL INPUT MODULE FLOATING COMPACT VERSION U 8 INPUTS 115/240V AC
6ESS436-6AA11	SIEMENS	Simatic S5	SIMATIC S5 DIGITAL INPUT
6ESS436-7LA11	SIEMENS	Simatic S5	SIMATIC S5 436 DIGITAL INPUT MODULE FLOATING, F. S5-115U PLC 16 INPUTS 230V AC/DC, 4 GROUPS
6ESS436-7LB11	SIEMENS	Simatic S5	SIMATIC S5 436 DIGITAL INPUT MODULE FLOATING, F. S5-115U PLC 16 INPUTS 230V AC, 8 GROUPS
6ESS437-8EA12	SIEMENS	Simatic S5	SIMATIC S5 437 EX(I) DIGITAL INPUT MODULE F. S5-95U/-100U, ET 100U/-200U 4 INPUTS 9V DC
6ESS440-8MA11	SIEMENS	Simatic S5	SIMATIC S5 440 DIGITAL OUTPUT MODULE NON-FLOATING F. S5-90U/-95U/-100U, ET 100U, ET 200U,4 OUTPUTS 24V DC; 0.5A
6ESS440-8MA21	SIEMENS	Simatic S5	SIMATIC S5 440 DIGITAL OUTPUT MODULE NON-FLOATING F. S5-90U/-95U/-100U, ET 100U, ET 200U, 4 OUTPUTS 24V DC; 2A
6ESS440-8MA22	SIEMENS	Simatic S5	SIMATIC S5 440 DIGITAL OUTPUT MODULE NON-FLOATING F. S5-90U/-95U/-100U, ET 100U, ET 200U, 4 OUTPUTS 24V DC; 2A
6ESS441-4UA11	SIEMENS	Simatic S5	SIMATIC S5,441 DIGIT.OUTP.MOD. NON-FLOATING 32 OUTPUTS, DC 24V, 0.5A COMPACT VERSION U
6ESS441-4UA12	SIEMENS	Simatic S5	S5 441-4 DIGITAL OUTPUT MODULE NON-FLOATING, COMPACT VERSION 32 OUTPUTS, 24V DC; 0.5A
6ESS441-4UA13	SIEMENS	Simatic S5	SIMATIC S5 441-4 DIGITAL OUTPUT MODULE NON-FLOATING 32 OUTPUTS, 24V DC; 0.5A COMPACT VERSION U
6ESS441-4UA14	SIEMENS	Simatic S5	SIMATIC S5 441-4 DIGITAL OUTPUT MODULE NON-FLOATING, COMPACT VERSION 32 OUTPUTS, 24V DC; 0.5A
6ESS441-5AA12	SIEMENS	Simatic S5	SIMATIC S5; 441 DIGITAL OUTPUT NON-ISOLATED 16 OUTPUTS 24V DC/0.5A RUGGED VERSION
6ESS441-7LA11	SIEMENS	Simatic S5	SIMATIC S5 441 DIGITAL OUTPUT MODULE NON-FLOATING, 32 OUTPUTS, 24V DC; 0.5A
6ESS441-7LA12	SIEMENS	Simatic S5	SIMATIC S5 441 DIGITAL OUTPUT MODULE NON-FLOATING, 32 OUTPUTS, 24V DC; 0.5A
6ESS441-7LA13	SIEMENS	Simatic S5	SIMATIC S5 441 DIGITAL OUTPUT MODULE NON-FLOATING 32 OUTPUTS, 24V DC; 0.5A
6ESS441-8MA11	SIEMENS	Simatic S5	SIMATIC S5 441 DIGITAL OUTPUT MODULE NON-FLOATING FOR S5-90U/-95U/-100U, ET 100U, ET 200U,8 OUTPUTS 24V DC; 0.5A
6ESS442-3AA11	SIEMENS	Simatic S5	SIMATIC S5 442 DIGITAL OUTPUT MODULE COMPACT VERSION K, NON-FLOATING 32 OUTPUTS 24V DC, 10MA
6ESS444-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 444 DIGITAL OUTPUT NON-ISOLATED 16 OUTPUTS 24V DC/2A COMPACT VERSION K
6ESS444-5AA11	SIEMENS	Simatic S5	SIMATIC S5, 444 DIGITAL OUTPUT NON-ISOLATED 16 OUTPUTS, 24V DC/2A RUGGED VERSION
6ESS445-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 445 DIGITAL OUTPUT MODULE, NON-ISOLATED, 32 OUTPUTS 24V DC/0.5A, COMPACT VERSION
6ESS445-3AA12	SIEMENS	Simatic S5	SIMATIC S5, 445 DIGITAL OUTPUT NON-ISOLATED 32 OUTPUTS 24V DC/0.5A COMPACT VERSION K
6ESS445-3AE11	SIEMENS	Simatic S5	Simatic S5
6ESS445-3AE21	SIEMENS	Simatic S5	6ESS445-3AE21
6ESS450-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 450 DIGITAL OUTPUT GALVANICALLY ISOLATED COMPACT VERSION K 32 OUTPUTS 24V DC/0.12A
6ESS450-6AA11	SIEMENS	Simatic S5	DIG.OUTPUT CARD
6ESS450-6AA12	SIEMENS	Simatic S5	SIMATIC S5, 450 DIGITAL OUTPUT GALVANICALLY ISOLATED 32 OUTPUTS 24V DC/0.12A RUGGED VERSION
6ESS450-8FA11	SIEMENS	Simatic S5	SIMATIC S5, 450 DIGITAL OUTPUT MODULE FLOATING, FOR S5-96F, FAILSAFE 5 OUTPUTS 24V DC; 2A
6ESS450-8MB11	SIEMENS	Simatic S5	SIMATIC S5 450 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 4 OUTPUTS 24/60V DC; 0.5A
6ESS450-8MD11	SIEMENS	Simatic S5	SIMATIC S5 450 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 4 OUTPUTS 115/230V AC; 1A
6ESS451-2BA11	SIEMENS	Simatic S5	DIGITAL OUTPUT,16PT,24VDC
6ESS451-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 451 DIGITAL OUTPUT GALVANICALLY ISOLATED 16 OUTPUTS 24V DC/0.5A COMPACT VERSION K

6ESS451-3AE11	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE
6ESS451-4UA11	SIEMENS	Simatic S5	SIMATIC S5,451 DIGIT.OUTPUT.MOD. FLOATING COMPACT VERSION U 32 OUTPUTS, DC 24V, 0.5A
6ESS451-4UA12	SIEMENS	Simatic S5	DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION 32 OUTPUTS, 24V DC; 0.5A
6ESS451-4UA13	SIEMENS	Simatic S5	SIMATIC S5, DA 451-4, 32A, DC 24V, 0.5A
6ESS451-4UA14	SIEMENS	Simatic S5	SIMATIC S5 451-4 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION 32 OUTPUTS, 24V DC; 0.5A
6ESS451-5AA11	SIEMENS	Simatic S5	SIMATIC S5 451-4 DIGITAL OUTPUT MODULE FLOATING COMPACT VERSION 32 OUTPUTS DC 24V/0.5A
6ESS451-5AA13	SIEMENS	Simatic S5	SIMATIC S5, 451 DIGITAL OUTPUT GALVANICALLY ISOLATED 16 OUTPUTS 24V DC/0.5A RUGGED VERSION
6ESS451-7LA11	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING 32 OUTPUTS, 24V DC; 0.5A FOR S5
6ESS451-7LA12	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING 32 OUTPUTS, 24V DC; 0.5A FOR S5
6ESS451-7LA21	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U PLC 32 OUTPUTS, 24V DC; 0.5A W. SIGNALLING SHORT-CIRCUITS
6ESS451-8MA11	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING FOR S5-90U/-95U/-100U, ET 100U, ET 200U 8 OUTPUTS 24V DC, 1A
6ESS451-8MD11	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 8 OUTPUTS 115/230V AC; 0.5A
6ESS451-8MR11	SIEMENS	Simatic S5	DIG OUT,RQ,24VDC,ISOL-2,3A,8 R
6ESS451-8MR12	SIEMENS	Simatic S5	SIMATIC S5 451 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 8 RELAY CONTACT OUTPUTS 30V DC,
6ESS452-8MR11	SIEMENS	Simatic S5	SIMATIC S5 452 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 4 RELAY CONTACT OUTPUTS, 30V DC
6ESS453-3AC11	SIEMENS	Simatic S5	SIMATIC S5,453 DIGIT.OUTPUT.MOD. FLOATING COMPACT VERSION K 8 OUTPUTS DC 24V, 2A
6ESS453-4UA11	SIEMENS	Simatic S5	SIMATIC S5,453 DIGIT.OUTPUT.MOD. FLOATING COMPACT VERSION U 16 OUTPUTS, DC 24V, 2A
6ESS453-4UA12	SIEMENS	Simatic S5	SIMATIC S5 453 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 24V DC; 2A
6ESS453-7LA11	SIEMENS	Simatic S5	SIMATIC S5 453 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U 16 OUTPUTS, 24/60V DC; 0.5A
6ESS453-8MA11	SIEMENS	Simatic S5	SIMATIC S5 453 DIGITAL OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 8 OUTPUTS 5/24V DC; 0.1A
6ESS454-2BA11	SIEMENS	Simatic S5	SIMATIC S5, ELECTRONIC MODULE (ET 200B), 16 OUTPUTS 24V DC,2A OUTPUT. CURRENT 2 A
6ESS454-4UA11	SIEMENS	Simatic S5	SIMATIC S5,454 DIGIT.OUTPUT.MOD. FLOATING 16 OUTPUTS, DC 24V, 2A COMPACT VERSION U
6ESS454-4UA12	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 24V DC; 2A
6ESS454-4UA13	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 24V DC; 2A
6ESS454-4UA14	SIEMENS	Simatic S5	SIMATIC S5 454-4 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION 16 OUTPUTS, 24V DC; 2A
6ESS454-5AA11	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE
6ESS454-7LA11	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE FLOATING, FOR S5-115U/F 16 OUTPUTS, 24V DC; 2A
6ESS454-7LA12	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE FLOATING, FOR S5-115U/F 16 OUTPUTS, 24V DC; 2A
6ESS454-7LB11	SIEMENS	Simatic S5	SIMATIC S5 454 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, 24V DC; 2A
6ESS455-4UA12	SIEMENS	Simatic S5	SIMATIC S5 455 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 24/48/60V AC; 2A
6ESS455-6AA12	SIEMENS	Simatic S5	SIMATIC S5,455 DIGIT.OUTPUT.MOD. FLOATING 8 OUTPUTS AC 110V, 2A "A" VERSION
6ESS455-7LA11	SIEMENS	Simatic S5	SIMATIC S5 455 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U PLC 16 OUTPUTS, 48/115V AC; 1A
6ESS456-4UA11	SIEMENS	Simatic S5	SIMATIC S5,456 DIGIT.OUTPUT.MOD. FLOATING COMPACT VERSION U 16 OUTPUTS 115/240V AC 2A
6ESS456-4UA12	SIEMENS	Simatic S5	SIMATIC S5 456 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 115/240V AC; 2A
6ESS456-6AA12	SIEMENS	Simatic S5	SIMATIC S5,456 DIGIT.OUTPUT.MOD. FLOATING 8 OUTPUTS, AC 220V, 2A
6ESS456-7LA11	SIEMENS	Simatic S5	SIMATIC S5 456 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U PLC 16 OUTPUTS, 115/230V AC; 1A
6ESS456-7LB11	SIEMENS	Simatic S5	SIMATIC S5 456 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, 115/230V AC; 1.5A
6ESS457-4UA12	SIEMENS	Simatic S5	SIMATIC S5 457 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 OUTPUTS, 24/48/60V DC; 0.5A
6ESS457-7LA11	SIEMENS	Simatic S5	SIMATIC S5 457 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U PLC 32 OUTPUTS, 5/24V DC; 0.1A
6ESS457-8EA12	SIEMENS	Simatic S5	SIMATIC S5, 457-8 DIGITAL OUTPUT MODULE, EEX I MODULE, FOR S5-95U,-100U,ET 100U,-200U 4 OUTPUTS 9V DC
6ESS458-4UA11	SIEMENS	Simatic S5	SIMATIC S5,458 DIGIT.OUTPUT.MOD. FLOATING 16 RELAY-CONT.OUTPUT.DC 60V,0.5 A COMPACT VERSION U
6ESS458-4UA12	SIEMENS	Simatic S5	SIMATIC S5 458 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 RELAY CONTACT OUTPUTS 60V DC; 0.5A
6ESS458-4UC11	SIEMENS	Simatic S5	SIMATIC S5 458 DIGITAL OUTPUT MODULE FLOATING, COMPACT VERSION U 16 RELAY CONTACT OUTPUTS 250V AC;1.5A,30V DC;1A,110V DC;0.08A
6ESS458-7LA11	SIEMENS	Simatic S5	SIMATIC S5 458 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U/F PLC 16 RELAY CONTACT OUTPUTS 30V AC/DC; 0.5A
6ESS458-7LB11	SIEMENS	Simatic S5	SIMATIC S5 458 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 RELAY CONTACT OUTPUTS 250V AC; 5A
6ESS458-7LC11	SIEMENS	Simatic S5	SIMATIC S5 458 DIGITAL OUTPUT MODULE FLOATING, F. S5-115U/F PLC 16 RELAY CONTACT OUTPUTS, 250V AC;1.5A;30V DC;1A,110V DC;0.08A
6ESS460-4UA11	SIEMENS	Simatic S5	SIMATIC S5,460 ANALOG INP.MOD. FLOATING 8 INPUTS COMPACT VERSION U
6ESS460-4UA12	SIEMENS	Simatic S5	SIMATIC S5, ANALOG INPUT MODULE AE 460-4, 8 IN,V/MA/RTD,ISOL.1
6ESS460-4UA13	SIEMENS	Simatic S5	SIMATIC S5 460 ANALOG INPUT MODULE FLOATING MEASURING RANGE MODULE REQUIRED 8 INPUTS, COMPACT VERSION U
6ESS460-7LA11	SIEMENS	Simatic S5	SIMATIC S5 460 ANALOG INPUT MODULE FLOATING 8 INPUTS MEASURING RANGE MODULE REQUIRED
6ESS460-7LA12	SIEMENS	Simatic S5	SIMATIC S5 460 ANALOG INPUT MODULE FLOATING, MEASURING RANGE MODULE REQUIRED 8 INPUTS FOR S5-115U/F
6ESS460-7LA13	SIEMENS	Simatic S5	SIMATIC S5 460 ANALOG INPUT MODULE FLOATING, FOR S5-115U/H/F MEASURING RANGE MODULE REQUIRED 8 INPUTS
6ESS461-8MA11	SIEMENS	Simatic S5	SIMATIC S5 461 COMPARATOR MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U/ET 200U PLC 2 INPUTS 0.5 TO 10V;0.5 TO 20MA
6ESS463-4UA11	SIEMENS	Simatic S5	SIMATIC S5, ANALOG INPUT MODULE (50 HZ)
6ESS463-4UA12	SIEMENS	Simatic S5	SIMATIC S5 463 ANALOG INPUT MODULE FLOATING, COMPACT VERSION U 4 INP. 1/10V/20MA/4 TO 20MA F. 50HZ POWER SYSTEMS
6ESS463-4UB12	SIEMENS	Simatic S5	SIMATIC S5 463 ANALOG INPUT MODULE FLOATING, COMPACT VERSION U 4 INP. 1/10V/20MA/4 TO 20MA F. 60HZ POWER SYSTEMS
6ESS464-8MA11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 4 INPUTS -50MV
6ESS464-8MA21	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR ET 100U 4 INPUTS - 50MV WITH LINEARIZING
6ESS464-8MB11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U/ET 200U PLC 4 INPUTS - 1V
6ESS464-8MC11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U 4 INPUTS - 10V
6ESS464-8MD11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 4 INPUTS - 20MA
6ESS464-8ME11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U 4 INPUTS, 4 TO 20MA
6ESS464-8MF11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 2 INPUTS, - 500MV; PT 100
6ESS464-8MF21	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 2 INPUTS F. PT 100
6ESS464-8MG11	SIEMENS	Simatic S5	SIMATIC S5 464 ANALOG INPUT MODULE FLOATING, FOR FAIL-SAFE ANALOG VALUE PROCESSING IN THE S5-95F 4 INPUTS, 4 TO 20MA
6ESS465-3AA13	SIEMENS	Simatic S5	SIMATIC S5,465 ANALOG INP.MOD. NON-ISOLATED 16 INPUTS -50MV/-500MV 8 INPUTS PT 100 COMPACT VERSION K
6ESS465-4UA11	SIEMENS	Simatic S5	SIMATIC S5,465 ANALOG INP.MOD. NON-FLOATING 16 INPUTS COMPACT VERSION U MEASURING RANGE MOD.REQUIRED
6ESS465-4UA12	SIEMENS	Simatic S5	SIMATIC S5, 465 ANALOG INPUT NON-FLOATING, COMPACT VERSION U 16 INPUTS MEASURING RANGE MODULE REQUIRED
6ESS465-4UA13	SIEMENS	Simatic S5	SIMATIC S5 465 ANALOG INPUT MODULE NON-FLOATING, COMPACT VERSION U 16 INPUTS MEASURING RANGE MODULE REQUIRED
6ESS465-7LA11	SIEMENS	Simatic S5	SIMATIC S5 465 ANALOG INPUT MODULE NON-FLOATING 16 INPUTS, FOR S5-115U MEASURING RANGE MOD.REQUIRE
6ESS465-7LA12	SIEMENS	Simatic S5	SIMATIC S5 465 ANALOG INPUT MODULE NON-FLOATING 16 INPUTS, F. S5-115U PLC MEASURING RANGE MODULE REQUIRED
6ESS465-7LA13	SIEMENS	Simatic S5	SIMATIC S5 465 ANALOG INPUT MODULE NON-FLOATING, 16 INPUTS, MEASURING RANGE MODULE REQUIRED FOR S5-115U
6ESS466-3LA11	SIEMENS	Simatic S5	SIMATIC S5 466 ANALOG INPUT MODULE FLOATING 8/16 INPUTS F.S5-115U/H/F/-135U/-155U/H PLC
6ESS466-8MC11	SIEMENS	Simatic S5	SIMATIC S5 466 ANALOG INPUT MODULE FOR S5-90U/-95U/-100U, ET 100U, ET 200U, 4 INPUTS, 0 TO 10V
6ESS467-8EE11	SIEMENS	Simatic S5	SIMATIC S5, EX ANALOG INPUT 467 FOR S595U/-100U, ET 100U/-200U 2 INPUTS, 4 TO 20MA
6ESS470-4UA11	SIEMENS	Simatic S5	SIMATIC S5,470 ANALG.OUTPUT.MOD. FLOATING COMPACT VERSION U 8 OUTPUTS +10V/0 TO 20MA
6ESS470-4UA12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, COMPACT VERSION U 8 OUTPUTS -10V/0 TO 20MA
6ESS470-4UA13	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, COMPACT VERSION U 8 OUTPUTS -10V/0 TO 20MA
6ESS470-4UB11	SIEMENS	Simatic S5	SIMATIC S5,470 ANALG.OUTPUT.MOD. FLOATING COMPACT VERSION U 8 OUTPUTS +10V
6ESS470-4UB12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, COMPACT VERSION U 8 OUTPUTS +10V
6ESS470-4UB13	SIEMENS	Simatic S5	SIMATIC S5, 470 ANALOG OUTPUT MODULE, FLOATING, COMPACT VERSION U 8 OUTPUTS -10V
6ESS470-4UC11	SIEMENS	Simatic S5	SIMATIC S5,470 ANALG.OUTPUT.MOD. FLOATING COMPACT VERSION U 8 OUTPUTS +1 TO 5V, +4 TO 20MA
6ESS470-4UC12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, COMPACT VERSION U 8 OUTPUTS 1 TO 5V, 4 TO 20MA
6ESS470-4UC13	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, COMPACT VERSION U 8 OUTPUTS 1 TO 5V, 4 TO 20MA
6ESS470-7LA11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING 8 OUTPUTS, + - 10 V, 0 TO 20 MA BLOCK DESIGN

6ESS470-7LA12	SIEMENS	Simatic S5	SIMATIC S5, 470 ANALOG OUTPUT FLOATING, F. S5-115U/F PLC 8 OUTPUTS, -10V, 0 TO 20MA
6ESS470-7LA13	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, -10V, 0 TO 20MA
6ESS470-7LB11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING 8 OUTPUTS, +10 V FOR S5-115U PC
6ESS470-7LB12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, -10V
6ESS470-7LB13	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, -10V
6ESS470-7LC12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-115U/F PLC 8 OUTPUTS, 1 TO 5V, 4 TO 20MA
6ESS470-7LC13	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, F. S5-115U/F PLC 8 OUTPUTS, 1 TO 5V, 4 TO 20MA
6ESS470-8MA11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-100U/ET 100U PLC 2 OUTPUTS, +10V
6ESS470-8MA12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-90U/-95U/-100U, ET 100U, ET 200U, 2 OUTPUTS -10V
6ESS470-8MB11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-100U/ET 100U PLC 2 OUTPUTS, +20MA
6ESS470-8MB12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U, 2 OUTPUTS -20MA
6ESS470-8MC11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-100U/ET 100U PLC 2 OUTPUTS, 4 TO 20MA
6ESS470-8MC12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-90U/-95U/-100U, ET 100U, ET200, 2 OUTPUTS 4 TO 20 MA
6ESS470-8MD11	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING F. S5-100U/ET 100U PLC 2 OUTPUTS, 1 TO 5V
6ESS470-8MD12	SIEMENS	Simatic S5	SIMATIC S5 470 ANALOG OUTPUT MODULE FLOATING, FOR S5-90U/-95U/-100U ET 100U, ET 200U 2 OUTPUTS +1 TO 5V
6ESS475-3AA11	SIEMENS	Simatic S5	SIMATIC S5, ANALOG OUTPUT MODULE 475, 4 OUTPUTS -10V, NON-FLOATING, COMPACT VERSION K, FOR S5-150
6ESS475-5AA11	SIEMENS	Simatic S5	SIMATIC S5 475 ANALOG OUTPUT MODULE "A" VERSION, NON-FLOATING 4 OUTPUTS +10V
6ESS476-3AA11	SIEMENS	Simatic S5	SIMATIC S5, 476 ANALOG OUTPUT NON-ISOLATED 4 OUTPUTS 0 TO 20MA COMPACT VERSION K
6ESS476-3UA11	SIEMENS	Simatic S5	
6ESS477-8EC11	SIEMENS	Simatic S5	SIMATIC S5, EX ANALOG OUTPUT 477-8E, EEX I MODULE FOR S5-95U/-100U, ET 100U,-200U 2 OUTPUTS, 4 TO 20MA
6ESS482-3BA11	SIEMENS	Simatic S5	SIMATIC S5 482 DIGIT.INPUT/OUTPUT MODULE COMPACT VERSION K, NON-FLOATING 16 INPUTS, DC 24V 16 OUTPUTS, DC 24V, 0.5A
6ESS482-3BE11	SIEMENS	Simatic S5	DIGITAL INPUT/OUTPUT MODULE
6ESS482-4UA11	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING COMPACT VERSION U 16 OR 24 INPUTS, 24V DC
6ESS482-4UA20	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING COMPACT VERSION U 16 OR 24 INPUTS, 24V DC 8 OR 16 OUTPUTS, 24V DC; 0.5A
6ESS482-7LA11	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING, FOR S5-115U/F PLC 16 INP./16 OUTP. 24 VDC; 0.5A POSITIVE READING AND SWITCHING
6ESS482-7LF11	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING, FOR S5-115F PLC 16 INP./16 OUTP. 24 VDC; 0.5A POSITIVE SWITCHING
6ESS482-7LF21	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING, FOR S5-115F PLC 16 INP./16 OUTP. 24 VDC; 0.5A NEGATIVE SWITCHING
6ESS482-8MA11	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE F. S5-100U PLC,16 INPUTS,24V DC 8 OUTPUTS 24 V DC, 0.1A 8 OUTPUTS 24 V DC, 0.5A
6ESS482-8MA12	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE FLOATING F. S5-100U/ET 100 PLC 16 INPUTS, 24V DC 8 OUTPUTS, 24V DC; 0.1A 8 OUTPUTS, 24V DC; 0.5A
6ESS482-8MA13	SIEMENS	Simatic S5	SIMATIC S5 482 DIGITAL INPUT/OUTPUT MODULE NON-FLOATING 8 INP./8 OUTP. 24 VDC; 0.5A F. S5-90U/95U/100U,ET 100U/200U
6ESS484-8AB11	SIEMENS	Simatic S5	SIMATIC S5, EKL 484 ELECTRONIC TERMINATOR, INPUT MODULE, GALVANICALLY ISOLATED, 16 INPUTS 24V DC
6ESS484-8AC11	SIEMENS	Simatic S5	SIMATIC S5, EKL 484 ELECTRONIC TERMINATOR, OUTPUT MODULE, GALVANICALLY ISOLATED, 16 OUTPUTS 24V DC
6ESS484-8AD11	SIEMENS	Simatic S5	SIMATIC S5 484 ELECTRONIC TERMINATOR INPUT/OUTPUT MODULE GALVANICALLY ISOLATED 8 INPUTS 24V DC,8 OUTP. 24V DC
6ESS488-3LA11	SIEMENS	Simatic S5	SIMATIC S5, 488 I/O MODULE 5 INPUTS, AC 220V 3 OUTPUTS AC 220V, 0.5A
6ESS490-7LA11	SIEMENS	Simatic S5	SIMATIC S5 490 FRONT CONNECTOR FOR CRIMP CONTACTS 24/46-PIN W. 50 CRIMP CONTACTS
6ESS490-7LA21	SIEMENS	Simatic S5	SIMATIC S5 490 FRONT CONNECTOR FOR CRIMP CONTACTS 24/46-PIN W/O CRIMP CONTACTS
6ESS490-7LB11	SIEMENS	Simatic S5	SIMATIC S5 490 FRONT CONNECTOR FOR SCREW TERMINALS 24-PIN
6ESS490-7LB21	SIEMENS	Simatic S5	SIMATIC S5 490 FRONT CONNECTOR FOR SCREW TERMINALS 46-PIN
6ESS490-7SA11	SIEMENS	Simatic S5	SIMATIC S5 SIMULATION CONNECTOR WITH 32 SWITCHES
6ESS490-7SA21	SIEMENS	Simatic S5	SIMATIC S5 SIMULATION CONNECTOR WITH 16 SWITCHES
6ESS490-8FB11	SIEMENS	Simatic S5	SIMATIC S5 490 FRONT CONNECTOR, 40-PIN FOR S5-95F ONBOARD CONNECTIONS
6ESS490-8MA03	SIEMENS	Simatic S5	SIMATIC S5, 490 CRIMP CONNECTOR 40-PIN CRIMP SNAP-ON CONTACTS FOR S5-90U, -95U/F, -100U, ENHANCED EMC, W/O CRIMP CONTACTS
6ESS490-8MA11	SIEMENS	Simatic S5	SIMATIC S5, 490 FRONT CONNECTOR FOR S5-100U PLC, 40-PIN AVAILABLE AS A SPARE PART ONLY!
6ESS490-8MA12	SIEMENS	Simatic S5	SIMATIC S5, 490 CRIMP CONNECTOR FOR S5-90, -95, 100U, 40-PIN
6ESS490-8MA13	SIEMENS	Simatic S5	SIMATIC S5, 490 CRIMP CONNECTOR 40-PIN SNAP-ON CONTACTS, FOR S5-90U, -95U/F, -100U, ENHANCED EMC, WITH CRIMP CONTACTS
6ESS490-8MB11	SIEMENS	Simatic S5	SIMATIC S5 SCREW CONNECTOR FOR S5-90, -95, -100U PLC 40-PIN
6ESS490-8MB21	SIEMENS	Simatic S5	SIMATIC S5 SCREW CONNECTOR FOR S5-100U PLC 20-PIN
6ESS490-8MD11	SIEMENS	Simatic S5	SIMATIC S5, TERMINAL BLOCK FOR ET 200K, 40-PIN SCREW TYPE CONNECTION
6ESS491-0LA11	SIEMENS	Simatic S5	SIMATIC S5, ADAPTER CASING F. S5-115U-PC COMPACT/BLOCK DESIGN
6ESS491-0LA12	SIEMENS	Simatic S5	
6ESS491-0LB11	SIEMENS	Simatic S5	SIMATIC S5 ADAPTER CASING, F. S5-115U/F (TYPE ES 902), FOR USE UP TO 2 MODULES OF S5-135U/155U
6ESS491-0LC11	SIEMENS	Simatic S5	SIMATIC S5 ADAPTER CASING, F. S5-115U/F (TYPE ES 902), FOR USE UP TO 6 MODULES OF S5-135U/155U
6ESS491-0LD11	SIEMENS	Simatic S5	SIMATIC S5 ADAPTER CASING, F. S5-115U/F (TYPE ES 902), FOR USE UP TO 4 MODULES OF S5-135U/155U
6ESS497-4UA12	SIEMENS	Simatic S5	SIMATIC S5 497 FRONT CONNECTOR F. CRIMP SNAP-ON CONNECTORS W/O CRIMP CONTACTS WIDTH = 1 SLOT, 42-PIN
6ESS497-4UB11	SIEMENS	Simatic S5	SIMATIC S5 497 FRONT CONNECTOR FOR SCREW TERMINALS WIDTH = 2 SLOTS, 42-PIN
6ESS497-4UB12	SIEMENS	Simatic S5	SIMATIC S5 497 FRONT CONNECTOR FOR SCREW TERMINALS WIDTH = 2 SLOTS, 42-PIN
6ESS497-4UB22	SIEMENS	Simatic S5	SIMATIC S5, 497 FRONT CONNECT. F. SCREW TERMINALS WIDTH = 2 SLOTS, 25-PIN
6ESS497-4UB31	SIEMENS	Simatic S5	SIMATIC S5 497 FRONT CONNECTOR FOR SCREW TERMINALS WIDTH = 1 SLOT, 42-PIN
6ESS497-4UB42	SIEMENS	Simatic S5	SIMATIC S5, 497 FRONT CONNECT. F. SCREW TERMINALS WIDTH = 2 SLOTS, 20-PIN
6ESS498-1AA11	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS -12.5/-50/-500MV/PT 100
6ESS498-1AA21	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS -1V
6ESS498-1AA31	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS -10V
6ESS498-1AA41	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS -20MA
6ESS498-1AA51	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS 4 TO 20MA, 2-WIRE TRANSDUCER
6ESS498-1AA61	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS -5V
6ESS498-1AA71	SIEMENS	Simatic S5	SIMATIC S5 MEASURING RANGE MODULE FOR ANALOG INPUTS 4 TO 20MA, 4-WIRE TRANSDUCER
6ESS498-1AB11	SIEMENS	Simatic S5	SIMATIC S5 ARC-SUPPRESSION MODULE F. DIGITAL OUTPUT 458-4
6ESS500-7AA11	SIEMENS	Simatic S5	
6ESS500-7AA12	SIEMENS	Simatic S5	SIMATIC S5, 500 PROGRAMMER INTERFACE MODULE F.631/670 PG TO S5-110A PROGR. CONTROLLER
6ESS501-5AA11	SIEMENS	Simatic S5	SIMATIC S5,501 PG INTERF. MODULE F. PG 631/670 TO CC 130A/K F. PG 630/631/670 TO CC 210A
6ESS511-5AA12	SIEMENS	Simatic S5	SIMATIC S5,PG 511 INTERF. MODULE F. PG 670/675 TO CC 130W/150 F. PG 605U/670/675 TO CC 110S
6ESS511-5AA14	SIEMENS	Simatic S5	SIMATIC S5,PG 511 INTERF. MODULE F. PG 670/675 TO CC 130W/150 F. PG 605U/670/675 TO CC 110S
6ESS512-5AA12	SIEMENS	Simatic S5	SIMATIC S5 512 INTERFACE MODULE BASIC MODULE
6ESS512-5AA21	SIEMENS	Simatic S5	SIMATIC S5, IM 512 INTERFACE MODULE, EXTENSION BOARD
6ESS512-5BC12	SIEMENS	Simatic S5	SIMATIC S5, 512 INTERF. MODULE BASIC BOARD
6ESS512-5BC21	SIEMENS	Simatic S5	SIMATIC S5, 512 INTERF. MODULE EXPANSION BOARD
6ESS512-5BU12	SIEMENS	Simatic S5	
6ESS513-3LA11	SIEMENS	Simatic S5	SIMATIC S5, 513 MEMORY SUBMOD. MAGNETIC BUBBLE MEMORY 128K BYTES
6ESS516-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CP 516 MEMORY MODULE F. S5-115U/H,-135U/150U,-155U/H W. 2 SLOTS FOR MEMORY CARDS
6ESS521-8MA11	SIEMENS	Simatic S5	SIMATIC S5, CP 521 COMMUNICATIONS PROCESSOR FOR PRINTER
6ESS521-8MA21	SIEMENS	Simatic S5	SIMATIC S5, CP 521 SI COMMUNICATIONS PROCESSOR (SERIAL INTERFACE) FOR S5-90U/95U/-100U, ET 200U
6ESS521-8MA22	SIEMENS	Simatic S5	SIMATIC S5, CP 521 SI COMMUNICATIONS PROCESSOR (SERIAL INTERFACE) FOR S5-90U/95U/-100U, ET 200U

6ES5523-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CP 521 BASIC SERIAL INTERFACE BASIC PROGRAMMING FOR S5-90U/-95U/-100U, ET 200U AVAILABLE AS A SPARE PART ONLY.
6ES5524-3UA13	SIEMENS	Simatic S5	SIMATIC S5 CP 524 COMMUNICATIONS PROCESSOR F. PLC, MINICOMPUTER
6ES5524-3UA15	SIEMENS	Simatic S5	SIMATIC S5 CP 524 COMMUNICATIONS PROCESSOR F. PLC, MINICOMPUTER
6ES5525-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CP 525 COMMUNICATIONS PROCESSOR F. PLC, MINICOMPUTER, PRINTER F. PG 675 PROGRAMMER W. S0, S1
6ES5525-3UA21	SIEMENS	Simatic S5	SIMATIC S5 CP 525 COMMUNICATIONS PROCESSOR F. PLC, MINICOMPUTER, PRINTER F. PROGRAMMER W. S5-DOS
6ES5526-3LA01	SIEMENS	Simatic S5	CP 526 COMMUNICATIONS PROCESSOR FORCED VENTILATION F. MONOCHROME MONITORS
6ES5526-3LA11	SIEMENS	Simatic S5	CP 526 COMMUNICATIONS PROCESSOR FORCED VENTILATION FOR COLOR MONITORS
6ES5526-3LA21	SIEMENS	Simatic S5	CP 526 EXPANSION MODULE, ONO ME
6ES5526-3LA22	SIEMENS	Simatic S5	CP 526 EXPANSION MODULE, ONO ME
6ES5526-3LB01	SIEMENS	Simatic S5	CP 526 COMMUNICATIONS PROCESSOR SELF-VENTILATED F. MONOCHROME MONITORS
6ES5526-3LF01	SIEMENS	Simatic S5	CP 526-2 COMMUNICAT. PROCESSOR FORCED-VENTILATED BASIC UNIT, FOR S5-DOS FOR MONOCHROME MONITORS
6ES5526-3LF11	SIEMENS	Simatic S5	CP 526-2 COMMUNICAT. PROCESSOR SEPARATE VENTILATION BASIC BOARD, F.S5-DOS F. COLOR MONITORS ATTENTION! AVAILABLE AS A SPARE PART ONLY!
6ES5526-3LG01	SIEMENS	Simatic S5	CP 526 COMMUNICATIONS PROCESSOR SELF-VENTILATED BASIC BOARD, F.S5-DOS F. MONOCHROME MONITORS
6ES5526-3LG11	SIEMENS	Simatic S5	CP 526 COMMUNICATIONS PROCESSOR SELF-VENTILATED BASIC BOARD, F.S5-DOS F. COLOR MONITORS
6ES5530-3LA11	SIEMENS	Simatic S5	CP 530 COMMUNICATIONS PROCESSOR FOR SINEC L1, COMPACT VERSION
6ES5530-3LA12	SIEMENS	Simatic S5	SIMATIC S5 CP 530 COMMUNICATIONS PROCESSOR FOR SINEC L1 COMPACT VERSION
6ES5530-7LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 530 COMMUNICATION PROCESSOR F. SINEC L1 BLOCK DESIGN
6ES5530-7LA12	SIEMENS	Simatic S5	SIMATIC S5 CP 530 COMMUNICATIONS PROCESSOR FOR SINEC L1 FOR S5-115U PLC
6ES5535-3LB11	SIEMENS	Simatic S5	SIMATIC S5, CP 535 COMMUNICATION PROCESSOR FOR SINEC H1 FOR PLC S5-135U, -150U
6ES5535-3LB12	SIEMENS	Simatic S5	SIMATIC S5, CP 535 COMM. PROC. F. SINEC H1, W/O 15V MODULE W/O 15V VOLTAGE MODULE AVAILABLE AS EXCHANGE ONLY!
6ES5535-3MA12	SIEMENS	Simatic S5	SIMATIC S5, CP 535 COMM. PROC. F. SINEC H1, WITH 15V MODULE FOR SINEC H1 WITH 15V VOLTAGE MODULE
6ES5541-8AA11	SIEMENS	Simatic S5	SIMATIC S5, CP541, I2 INTERFACE FOR CONNECTING A SIMATIC S5 TO THE PG INTERFACE
6ES5544-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CP 544 COMMUNICATION PROCESSOR HIGH SPEED POINT-TO-POINT LINK SERIAL TRANSMISSION, FOR S5-115U/H, -135U, -155U/H
6ES5544-3UB11	SIEMENS	Simatic S5	SIMATIC S5, CP 544B CP 544 COMMUNICATION PROCESSOR HIGH SPEED POINT-TO-POINT LINK FOR THE USE OF SPECIAL DRIVERS
6ES5550-0DS11	SIEMENS	Simatic S5	SIMATIC S5 DS 550 DISK. STATION F. CONNECTING W. CPU 944
6ES5551-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CP 551 HARD-DISK
6ES5552-3UA21	SIEMENS	Simatic S5	SIMATIC S5, CP 552 DIAGNOSIS PROCESSOR WITH 768 KBYTES
6ES5560-8AA11	SIEMENS	Simatic S5	SIMATIC S5, ICM 560 INDIVIDUAL CONTROL MODULE
6ES5580-0UA11	SIEMENS	Simatic S5	CP 580 SIMATIC AT IN CC, W. 4 MBYTE MAIN MEMORY, W/O COPROCESSOR
6ES5580-0UA12	SIEMENS	Simatic S5	CP580, 40MB, 4M RAM, W/O 387
6ES5581-0EA11	SIEMENS	Simatic S5	SIMATIC S5 CP 581 BASIC MODULE W. 4 MBYTE WORKING MEMORY
6ES5581-0EB11	SIEMENS	Simatic S5	SIMATIC S5 CP 581-486 BASIC MODULE
6ES5581-0EC12	SIEMENS	Simatic S5	SIMATIC S5, CP581/486 BASIC MOD. 4 MB WORKING MEMORY, 33 MHZ, MS-DOS 6.2 GERMAN, FOR S5-115U, -135U, -155U/H
6ES5581-0ED12	SIEMENS	Simatic S5	SIMATIC S5, CP581/486 BASIC MOD. W/O WORKING MEMORY, 100 MHZ, MS-DOS 6.2 GERMAN, FOR S5-115U, -135U, -155U
6ES5581-0ED13	SIEMENS	Simatic S5	SIMATIC S5, CP581/486 BASIC MOD. W/O WORKING MEMORY, 100 MHZ, MS-DOS 6.2 GERMAN, FOR S5-115U, -135U, -155U
6ES5581-0ED14	SIEMENS	Simatic S5	SIMATIC S5, CP581/486 BASIC MOD. W/O WORKING MEMORY, 133 MHZ, MS-DOS 6.2 GERMAN, FOR S5-115U, -135U, -155U
6ES5581-0HA11	SIEMENS	Simatic S5	SIMATIC S5 CP 581 MEMORY EXPANSION F. BASIC MODULE, FROM 4 TO 8 MB
6ES5581-0LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581 MASS STORAGE MODULE, 16 MBYTES HARD DISK
6ES5581-0RA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581 SLOT MODULE
6ES5581-0RA12	SIEMENS	Simatic S5	SIMATIC S5 CP 581 AT SLOT MODULE FOR CP 581 AND CP 581/486
6ES5581-1EA11	SIEMENS	Simatic S5	SIMATIC S5 CP 581 BASIC MODULE W. 4 MBYTE MAIN MEMORY AND 2 MBYTE ON-BOARD-SILICON DISK
6ES5581-1EB11	SIEMENS	Simatic S5	SIMATIC S5 CP 581-486 BASIC MODULE W. ON-BOARD-SILICON DISK
6ES5581-1EB12	SIEMENS	Simatic S5	SIMATIC S5, CP 581/486 BASIC MODULE, 4 MB ACTIVE MEM. ON-BOARD SILICON DISK, MS-DOS 6.2 GERMAN, FOR S5-135U, -155U/H
6ES5581-1EC12	SIEMENS	Simatic S5	SIMATIC S5, CP 581/486 BASIC MODULE, 4 MB ACTIVE MEM. ON-BOARD SILICON DISK, MS-DOS 6.2 GERMAN, FOR S5-115U, -155U/H
6ES5581-1LA11	SIEMENS	Simatic S5	SIMATIC S5 CP 581 MASS STORAGE MODULE W. 120 MBYTE HARD DISK
6ES5581-3LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581, CP 581/486 MASS STORAGE MODULE WITH 520 MB HARD DISK
6ES5581-4LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581, CP 581/486 MASS STORAGE MODULE WITH 1.4 GB HARD DISK
6ES5581-5LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581 MASS STORAGE MODULE WITH 6.4 GB HARD DISK
6ES5581-6LA11	SIEMENS	Simatic S5	SIMATIC S5, CP 581 MASS STORAGE MODULE WITH 10 GB HARD DISK
6ES5605-0UA11	SIEMENS	Simatic S5	SIMATIC S5, PG 605U HAND-HELD PROGRAMMER 2 LINE DISPLAY GERMAN VERSION
6ES5605-0UA12	SIEMENS	Simatic S5	SIMATIC S5, PG 605U HAND-HELD PROGRAMMER 2 LINE DISPLAY GERMAN VERSION
6ES5615-0UA11	SIEMENS	Simatic S5	SIMATIC S5, PG 615 HAND-HELD PROGRAMMER EIGHT-LINE DISPLAY
6ES5635-0AA11	SIEMENS	Simatic S5	SIMATIC S5 CRT INTERFACE F. PG 635 PROGR.
6ES5635-0UA11	SIEMENS	Simatic S5	SIMATIC S5 PG 635 PROGRAMMER GERMAN VERSION
6ES5675-0UA11	SIEMENS	Simatic S5	SIMATIC S5, PG 675 CRT PROGRAMMING UNIT GERMAN VERSION
6ES5685-0UA11	SIEMENS	Simatic S5	SIMATIC S5, PG 685 CRT PROGRAMMING UNIT GERMAN VERSION
6ES5685-1AA11	SIEMENS	Simatic S5	SIMATIC S5 PG 685 PROGRAMMER GRAPHICS MODULE F. MONO. GRAPH. AVAILABLE AS A SPARE PART ONLY!
6ES5685-3AA11	SIEMENS	Simatic S5	SIMATIC S5 PG 685 PROGRAMMER UPGRADING, GERMAN
6ES5686-4AA11	SIEMENS	Simatic S5	SIMATIC S5 EXT. FLOPPY DISK DRIVE, 5.25"
6ES5695-0AA11	SIEMENS	Simatic S5	SIMATIC S5 EPROM PROGRAMMER F. PG 695/AT-COMPATIBLE PCS
6ES5700-0LA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING RACK CR 700-0 F. S5-115U CENTRAL CONTROLLER W. 4 FREE MODULE LOCATIONS F. CENTRALIZED CONFIGURATION
6ES5700-0LA12	SIEMENS	Simatic S5	SIMATIC S5 CR 700-0LA MOUNTING RACK F. S5-115U CENTRAL CONTROLLER W. 4 FREE MODULE LOCATIONS F. CENTRALIZED CONFIGURATION
6ES5700-0LB11	SIEMENS	Simatic S5	SIMATIC S5 CR 700-0LB MOUNTING RACK F. S5-115U CENTRAL CONTROLLER W. 6 FREE MODULE LOCATIONS F. CENTR. AND DISTRIB. CONFIG.
6ES5700-1LA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING RACK CR 700-1 F. S5-115U CENTRAL CONTROLLER W. 7 FREE MODULE LOCATIONS F. CENTRALIZED CONFIGURATION
6ES5700-1LA12	SIEMENS	Simatic S5	SIMATIC S5 CR 700-1 MOUNTING RACK F. S5-115U CENTRAL CONTROLLER W. 7 FREE MODULE LOCATIONS F. CENTRALIZED CONFIGURATION
6ES5700-2BA11	SIEMENS	Simatic S5	SIMATIC S5 TB1/DC TERMINAL BLOCK (ET 200B) WITH SCREW TERMINAL FOR ELECTRONIC MODULE 16DE/16DA/8RA
6ES5700-2BD11	SIEMENS	Simatic S5	
6ES5700-2LA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING RACK CR 700-2 F. S5-115U CENTRAL CONTROLLER F. DISTRIBUTED CONFIGURATION W. 7 FREE MODULE LOCATIONS
6ES5700-2LA12	SIEMENS	Simatic S5	SIMATIC S5 CR 700-2 MOUNTING RACK FOR S5-115U CENTRAL CONTROLLER W. 7 FREE MODULE LOCATIONS F. DISTRIBUTED CONFIGURATION
6ES5700-2LA22	SIEMENS	Simatic S5	SIMATIC S5, CR 700-2F MOUNTING RACK FOR S5-115F CENTRAL CONTROLLER
6ES5700-2LB11	SIEMENS	Simatic S5	SIMATIC S5 CR 700-2 MOUNTING RACK W. 2 COMPACT LOCATIONS
6ES5700-3LA12	SIEMENS	Simatic S5	SIMATIC S5 CR 700-3 MOUNTING RACK F. S5-115U CENTRAL CONTROLLER W. 10 FREE MODULE LOCATIONS F. DISTRIBUTED CONFIGURATION
6ES5700-8EA11	SIEMENS	Simatic S5	SIMATIC S5 EX(I) BUS MODULE F. S5-100U/ET 100U PLC F. INTRINSICALLY SAFE MODULES W. "SIGUT" CONNECTION SYSTEM
6ES5700-8FA11	SIEMENS	Simatic S5	SIMATIC S5, BUS MODULE F.S5-90U S5-95U/F,-100U, ET 100U, ET 200U ENHANCED EMC, WITH TERMINAL BLOCK FOR SCREW-TYPE CONNECTION
6ES5700-8MA11	SIEMENS	Simatic S5	SIMATIC S5 BUS UNIT F. S5-100U/ET 100U PLC W. TERM.BLOCK F. SCREW TERMINALS
6ES5700-8MA21	SIEMENS	Simatic S5	SIMATIC S5 BUS UNIT F. S5-100U/ET 100U PLC W. TERM.BLOCK F. CRIMP SNAP-IN CONNECTIONS
6ES5700-8MA22	SIEMENS	Simatic S5	SIMATIC S5, BUS MODULE F.S5-90U S5-95U/F,-100U, ET100U, ET 200U ENHANCED EMC, WITH TERMINAL BLOCK FOR CRIMP CONNECTION
6ES5701-0LA11	SIEMENS	Simatic S5	SIMATIC S5 ER 701-0 MOUNTING RACK F. S5-115U EXPANSION UNIT

6ESS701-1LA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING RACK ER 701-1 F. S5-115U EXPANSION UNIT F. CENTRALIZED CONFIGURATION W. 9 FREE MODULE LOCATIONS
6ESS701-1LA12	SIEMENS	Simatic S5	SIMATIC S5 ER 701-1 MOUNTING RACK F. S5-115U/F EXPANSION UNITS W. 9 FREE MODULE LOCATIONS F. CENTRALIZED CONFIGURATION
6ESS701-2LA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING RACK ER 701-2 F. S5-115U EXPANSION UNIT F. DISTRIBUTED CONFIGURATION W. 8 FREE MODULE LOCATIONS
6ESS701-2LA12	SIEMENS	Simatic S5	SIMATIC S5 ER 701-2 MOUNTING RACK F. S5-115U/F EXPANSION UNITS W. 7 FREE MODULE LOCATIONS F. DISTRIBUTED CONFIG. (W/O IP)
6ESS701-3LA13	SIEMENS	Simatic S5	SIMATIC S5 ER 701-3 MOUNTING RACK F. S5-115U/F EXPANSION UNITS WITH 8 FREE MODULE LOCATIONS F. DISTRIB./CENTRALIZED CONFIG.
6ESS701-3LH11	SIEMENS	Simatic S5	SIMATIC S5 EXPANSION RACK F. S5-115H
6ESS703-4CB01	SIEMENS	Simatic S5	SIMATIC S5 703-4 CABLE, FOR INCR. POSITION ENCODER W. 24V SIGNAL AND 24V POWER SUPPLY OUTG. CABLE F. IP263/264 DOWN; IP281 UP 10M
6ESS705-0AF00	SIEMENS	Simatic S5	SIMATIC S5, 705 CABLE F. CENTRALIZED CONFIGURATION W. IM 306, EU ABOVE CC 0.5M
6ESS705-0BB20	SIEMENS	Simatic S5	SIMATIC S5, 705 CABLE F. CENTRALIZED CONFIGURATION W. IM 306 1.25M
6ESS705-0BB50	SIEMENS	Simatic S5	SIMATIC S5, 705 CABLE F. CENTRALIZED CONFIGURATION W. IM 306, EU ABOVE/ADJAC. TO CC 1.5M
6ESS705-0BC50	SIEMENS	Simatic S5	SIMATIC S5, 705 CABLE F. CENTRALIZED CONFIGURATION W. IM 306 2.5M
6ESS710-0AA11	SIEMENS	Simatic S5	SIMATIC S5, MOUNTING RACK FOR PC S5-110A FOR 8 INPUT/OUTPUT MODULES
6ESS710-0AA41	SIEMENS	Simatic S5	SIMATIC S5, MOUNTING RACK FOR PC S5-110A FOR 16 INPUT/OUTPUT MODULES
6ESS710-0AB21	SIEMENS	Simatic S5	SIMATIC S5, 710 HOUSING F. S5-010W PC 6 MODULE LOCATIONS
6ESS710-0SA11	SIEMENS	Simatic S5	SIMATIC S5, MOUNTING RACK FOR PC S5-110 FOR 8 INPUT/OUTPUT MODULES
6ESS710-0SA41	SIEMENS	Simatic S5	SIMATIC S5, MOUNTING RACK FOR PC S5-110 FOR 16 INPUT/OUTPUT MODULES
6ESS710-8MA31	SIEMENS	Simatic S5	SIMATIC, STAND SECTIONAL RAIL WIDTH 35MM, LENGTH 830MM FOR 900MM CABINETS
6ESS711-0AD20	SIEMENS	Simatic S5	SIMATIC S5, 711 CABLE CONNECTOR BETWEEN 6ESS 710-0SA11 SUBRACKS ARRANGED ONE ABOVE THE OTHER LENGTH 0,32M
6ESS712-8AF00	SIEMENS	Simatic S5	SIMATIC S5 712 CONNECTING CABLE F. CONNECTING TWO IMS 316 0.5M
6ESS712-8BC50	SIEMENS	Simatic S5	SIMATIC S5 712 CABLE F. CONNECTING TWO IMS 316 2.5M
6ESS713-0AD20	SIEMENS	Simatic S5	SIMATIC S5, 713 CABLE CONNECTOR BETWEEN 6ESS 710-0SA41 MOUNTING RACKS ARRANGED ONE ABOVE THE OTHER 0.32M
6ESS716-0AK00	SIEMENS	Simatic S5	SIMATIC S5, 716 CABLE CONNECTOR BETWEEN THE 110S CC AND SUBRACK 0.9M AVAILABLE AS A SPARE PART ONLY!
6ESS716-0BB50	SIEMENS	Simatic S5	SIMATIC S5, 716 CABLE CONNECTOR BETWEEN THE 110S CC AND SUBRACK LENGTH 1.5 M
6ESS717-0BJ00	SIEMENS	Simatic S5	SIMATIC S5, 717 CABLE CONNECTOR BETWEEN 710-0SA11 SUBRACKS LENGTH 0.8M
6ESS718-0AF00	SIEMENS	Simatic S5	SIMATIC S5, 718 CABLE CONNECTOR BETWEEN 710-0SA41 SUBRACKS 0.5M
6ESS721-0BB00	SIEMENS	Simatic S5	SIMATIC S5 721-0 CABLE F. DISTRIBUTED CONFIG. UP TO 600M FROM CC OR EU TO EU 1M
6ESS721-0BB60	SIEMENS	Simatic S5	SIMATIC S5 721-0 CABLE F. DISTRIBUTED CONFIG. UP TO 600M FROM CC OR EU TO EU 1.6M
6ESS721-0BC00	SIEMENS	Simatic S5	SIMATIC S5, 721-0 CABLE CONNECT. F. DISTRIBUTED CONFIGURATION UP TO 600 M FROM CC OR EU TO EU 2M
6ESS721-0BC50	SIEMENS	Simatic S5	SIMATIC S5 721-0 CABLE F. DISTRIBUTED CONFIG. UP TO 600M FROM CC OR EU TO EU 2.5M
6ESS721-0BD20	SIEMENS	Simatic S5	SIMATIC S5 721-0 CABLE F. DISTRIBUTED CONFIG. UP TO 600M FROM CC OR EU TO EU 3.2M
6ESS721-0BF00	SIEMENS	Simatic S5	SIMATIC S5 721-0 CABLE F. DISTRIBUTED CONFIG. UP TO 600M FROM CC OR EU TO EU 5M
6ESS721-0CB60	SIEMENS	Simatic S5	SIMATIC S5, 721-0 CABLE CONNECT. F. DISTRIBUTED CONFIGURATION UP TO 600 M FROM CC OR EU TO EU 16M
6ESS725-0AK00	SIEMENS	Simatic S5	SIMATIC S5, 725 CABLE FROM CP535 TO PG-MUX PROGRAMMER 0.9M
6ESS725-1AK00	SIEMENS	Simatic S5	SIMATIC S5, 725 CONNECTING CABLE FROM CP 535 TO S11 INTERF. MOD. 0.9M
6ESS725-7CC50	SIEMENS	Simatic S5	SIMATIC S5 725-7 CABLE F. ADDITIONAL S5-PLC VIA CP 524/525 (RS422-A/RS485) 25M
6ESS726-1BF00	SIEMENS	Simatic S5	SIMATIC S5, 726-1 CABLE FOR CP 524/CP525/CP544, FROM CP TO CP, 20MA 5M
6ESS726-1CB00	SIEMENS	Simatic S5	SIMATIC S5, 726-1 CABLE FOR CP 524/CP525/CP544, FROM CP TO CP, 20MA 10M
6ESS726-8BC00	SIEMENS	Simatic S5	SIMATIC S5, 726-8 CABLE FOR CP 524/CP525/CP544, FROM CP TO CP, V.24 (RS232C) 2M
6ESS727-1BD20	SIEMENS	Simatic S5	SIMATIC NET, 727-1 CABLE FOR INDUSTRIAL ETHERNET 3.2 M
6ESS727-1CB00	SIEMENS	Simatic S5	SIMATIC NET, 727-1 CABLE FOR INDUSTRIAL ETHERNET 10 M
6ESS727-1CD20	SIEMENS	Simatic S5	SIMATIC NET, 727-1 CABLE FOR INDUSTRIAL ETHERNET 32 M
6ESS727-2CB00	SIEMENS	Simatic S5	SIMATIC S5 727-2 CONNECTING CABLE FROM 982 PROCESS COMMUNICATION KEYBOARD TO CP 526 10M
6ESS727-3CE00	SIEMENS	Simatic S5	727-3 CONNECTING CABLE 40M
6ESS728-8MA11	SIEMENS	Simatic S5	SIMATIC S5, GROUND TERMINAL 10 PIECES PER PACKAGING UNIT
6ESS730-1BF00	SIEMENS	Simatic S5	SIMATIC S5 730 CABLE FROM MODEM/ACOUST. COUPL./CONV. TO PG 685/695 PROGRAMMER
6ESS731-0BD20	SIEMENS	Simatic S5	SIMATIC S5 731-0 CABLE FROM PG TO PG-AS 511 3.2M
6ESS731-0BF00	SIEMENS	Simatic S5	SIMATIC S5 731-0 CABLE FROM PG TO PG-AS 511 5M
6ESS731-1BD20	SIEMENS	Simatic S5	SIMATIC S5, 731-1 CABLE 3,2M
6ESS731-1BF00	SIEMENS	Simatic S5	SIMATIC S5 731-1 CABLE 5M
6ESS731-1CB00	SIEMENS	Simatic S5	SIMATIC S5 731-1 CABLE 10M
6ESS731-7AG00	SIEMENS	Simatic S5	SIMATIC S5 731-7 CONNECTING CABLE INTERFACE ADAPTER BLACKBOX
6ESS733-2BD20	SIEMENS	Simatic S5	SIMATIC S5, 733-2 CONNECT. CABLE F. CONNECTING OF THE PG 635, PG 675, PG 685, PG 695 ANY COMBINATION OF THESE 3.2M
6ESS733-2CB00	SIEMENS	Simatic S5	SIMATIC S5 733-2 CABLE FROM PG 635/675/685/695 TO ANY OTHER PG LISTED ABOVE 10M
6ESS734-0BD20	SIEMENS	Simatic S5	SIMATIC S5 734 CABLE CONNECTOR FROM PG 500/501 INTERFACE MOD. TO PG 631/670 3.2M
6ESS734-1BD20-CL	SIEMENS	Simatic S5	CLONE CABLE, SIMATIC S5 734-1 CABLE FROM PLC, 15-PIN TO PC, 9-PIN 3.2M
6ESS734-2BD20	SIEMENS	Simatic S5	SIMATIC S5, 734-2 CONNECTION CABLE FOR PG 7.. AND S5-90U TO S5-155U, 3,2 M
6ESS734-2BF00	SIEMENS	Simatic S5	SIMATIC S5, 734-2 CONNECTION CABLE FOR PG 7.. AND S5-90U TO S5-155U 5 M
6ESS734-2BF00-CL	SIEMENS	Simatic S5	THIS IS A CLONE CABLE, 3M LONG (ORIGINAL CABLE IS 5M LONG!), 100% COMPATIBLE WITH SIMATIC S5, 734-2 CONNECTION CABLE FOR PG 7.. AND S5-90U TO S5-155U 5 M
6ESS735-1BD20	SIEMENS	Simatic S5	SIMATIC S5 735-1 CONNECTING CABLE FROM PRINTERS PT 8./DR2. TO PG/OP 396, 20MA 3.2M
6ESS735-1BF00	SIEMENS	Simatic S5	SIMATIC S5 735-1 CONNECTING CABLE FROM PRINTERS PT 8./DR2. TO PG/OP 396 5M
6ESS735-2BD20	SIEMENS	Simatic S5	SIMATIC S5 735-2 CABLE, FOR CONNECTING THE PG/OP396 AND PT8./DR.. V.24 3.2M
6ESS736-2CB00	SIEMENS	Simatic S5	736-2 CONNECTING CABLE FROM CP526/527/528/VP20/VP30/B TO MP20/30/40 10M
6ESS736-2CC00	SIEMENS	Simatic S5	736-2 CONNECTING CABLE FROM CP526/527/528/VP20/VP30/B TO MP20/30/40 20M
6ESS740-0AA11	SIEMENS	Simatic S5	SIMATIC S5 740 MODULE HOLDER W/O TERMINAL STRIP
6ESS741-0AB31	SIEMENS	Simatic S5	SIMATIC S5, 741 MODULE HOLDER W. 43-PIN TERMINAL STRIP W. DOUBLE PINS W/O RECESS F. HEAT SINK
6ESS752-0AA12	SIEMENS	Simatic S5	SIMATIC S5 INTERF. MOD. F. CP524 AND CPU928B 20MA (TTY) INTERFACE
6ESS752-0AA22	SIEMENS	Simatic S5	SIMATIC S5 INTERF. MOD. F. CP524 AND CPU928B V.24/V.28 (RS 232C) INTERFACE
6ESS752-0AA23	SIEMENS	Simatic S5	SIMATIC S5 INTERF. MOD. F. CP524 AND CPU928B V.24/V.28 (RS 232C) INTERFACE
6ESS752-0AA42	SIEMENS	Simatic S5	SIMATIC S5 INTERF. MOD. F. CP524 AND CPU928B RS 422-A / RS 485
6ESS752-0AA43	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE FOR CP524, CP544 AND CPU 928B RS 422/RS 485
6ESS752-0AA52	SIEMENS	Simatic S5	SIMATIC S5 INTERF. MOD. F. CPU928B "PG MODULE"
6ESS752-0AA53	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE "PG-MODULE" FOR CPU 928B/948
6ESS752-0AA62	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE FOR CPU 928B
6ESS752-0LA12	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE FOR CPU 945 TTY (20MA)
6ESS752-0LA52	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE FOR CPU 945 PG MODULE (TTY)
6ESS752-0LA62	SIEMENS	Simatic S5	SIMATIC S5 INTERFACE MODULE FOR CPU 945 SINEC L1
6ESS755-0AA13	SIEMENS	Simatic S5	SIMATIC S5, 755 TRANSCEIVER FOR SINEC H1
6ESS755-1AA12	SIEMENS	Simatic S5	SINEC H1, REPEATER SPARE PART, NO CE CONFORMANCE
6ESS755-2CA11	SIEMENS	Simatic S5	SIMATIC S5, BUS TERMINATING RESISTANCE FOR ET 200C (PACKAGE OF 2) DEGREE OF PROTECTION IP 65
6ESS755-3AA11	SIEMENS	Simatic S5	SIMATIC NET, TERMINATOR FOR INDUSTRIAL ETHERNET PACKAGE OF 2
6ESS755-4AA11	SIEMENS	Simatic S5	SIMATIC NET, N-TYPE COAXIAL CONN FOR INDUSTRIAL ETHERNET (N-CONNECTOR), PACKAGE OF 2, OUTER SHIELD CLAMPS
6ESS756-0AA11	SIEMENS	Simatic S5	SIMATIC S5, JUMPERING MODULE F. PC S5-150U
6ESS757-0AA11	SIEMENS	Simatic S5	SIMATIC S5, 757 PG-MUX PROGRAMMER MULTIPLEXER
6ESS758-0AA11	SIEMENS	Simatic S5	SIMATIC S5, TS 758H TELESERVICE UNIT
6ESS760-0AA11	SIEMENS	Simatic S5	SIMATIC S5 TERMINATING RESISTOR CONNECTOR F. IM310 EU-INTERFACE MODULE
6ESS760-0AB11	SIEMENS	Simatic S5	SIMATIC S5, TERMIN. RESIST. CONN. FOR IM312 CC INTERFACE MODULE OR IM301 EU INTERFACE MODULE
6ESS760-0HA11	SIEMENS	Simatic S5	SIMATIC S5 TERMINATING RESISTOR CONNECTOR FOR IM314 CC INTERFACE MODULE

6ES5760-1AA11	SIEMENS	Simatic S5	SIMATIC S5 TERMINATING RESISTOR CONNECTOR FOR IM314 CC INTERFACE MODULE
6ES5760-2CB11	SIEMENS	Simatic S5	SIMATIC S5, ET 200C, CONNECTOR FOR BUS POWER SUPPLY, 12-PIN WITH PIN INSERT
6ES5762-1AA12	SIEMENS	Simatic S5	SIMATIC S5 SINEC L2 BUS CONNECTOR IP20 FOR SINEC L2-DP, FOR ET200U/B, S5115U/H UP TO S5-155U/H W/O PG SOCKET, BEIGE, W. WINDOW
6ES5762-1AA21	SIEMENS	Simatic S5	SIMATIC S5 SINEC L2 BUS CONNECTOR IP20 FOR SINEC L2-DP, FOR ET200U/B, S5115U/H UP TO S5-155U/H W. PG SOCKET, BEIGE
6ES5762-2AA12	SIEMENS	Simatic S5	SIMATIC S5 SINEC L2 BUS CONNECTOR IP20 FOR SINEC L2-DP, FOR ET200U/B, S5115U/H UP TO S5-155U/H W/O PG SOCKET, ANTHRACITE
6ES5762-2AA21	SIEMENS	Simatic S5	SIMATIC S5 SINEC L2 BUS CONNECTOR IP20 FOR SINEC L2-DP, FOR ET200U/B, S5115U/H UP TO S5-155U/H W. PG SOCKET, ANTHRACITE
6ES5762-2CS11	SIEMENS	Simatic S5	SIMATIC S5, POWER SUPPLY MODULE FOR ET 200C
6ES5762-2CT11	SIEMENS	Simatic S5	SIMATIC DP, T CONNECTOR FOR ET 200C, DP/ASI LINK
6ES5763-7LA11	SIEMENS	Simatic S5	SIMATIC S5 763 JUMPERS F.DIG.MOD. OF THE S5-115U/F PLC S5-115U/F PROGRAMM.CONTROLLER
6ES5776-7LA11	SIEMENS	Simatic S5	SIMATIC S5,POWER OUTPUT MOD.776 F. S5-115U PLC
6ES5776-7LA12-Z	SIEMENS	Simatic S5	SIMATIC S5 776 POWER OUTPUT MODULE FOR S5-115U, 8 OUTPUTS 220/380V AC FOR CONNECTING RESISTIVE CONS.
6ES5776-7LA13	SIEMENS	Simatic S5	SIMATIC S5 776 POWER OUTPUT MODULE FOR S5-115U AND EXPANSION DEVICES 8 OUTPUTS 230/400V AC FOR CONNECTING RESISTIVE CONS.
6ES5777-0BB00	SIEMENS	Simatic S5	SIMATIC S5 BT 777-0 BUS TERMINAL F. SINEC L1 LAN F. DISTANCES UP TO 2.5KM W. 1M CABLE
6ES5777-0BB01	SIEMENS	Simatic S5	SIMATIC S5 BT 777-0 BUS TERMINAL FOR SINEC L1, W. BREAK RECOG. F. DISTANCE UP TO 2.5 KM W. 1M CABLE
6ES5777-0BC00	SIEMENS	Simatic S5	SIMATIC S5 BT 777-0 BUS TERMINAL F. SINEC L1 LAN F. DISTANCES UP TO 2.5KM W. 2M CABLE
6ES5777-0BC01	SIEMENS	Simatic S5	SIMATIC S5 BT 777-0 BUS TERMINAL FOR SINEC L1, W. BREAK RECOG. F. DISTANCE UP TO 2.5 KM W. 2M CABLE
6ES5777-1BC00	SIEMENS	Simatic S5	BT 777-1 BUS TERMINAL FOR SINEC L1, W. BREAK RECOG. F. DISTANCE UP TO 4 KM
6ES5777-1BC01	SIEMENS	Simatic S5	SIMATIC S5 BT 777-1 BUS TERMINAL FOR SINEC L1, W. BREAK RECOG. F. DISTANCE UP TO 4 KM
6ES5782-2MB11	SIEMENS	Simatic S5	SIMATIC S5, HANDHELD ET 200 PROGRAMMING DEVICE FOR ET 200 AND OTHER PROFIBUS DP DEVICES
6ES5788-0LC11	SIEMENS	Simatic S5	SIMATIC S5 788 SIMULATION PANEL
6ES5788-7LA11	SIEMENS	Simatic S5	SIMATIC S5 SIMULATION MODULE FOR S5-115U PC FOR BINARY SIGNALS SIDA FOR 16 DI AND 16 DO
6ES5788-7LB11	SIEMENS	Simatic S5	SIMATIC S5 SIMULATION MODULE FOR S5-115U PC FOR ANALOG SIGNALS SIAN FOR 1 AI AND 1 AO
6ES5788-8MA11	SIEMENS	Simatic S5	SIMATIC S5 788 SIMULATION MODULE F. S5-90U/95U/100U, ET100U/200U FOR 8 INPUT OR 8 OUTPUT SIGNALS
6ES5788-8MK11	SIEMENS	Simatic S5	SIMATIC S5 SIMULATOR FOR S5-90U PLC FOR DIGITAL INPUT SIGNALS
6ES5815-0UA12	SIEMENS	Simatic S5	SIMATIC S5, SYSTEM PROGRAM STATEMENT LIST F. PG 615 GERMAN VERSION
6ES5816-0AA11	SIEMENS	Simatic S5	OPER.SYSTEM SUBMODULE F.OP 396 F.S5-100U/-101U/-115U/-135U AND -150U PROGRAMMABLE CONTROLLERS W.ASCII CHARACTER SET
6ES5858-0AA11	SIEMENS	Simatic S5	SIMATIC S5 TK 858 TELECOMMUNICATIONS UNIT
6ES5855-0SA11	SIEMENS	Simatic S5	SIMATIC S5 STEP 5 BASIC PACKAGE F. PG 685 ON 5.25" DISKETTE GERMAN
6ES5894-0MA02-0UG4	SIEMENS	Simatic S5	SIMATIC S5, STEP 5 CONFIG./ PROGR. SW BASIC PACKAGE F. PC 3.5", 5 LANG., W/O DOCUM., MS-DOS V5.0, UPGRADE FROM V.3.X TO V6.5
6ES5894-0MA04	SIEMENS	Simatic S5	SIMATIC S5, STEP 5-BASIS V7.2 W.COPY PROTECTION SINGLE LICENSE F.1 INSTALLATION E-SW, SW ON CD, WITHOUT DOCU. CLASS A, 5-LANGUAG (G,E,F,I,S) EXECUTABLE U. MS-DOS,WIN3.X WIN95/98/ME/NT/2000PROF,XPPROF REFERENCE-HW:S5-90U/F,100U,101U S5-115U/H/F,135U,155U,1
6ES5895-4SF11	SIEMENS	Simatic S5	SIMATIC S5 COM PMC PARAM. ASSIGN. SOFTWARE ON 5.25" DISKETTES GERMAN
6ES5900-7AB11	SIEMENS	Simatic S5	CPU 900
6ES5900-7AB21	SIEMENS	Simatic S5	CPU 900
6ES5900-7AC21	SIEMENS	Simatic S5	CPU 900
6ES5900-7AD11	SIEMENS	Simatic S5	SIMATIC S5, 900 CPU F. 910 MEMORY SUBMODULES
6ES5902-3SA11	SIEMENS	Simatic S5	CPU 902
6ES5902-3SA12	SIEMENS	Simatic S5	SIMATIC S5, 902 CPU F. PLC S5-110S
6ES5905-3RB11	SIEMENS	Simatic S5	SIMATIC S5,905 CENTRL PROC UNIT F. CC 6ES5 105-3RB.. F. 500 PROGRAM ELEMENTS
6ES5905-3RB21	SIEMENS	Simatic S5	SIMATIC S5,905 CENTRL PROC UNIT F. CC 6ES5 105-3RB.. F. 1000 PROGRAM ELEMENTS AVAILABLE AS A SPARE PART ONLY!
6ES5910-0AA21	SIEMENS	Simatic S5	SIMATIC S5,910 MEMORY SUBMODULE F. S5-110A PC EPROM, 1020 STATEMENTS
6ES5910-0AA31	SIEMENS	Simatic S5	SIMATIC S5,910 MEMORY SUBMODULE F. S5-110A PC EPROM, 2044 STATEMENTS
6ES5910-0AA41	SIEMENS	Simatic S5	SIMATIC S5,910 MEMORY SUBMODULE F. S5-110A PLC EPROM, 4092 STATEMENTS
6ES5911-0AA42	SIEMENS	Simatic S5	SIMATIC S5,911 MEMORY SUBMODULE F. S5-110S EPROM, 8K BYTES
6ES5911-0AA52	SIEMENS	Simatic S5	SIMATIC S5,911 MEMORY SUBMODULE F. S5-110S PC EPROM, 16K BYTES
6ES5920-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 920 M PROCESSOR FOR 135U CC
6ES5920-3UA12	SIEMENS	Simatic S5	SIMATIC S5, CPU 920 CENTRAL CONTROLLER MODULE F. CC 135U/155U
6ES5921-1AA21	SIEMENS	Simatic S5	SIMATIC S5 921 CPU FOR CC 130A,CC 130K
6ES5921-3UA11	SIEMENS	Simatic S5	SIMATIC S5, 921 S PROCESSOR FOR CC 135U
6ES5921-3UA12	SIEMENS	Simatic S5	SIMATIC S5, CPU 921 CENTRAL CONTROLLER MODULE F. CC 135U
6ES5921-3WA13	SIEMENS	Simatic S5	SIMATIC S5 921 CPU F.130W CENTRAL CONTROLLER
6ES5921-3WB11	SIEMENS	Simatic S5	SIMATIC S5 / SINUMERIK 3,8 CPU 921 F. CC 130WB AND INTEGRATED PLC 130WB
6ES5921-3WB13	SIEMENS	Simatic S5	SIMATIC S5 / SINUMERIK 3, 8 CPU 921 F. CC 130WB AND INTEGRATED PLC 130WB
6ES5921-3WB14	SIEMENS	Simatic S5	SIMATIC S5/SINUMERIK 3,8 CPU 921 WITH CENTRAL UNIT 130WB AND INTEGRATED PLC 130WB
6ES5921-3WB15	SIEMENS	Simatic S5	SIMATIC S5/SINUMERIK 3,8,850 CPU 921 WITH CENTRAL UNIT 130WB AND INTEGRATED PLC 130WB
6ES5922-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CENTRAL CONTROLLER MODULE CPU 922 F. CC 135U/155U
6ES5923-3UA11	SIEMENS	Simatic S5	SIMATIC S5 923A COORDINATOR F. CC 135U
6ES5923-3UC11	SIEMENS	Simatic S5	SIMATIC S5 923C COORDINATOR F. CC 135U/155U
6ES5924-3SA11	SIEMENS	Simatic S5	SIMATIC S5, 924 CPU F.S5-150S,-150U CENTR.CONTROLL.
6ES5924-3SA12	SIEMENS	Simatic S5	SIMATIC S5, 924 CPU F.S5-150S,-150U CENTR.CONTROLLER
6ES5925-3KA12	SIEMENS	Simatic S5	SIMATIC S5, 925 CPU FOR 150K CENTRAL CONTROLLER
6ES5925-3SA11	SIEMENS	Simatic S5	SIMATIC S5, 925 CPU F.S5-150S,-150U CENTR.CONTROLL.
6ES5925-5AA12	SIEMENS	Simatic S5	SIMATIC S5, 925 CPU FOR 150A CENTRAL CONTROLLER
6ES5926-3KA12	SIEMENS	Simatic S5	SIMATIC S5, 926 CPU FOR 150K CENTRAL CONTROLLER
6ES5926-3SA11	SIEMENS	Simatic S5	SIMATIC S5, 926 CPU F.S5-150S,-150U CENTR.CONTROLLER
6ES5926-3SA12	SIEMENS	Simatic S5	SIMATIC S5, 926 CPU F.S5-150S,-150U CENTR.CONTROLLER
6ES5926-5AA12	SIEMENS	Simatic S5	SIMATIC S5, 926 CPU FOR 150A CENTRAL CONTROLLER
6ES5927-3KA13	SIEMENS	Simatic S5	SIMATIC S5, 927 CPU FOR 150K CENTRAL CONTROLLER
6ES5927-3SA11	SIEMENS	Simatic S5	SIMATIC S5, 927 CPU F.S5-150S,-150U CENTR.CONTOLLER
6ES5927-3SA12	SIEMENS	Simatic S5	SIMATIC S5, 927 CPU F.S5-150S,-150U CENTR.CONTOLLER
6ES5927-5BA12	SIEMENS	Simatic S5	SIMATIC S5, 927 CPU F.150A CENTRAL CONTROLLER
6ES5927-5BA13	SIEMENS	Simatic S5	SIMATIC S5, 927 CPU FOR 150A CENTRAL CONTROLLER
6ES5928-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 928 FOR CPU OF S5-135U PC
6ES5928-3UA12	SIEMENS	Simatic S5	SIMATIC S5, CPU 928 CENTRAL CONTROLLER MODULE F. S5-135U/155U PLC
6ES5928-3UA21	SIEMENS	Simatic S5	SIMATIC S5, CPU 928A CPU FOR S5-135U/155U NEW OPTION SINGLE-WIDTH
6ES5928-3UB11	SIEMENS	Simatic S5	SIMATIC S5, CPU 928B CPU FOR S5-135U/155U WITH INTERFACE RECEPTACLE FOR 2ND INTERFACE
6ES5928-3UB12	SIEMENS	Simatic S5	SIMATIC S5 CPU 928B F. S5-135U/155U
6ES5928-3UB21	SIEMENS	Simatic S5	SIMATIC S5, CPU 928B CPU FOR S5-135U/155U WITH INTERFACE RECEPTACLE FOR 2ND INTERFACE NEW OPTION SINGLE-WIDTH
6ES5930-7AA11	SIEMENS	Simatic S5	POWER SUPPLY,220VAC/5VDC,0.7A
6ES5930-7AA12	SIEMENS	Simatic S5	SIMATIC S5,930 POWER SUPP.MOD. F. S5-110A PC FOR INTERNAL DC 5V SUPPLY AC 220V/5,2V 0.9A
6ES5930-7AA21	SIEMENS	Simatic S5	POWER SUPPLY 115VAC/5VDC,0.7A
6ES5930-7AA31	SIEMENS	Simatic S5	SIMATIC S5,930 POWER SUPP.MOD. F. S5-110A PC FOR INTERNAL DC 5V SUPPLY DC 24V/5.2V, 0.7A
6ES5930-8MD11	SIEMENS	Simatic S5	SIMATIC S5 930 POWER SUPPLY MOD. F.S5-100U 115/230V AC, 24V DC, 1A
6ES5931-8MD11	SIEMENS	Simatic S5	SIMATIC S5 931 POWER SUPPLY MODULE F. S5-95U/100U, ET 100U/200U 115/230V AC, 24V DC, 2A
6ES5932-3SA11	SIEMENS	Simatic S5	POWER SUPPLY ...

6ESS932-3SA12	SIEMENS	Simatic S5	SIMATIC S5, 932 HOUSING FOR S5-110S PLC W. POWER SUPPLY, 220V AC/5V,10A
6ESS935-8ME11	SIEMENS	Simatic S5	SIMATIC S5 935 POWER SUPPLY MODULE F. EEX(I) ANALOG MODULES F. S5-95U/100U, ET 100U/200U
6ESS941-7UA11	SIEMENS	Simatic S5	SIMATIC S5 941 CPU FOR AG S5-115U RAM, 1 K INSTRUCTIONS
6ESS941-7UA12	SIEMENS	Simatic S5	SIMATIC S5 941 CENTRAL PROCESSING UNIT F. S5-115U PC RAM, 2KBYTES
6ESS941-7UA13	SIEMENS	Simatic S5	SIMATIC S5 CPU 941 F. S5-115U PLC RAM 2 KBYTES
6ESS941-7UB11	SIEMENS	Simatic S5	SIMATIC S5 CPU 941 F. S5-115U PLC RAM 2 KBYTES
6ESS942-7UA11	SIEMENS	Simatic S5	SIMATIC S5, 942 CPU F. PC S5-115U RAM, 10 KBYTES SLOT FOR MAX. 32KBYTES
6ESS942-7UA12	SIEMENS	Simatic S5	SIMATIC S5, 942 CPU F. S5-115U PC RAM, 10K BYTES RECEPTACLE F. MAX. 32K BYTES
6ESS942-7UA13	SIEMENS	Simatic S5	SIMATIC S5, CPU 942 F. S5-115U PLC RAM 10 KBYTES
6ESS942-7UB11	SIEMENS	Simatic S5	SIMATIC S5, CPU 942 F. S5-115U PLC RAM 10 KBYTES
6ESS942-7UF12	SIEMENS	Simatic S5	SIMATIC S5 CPU 942F F. S5-115F PLC RAM 5 KBYTES
6ESS942-7UF14	SIEMENS	Simatic S5	SIMATIC S5 CPU 942F FOR S5-115F PLC APPROV.BY TUEV (TECHN.INSPECT.)
6ESS942-7UF15	SIEMENS	Simatic S5	SIMATIC S5 CPU 942F FOR S5-115F PLC APPROV.BY TUEV (TECHN.INSPECT.)
6ESS942-7UH11	SIEMENS	Simatic S5	SIMATIC S5, CPU 942H CENTRAL PROCESSING UNIT FOR S5-115H PLC
6ESS943-7UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 943 F. S5-115U PLC RAM 16 KBYTES W. 1 PROGRAMMER PORT
6ESS943-7UA21	SIEMENS	Simatic S5	SIMATIC S5 943 CENTRAL PROCESSING UNIT F. S5-115U PC W. 2 PROGRAMMER PORTS
6ESS943-7UA22	SIEMENS	Simatic S5	SIMATIC S5, CPU 943 F. S5-115U PLC RAM 16 KBYTES WITH 2 PROGRAMMER PORTS
6ESS943-7UB11	SIEMENS	Simatic S5	SIMATIC S5 CPU 943 F. S5-115U PLC RAM 48 KBYTES W. 1 PROGRAMMER PORT
6ESS943-7UB21	SIEMENS	Simatic S5	SIMATIC S5 CPU 943 FOR S5-115U PLC WITH 2 INTERFACES
6ESS944-7UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 944 CPU F.S5-115U PC RAM 96K BYTES WITH 1 PROGRAMMER PORT
6ESS944-7UA12	SIEMENS	Simatic S5	SIMATIC S5-115U CPU 944 PROCESSOR MODULE, 96 KBYTES RAM MEMORY, 1 x 20 mA CURRENT LOOP INTERFACE (TTY) FOR OP/PG/PC/SINEC L1 (15-WAY CANNON SOCK), 1 x SLOT FOR MS375 MEMORY SUBMODULE (EPROM/EEPROM)
6ESS944-7UA22	SIEMENS	Simatic S5	SIMATIC S5, CPU 944 F. S5-115U PLC RAM 96 KBYTES WITH 2 PROGRAMMER PORTS
6ESS944-7UB11	SIEMENS	Simatic S5	SIMATIC S5 CPU 944 FOR S5-115U PLC WITH 1 INTERFACE
6ESS944-7UB21	SIEMENS	Simatic S5	SIMATIC S5 CPU 944 FOR S5-115U PLC WITH 2 INTERFACES
6ESS945-7UA11	SIEMENS	Simatic S5	SIMATIC S5 CPU 945 FOR S5-115U, 256 KBYTE
6ESS945-7UA13	SIEMENS	Simatic S5	SIMATIC S5 CPU 945 FOR S5-115U, 256 KBYTE
6ESS945-7UA21	SIEMENS	Simatic S5	SIMATIC S5 CPU 945 FOR S5-115U, 384 KBYTE
6ESS945-7UA23	SIEMENS	Simatic S5	SIMATIC S5 CPU 945 FOR S5-115U, 384 KBYTE
6ESS946-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 946 CENTR.PROCESS.UNIT F.S5-155U PC MONOPROCESSOR
6ESS946-3UA21	SIEMENS	Simatic S5	SIMATIC S5, CPU 946/947 CENTR.PROCESS.UNIT F.S5-155U PC
6ESS946-3UA22	SIEMENS	Simatic S5	SIMATIC S5, CPU 946 F. S5-155U PLC
6ESS946-3UA23	SIEMENS	Simatic S5	SIMATIC S5, CPU 946 F. S5-155U PLC
6ESS946-3UR21	SIEMENS	Simatic S5	CPU 946R FOR 155H,REDUNDANT PR
6ESS947-3UA11	SIEMENS	Simatic S5	SIMATIC S5, CPU 947 CENTR.PROCESS.UNIT F.S5-155U PC MONOPROCESSOR
6ESS947-3UA21	SIEMENS	Simatic S5	SIMATIC S5, CPU 947/947 FOR S5-155U PC CENTRAL PROCESSING UNIT 947
6ESS947-3UA22	SIEMENS	Simatic S5	SIMATIC S5, CPU 947 F. S5-155U PLC
6ESS947-3UR11	SIEMENS	Simatic S5	SIMATIC S5, CPU 947R CENTRAL PROCESS. UNIT F. S5-155H PLC
6ESS947-3UR21	SIEMENS	Simatic S5	CPU 947R,155H,REDUNDANT PROCES
6ESS948-3UA11	SIEMENS	Simatic S5	SIMATIC S5 CPU 948 FOR S5-155U, 640 KBYTE
6ESS948-3UA12	SIEMENS	Simatic S5	SIMATIC S5 CPU 948 FOR S5-155U, 640 KBYTE
6ESS948-3UA13	SIEMENS	Simatic S5	SIMATIC S5, CPU 948 FOR S5-155U, 640 KB RAM
6ESS948-3UA21	SIEMENS	Simatic S5	SIMATIC S5 CPU 948 FOR S5-155U, 1664 KBYTE
6ESS948-3UA22	SIEMENS	Simatic S5	SIMATIC S5, CPU 948 FOR S5-155U, 1664 KBYTE
6ESS948-3UA23	SIEMENS	Simatic S5	SIMATIC S5, CPU 948 FOR S5-155U, 1664 KBYTE
6ESS948-3UR13	SIEMENS	Simatic S5	SIMATIC S5, CPU 948R CENTRAL PROCESSING UNIT FOR S5-155H, 640 KB RAM
6ESS948-3UR21	SIEMENS	Simatic S5	SIMATIC S5, CPU 948R CENTRAL PROCESSING UNIT FOR S5-155H, 1664 KB RAM
6ESS948-3UR22	SIEMENS	Simatic S5	SIMATIC S5, CPU 948R CENTRAL PROCESSING UNIT FOR S5-155H, 1600 KB RAM
6ESS948-3UR23	SIEMENS	Simatic S5	SIMATIC S5, CPU 948R CENTRAL PROCESSING UNIT FOR S5-155H, 1600 KB RAM
6ESS950-1AB61	SIEMENS	Simatic S5	SIMATIC S5, 950 POWER SUPPLY UNIT F. EU 182-3K,DC 24V/5V 8A
6ESS950-3AA51	SIEMENS	Simatic S5	SIMATIC S5, 950 POW SUPPLY UNIT F. CC 130A/EU 182-3A DC 24V/5V 8A
6ESS950-8MD11	SIEMENS	Simatic S5	SIMATIC S5 950 POWER SUPPLY MODULE F.S5-100U PC/ET 100U 115/230V AC, 24V DC 10A
6ESS951-7LB12	SIEMENS	Simatic S5	SIMATIC S5, 951 POWER SUPPLY UNIT W/O BACK-UP BATTERY AC 115/230V/5V 3A
6ESS951-7LB13	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY MODULE F. S5-115U, W/O BACKUP BATTERY 115/230 V AC; 5 V, 3 A
6ESS951-7LB14	SIEMENS	Simatic S5	SIMATIC S5, 951 POWER SUPPLY UNIT, W/O BACKUP BATTERY F. S5-115U/H PLC 115/230V DC; 5V DC, 3A
6ESS951-7LB21	SIEMENS	Simatic S5	SIMATIC S5, 951 POWER SUPPLY UNIT FOR S5-115U/H, W/O BACK-UP BATTERY; 120/230V AC; 5V DC, 3A
6ESS951-7LD11	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY MODULE W/O BACKUP BATTERY 115/230 V AC; 5 V, 7/15 A
6ESS951-7LD12	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H W/O BACKUP-BATTERY 120/230V AC; 5V DC, 7/15A
6ESS951-7LD21	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H W/O BACKUP-BATTERY 120/230V AC; 5V DC, 7/15A
6ESS951-7NB12	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY MODULE F.S5-115U PC W/O BACKUP BATTERY 24/5V DC 3A
6ESS951-7NB13	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H PLC W/O BACKUP BATTERY 24V DC; 5V DC, 3A
6ESS951-7NB21	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT (REN.) F. S5-115U/H PLC W/O BACKUP BATTERY 24V DC; 5V DC, 3A
6ESS951-7ND12	SIEMENS	Simatic S5	S5 951 POWER SUPPLY UNIT FOR. S5-115U/H W/O BACKUP-BATTERY 24V DC; 5V DC, 7/15A
6ESS951-7ND21	SIEMENS	Simatic S5	SIMATIC S5 951F POWER SUPPLY UNIT F. S5-115F PLC W/O BACKUP BATTERY 24V DC; 5V DC, 7A
6ESS951-7ND31	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H PLC W/O BACKUP BATTERY, FLOATING 24V DC; 5V DC, 7/15A
6ESS951-7ND32	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H PLC W/O BACKUP BATTERY, FLOATING 24V DC; 5V DC, 7/15A (NO UL/CSA APPROBATION)
6ESS951-7ND41	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H/F PLC (REN.) W/O BACKUP BATTERY, FLOATING 24V DC; 5V DC, 7A/15A
6ESS951-7ND51	SIEMENS	Simatic S5	SIMATIC S5 951 POWER SUPPLY UNIT F. S5-115U/H PLC W/O BACKUP BATTERY 24V DC; 5V DC, 7A/15A
6ESS955-3LC12	SIEMENS	Simatic S5	955 POWER SUPPLY 18A
6ESS955-3LC13	SIEMENS	Simatic S5	SIMATIC S5,955 POW.SUPP.CHASSIS F. CC 135U/EU 183-3U AC 220V/115V/5V 18A
6ESS955-3LC14	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY UNIT F. CC 135U/EU 183U/EU 185U 115/230V AC; 5V DC, 18A
6ESS955-3LC41	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 183/185U 230/120V AC; 5V, 18A
6ESS955-3LC42	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 183/185U 230/120V AC; 5V, 18A
6ESS955-3LF11	SIEMENS	Simatic S5	SIMATIC S5,955 POW.SUPPLY UNIT F. CC 135U/150U AC 240/115V/40A
6ESS955-3LF12	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY UNIT F. CC 135U/150U/155U/EU 185U 115/230V AC; 5V DC, 40A
6ESS955-3LF41	SIEMENS	Simatic S5	SIMATIC S5, 955 POWER SUPPLY F. CC S5-135U/155U, EU 185U 230/120V AC; 5V, 40A
6ESS955-3LF42	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 185U 230/120V AC; 5V, 40A
6ESS955-3LF44	SIEMENS	Simatic S5	SIMATIC S5, 955 POWER SUPPLY F. CC S5-135U/155U, EU 185U 230/120V AC; 5V, 40A
6ESS955-3NA11	SIEMENS	Simatic S5	SIMATIC S5,955 POW. SUPPLY UNIT F. CC 135U, DC 24V/10A
6ESS955-3NA12	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY UNIT F. CC 135U 24/5V DC, 10A
6ESS955-3NC12	SIEMENS	Simatic S5	SIMATIC S5,955 POW.SUPPLY UNIT F. CC 135U/EU 183U DC 24V/18A
6ESS955-3NC13	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY UNIT F. CC 135U/EU 183U/EU 185U 24/5V DC, 18A
6ESS955-3NC41	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 183/185U 24V DC; 5V, 18A
6ESS955-3NC42	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 183/185U 24V DC; 5V, 18A
6ESS955-3NF11	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY UNIT F. CC 135U/EU 183U/EU 185U 24/5V DC, 40A
6ESS955-3NF41	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 185U 24V DC; 5V, 40A
6ESS955-3NF42	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC S5-135U/155U, EU 185U 24V DC; 5V, 40A
6ESS955-7NC11	SIEMENS	Simatic S5	SIMATIC S5 955 POWER SUPPLY MODULE F. CC 155H, 24V DC; 5V, 14A
6ESS955-7NC12	SIEMENS	Simatic S5	SIMATIC S5, POWER SUPPLY MODULE FOR CC 155H, 24V DC; 5V, 14A
6ESS956-0AA11	SIEMENS	Simatic S5	SIMATIC S5, 15V MODULE F.FITTING TO THE POW.SUPP.UNITS FOR CP 535
6ESS956-0AA12	SIEMENS	Simatic S5	SIMATIC S5 15V MODULE F. FITTING TO THE 955 POW.SUPL. F. CP 535
6ESS958-4UA11	SIEMENS	Simatic S5	SIMATIC S5, 24V ENABLING MODULE F. S5-135U/150U PLC
6ESS980-0DA11	SIEMENS	Simatic S5	SIMATIC S5 LITHIUM BACKUP BATTERY F. BACKUP RAM MODULES

6ES5980-0MB11	SIEMENS	Simatic S5	SIMATIC S5 LITHIUM BACKUP BATTERY F. S5-90U PLC
6ES5980-0NC11	SIEMENS	Simatic S5	SIMATIC S5 ACCU F. CC 188U AND EU 185U
6ES5980-4BA11	SIEMENS	Simatic S5	SIMATIC S5 CASSETTE F. MEM. SUBMODULES 373/376/377
6ES5981-0FA41	SIEMENS	Simatic S5	SIMATIC S5 DUST FILTER HOLDER FOR TERMINALS 188U, 183U, 185U
6ES5981-0GA11	SIEMENS	Simatic S5	SIMATIC S5 MOUNTING ACCESSORIES W. CABLE DUCT F. LONG MOUNTING RACKS
6ES5981-0HA11	SIEMENS	Simatic S5	SIMATIC S5 FAN SUBASSEMBLY F. LONG MOUNTING RACKS F. 115/230V AC
6ES5981-0HA21	SIEMENS	Simatic S5	SIMATIC S5 FAN SUBASSEMBLY F. LONG MOUNTING RACKS F. 24V DC
6ES5982-2AA11	SIEMENS	Simatic S5	SIMATIC S5 ALPHANUMERIC KEYBOARD 20MA, DESK-TOP VERSION LARGE VERSION W.MEMBRANE KEYBOARD, IP54 INTERNATIONAL KEYBOARD
6ES5982-2AB12	SIEMENS	Simatic S5	KEYBOARD,ALPHANUMERIC,CP526,RE
6ES5982-3UA11	SIEMENS	Simatic S5	MOUNTING FRAME F.PANEL MOUNTING OF OP 393 OPERATING PANEL
6ES5982-3UB11	SIEMENS	Simatic S5	MOUNTING FRAME F.OP 396 OPERATOR PANEL W/O ACCESS.F.MOUNTING ADAPTER
6ES5983-2AB11	SIEMENS	Simatic S5	SIMATIC S5 CABLE CONNECTOR F. IP 242A/B COUNTER MODULE (1 PACKAGE = 4 PIECES)
6ES5984-0DA11	SIEMENS	Simatic S5	SIMATIC S5, 984 ADAPTER F.335 DIAGNOSTIC UNIT TO 511 PROGRAM.INTERFACE MODULE
6ES5984-1UA11	SIEMENS	Simatic S5	SIMATIC S5, 984 ADAPTER W. POWER SUPPLY UNIT
6ES5984-1UB11	SIEMENS	Simatic S5	SIMATIC S5 984 ADAPTER F.CONNECT.PRINTER AND PG 605U TO S5-100U/101U PLC
6ES5984-2UA11	SIEMENS	Simatic S5	POWER SUPPLY UNIT W.ADAPTER F.CONNECTING OP 396 TO PRINTER 220 V/240 V AC, 50/60 HZ
6ES5985-0AA11	SIEMENS	Simatic S5	SIMATIC S5, UV ERASER UNIT FOR MEMORY SUBMODULE W.EPROM PLEASE NOTE! REPAIR ONLY!
6ES5985-1AA11	SIEMENS	Simatic S5	SIMATIC S5 UV ERASER F. EPROM MEMORY SUBMODULES F. 230V AC, 50 HZ
6ES5985-1BA21	SIEMENS	Simatic S5	SIMATIC S5 UV ERASER F. EPROM MEMORY SUBMODULES F. 115V AC, 60 HZ
6ES5985-2AA11	SIEMENS	Simatic S5	SIMATIC S5 MEP ADAPTER FOR PG 685
6ES5985-2MC11	SIEMENS	Simatic S5	SIMATIC S5, PROGRAMMING ADAPTER FOR MEMORY CARDS
6ES5986-0LA11	SIEMENS	Simatic S5	CARRYING CASE F.PG 605,DG 335,OP 393
6ES5986-0MA11	SIEMENS	Simatic S5	SIMATIC S5 CARRYING CASE F. PG 615, 396 OPERATOR PANEL
6ES5988-3LA11	SIEMENS	Simatic S5	SIMATIC S5 FAN CHASSIS F. EU 184U, 115/240V AC
6ES5988-3NA11	SIEMENS	Simatic S5	SIMATIC S5 FAN CHASSIS F. 184U EU, 24V DC
6ES5988-3NB41	SIEMENS	Simatic S5	SIMATIC S5 FAN EXCHANGE PACKAGE FOR 6ES5 955-3LC41/-3LF41/-3NC41,-3NF41
6ES5988-7NA11	SIEMENS	Simatic S5	SIMATIC S5 FAN EXCHANGE PACKAGE FOR 6ES5 981-0HA11/-0HA21/-0HB11,-0HB21
6ES5998-0UB11	SIEMENS	Simatic S5	SIMATIC S5, MANUAL F.S5-100U PC, CPU 100/102/103 GERMAN
6ES5998-0UB12	SIEMENS	Simatic S5	SIMATIC S5, MANUAL F.S5-100U PC, CPU 100/102/103 GERMAN
6ES5998-0UD11	SIEMENS	Simatic S5	SIMATIC S5, MANUAL F.CP 521, PRINTED VERSION GERMAN
6ES5998-0UP11	SIEMENS	Simatic S5	SIMATIC S5 MANUAL FOR PG 605U GERMAN
6ES5998-1PR11	SIEMENS	Simatic S5	SIMATIC S5 PROGRAMMING GUIDE F. CPU928 GERMAN
6ES5998-1UL13	SIEMENS	Simatic S5	SIMATIC S5, GERAETEHANDBUCH F. S5-135U MIT CPU 922, BEST. AUS:-SYSTEMHANDBUCH S5-135U/-155U,-PROGRAMMIERANLEITUNG CPU 922, DEUTSCH
6ES5998-5SL11	SIEMENS	Simatic S5	SIMATIC S5 MANUAL FOR IP 264 GERMAN
6ES5998-8MA52	SIEMENS	Simatic S5	SIMATIC S5, SYSTEM MANUAL FOR S5-90U/95U PLC ITALIAN

Part Number	OEM	Product Group	Description
6ES7 SIMATIC S7 PLC			
6ES7031-0AA00-8CB0	SIEMENS	Simatic S7	SIMATIC S7-300, TECHN. OVERVIEW "S7-300 PROG. CONTROLLER: ASSEMBLY AND APPLICATION" FRENCH
6ES7120-0AH01-0AA0	SIEMENS	Simatic S7	SIMATIC SC, TB16SC TERMINAL BLOCK, SCREW-TYPE TERMINAL FOR THE EXPANSION WITH ANALOG AND DIGITAL SC ELECTRONIC MOD.
6ES7120-0AH50-0AA0	SIEMENS	Simatic S7	SIMATIC SC, TERMINALBLOCK TB16IM-SC FOR IM-SC WITH SCREW-TYPE TERMINALS
6ES7120-0BH01-0AA0	SIEMENS	Simatic S7	SIMATIC SC, TB16SC TERMINAL BLOCK, SPRING-TYPE TERMINAL FOR THE EXPANSION WITH ANALOG AND DIGITAL SC ELECTRONIC MOD.
6ES7120-1AH00-0AA0	SIEMENS	Simatic S7	SIMATIC SC, ADDITIONAL TERMINAL 1 ROW, 16 CHANNELS SCREW-TYPE TERMINAL
6ES7120-2AH00-0AA0	SIEMENS	Simatic S7	SIMATIC SC, ADDITIONAL TERMINAL 2 ROWS, 16 CHANNELS SCREW-TYPE TERMINAL
6ES7120-2BH00-0AA0	SIEMENS	Simatic S7	SIMATIC SC, ADDITIONAL TERMINAL 2 ROWS, 16 CHANNELS SPRING-TYPE TERMINAL
6ES7121-1BB00-0AA0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 2 DI, 24 V DC (PACKAGE OF 8)
6ES7122-1BB00-0AA0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 2 DO, 24 V DC / 0.5 A (PACKAGE OF 8)
6ES7122-1FA00-0AA0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 1 DO, AC 115/230 V
6ES7123-1FB00-0AB0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 2 AI, /-10V, 1.5V
6ES7123-1GB10-0AB0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 2 AI, 4..20MA, /-20MA HIGH ACCURACY
6ES7124-1FA00-0AB0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 1 AO, /-10V, 1.5V
6ES7127-1BE00-0AB0	SIEMENS	Simatic S7	SIMATIC SC,ELECTRONIC SUBMODULE 1 COUNT 40 KHZ COUNTER MODULE 24V DC COUNTING INPUT 24V DC DIRECTIONAL INPUT
6ES7131-0BH00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7 ET200B DIGITAL INPUT MODULE DEGREE OF PROTECTION IP20, 16DI DC 24V,
6ES7131-0BL00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC SUBMODULE, FOR ET 200B, W=235MM, 32DI, 24V DC 3MS INPUT DELAY
6ES7131-0HF00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, DIGITAL ELECTRONIC SUBMODULE, FOR ET 200B, W=235MM, 16DI, 120/230V AC
6ES7131-1BH00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC BLOCK FOR ET 200L, 16 DI, 24V DC
6ES7131-1BH01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC BLOCK FOR ET 200L, 16 DI, 24V DC
6ES7131-1BL00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC BLOCK FOR ET 200L, 32 DI, 24V DC
6ES7131-1BL01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC BLOCK FOR ET 200L, 32 DI, 24V DC
6ES7131-4BB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DI STANDARD 24V DC, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7131-4BB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DI HIGH FEATURE 24V DC, 15 MM WIDTH WITH PARAM. F. INPUT DELAY DIAGNOSIS F. ENCODER SHORT- CIRCUIT W. LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
6ES7131-4BB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DI HIGH FEATURE 24V DC, 15 MM WIDTH WITH PARAM. F. INPUT DELAY DIAGNOSIS F. ENCODER SHORT- CIRCUIT W. LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
6ES7131-4BD00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DI STANDARD 24V DC, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7131-4BD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DI HIGH FEATURE 24V DC, 15 MM WIDTH WITH PARAM. F. INPUT DELAY DIAGNOSIS F. ENCODER SHORT- CIRCUIT W. LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
6ES7131-4BD01-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DI STANDARD 24V DC, 15 MM WIDTH, 5 PIECES PER PACKAGING UNIT
6ES7131-4BD01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DI HIGH FEATURE 24V DC, 15 MM WIDTH WITH PARAM. F. INPUT DELAY DIAGNOSIS F. ENCODER SHORT- CIRCUIT W. LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
6ES7131-4CD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES ET 200S: 4DI UC 24V...48V 15 MM WIDTH WITH LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT
6ES7131-4EB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DI 120V AC 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7131-4RD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 1 ELECTRON. MODULE ET 200S: 4DI DC 24V NAMUR, 15 MM WIDTH, WITH LED SF (GROUP FAULT),
6ES7131-7RF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 8 DI NAMUR
6ES7132-0BH00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200B DIG. OUT. 16 DO
6ES7132-0BH01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7 ET200B DIGITAL OUTPUT MODULE DEGREE OF PROTECTION IP20, 16DO DC 24V, (12 X 0.5A;4 X 2A) WIDTH = 160 MM
6ES7132-0BH11-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=235MM, 16 DO 24V DC, 2A, DEGR. OF PROTECT. IP20,STANDARD
6ES7132-0BL00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=235MM, 32DO, 24V DC, 0.5A
6ES7132-0BL01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ET 200B, DIGITAL OUTPUT MODULE,32DO 24V DC, 0.5A MAX. 12MBAUD, W=235MM,
6ES7132-0HF00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, DIGITAL ELECTRONIC SUBMODULE FOR ET200B W=235MM, 16DI, 120/230V AC,0.5A
6ES7132-1BH00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC BLOCK FOR ET 200L, 16 DO, 24V DC/0.5A
6ES7132-1BL00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC BLOCK FOR ET 200L, 32 DO, 24V DC/0.5A
6ES7132-1EH00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC BLOCK FOR ET 200L, 16 DO, 120V DC/1A WITH 1 POINT COMMON
6ES7132-4BB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO STANDARD DC 24V/0.5A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO HIGH FEATURE 24V DC, 15 MM WIDTH DIAGNOSIS F. SHORT-CIRCUIT AND OPEN-CIRCUIT, FIRST-UP SIGNAL WITH LED SF (GROUP FAULT) 5 PIECES PER PACKAGING UNIT

6ES7132-4BB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO HIGH FEATURE 24V DC, 15 MM WIDTH DIAGNOSIS F. SHORT-CIRCUIT AND OPEN-CIRCUIT, FIRST-UP SIGNAL WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
6ES7132-4BB30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO STANDARD DC 24V/2A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BB30-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO HIGH FEATURE DC 24V/2A, 15 MM WIDTH DIAGNOSIS F. SHORT-CIRCUIT AND OPEN-CIRCUIT, FIRST-UP SIGNAL WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
6ES7132-4BB31-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO STANDARD DC 24V/2A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BB31-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO HIGH FEATURE DC 24V/2A, 15 MM WIDTH DIAGNOSIS F. SHORT-CIRCUIT AND OPEN-CIRCUIT, FIRST-UP SIGNAL WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
6ES7132-4BD00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DO STANDARD DC 24V/0.5A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BD01-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DO STANDARD DC 24V/0.5A, 15 MM WIDTH, 5 PIECES PER PACKAGING UNIT
6ES7132-4BD02-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DO STANDARD DC 24V/0.5A, 15 MM WIDTH, 5 PIECES PER PACKAGING UNIT
6ES7132-4BD31-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DO STANDARD DC 24V/2A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BD32-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 DO STANDARD DC 24V/2A, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4BF00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 1 ELECTRON. MODULES FOR ET 200S, 8 DO DC24V/0.5A 15 MM WIDTH, 1 PIECES PER PACKAGING UNIT
6ES7132-4FB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO 24...230V AC, 15 MM WIDTH 5 PIECES PER PACKAGING UNIT
6ES7132-4HB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 2 DO RELAY 24V DC - 230V AC/5A, 15 MM WIDTH FIRST-UP SIGNAL WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
6ES7132-4HB10-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES ET200S: 2DO RELAY(FORM C CONT.) DC24V-48V/5A, AC24V-230V/5A, 15 MM WIDTH, FIRST-UP SIGNAL, 5 PIECES PER PACKAGING UNIT
6ES7132-7GD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 23,1V/20MA, "L"-SHUT DOWN
6ES7132-7GD20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 17,4V/40MA, "L"-SHUT DOWN
6ES7132-7HB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC SUBMODULE, FOR ET200ISP, 2DO RELAY UC60V / 2A
6ES7132-7BD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 23,1V/20MA
6ES7132-7RD01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC SUBMODULE FOR ET 200ISP, 4 DO, DC 23,1V/20MA, "H"-SHUT DOWN
6ES7132-7RD11-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 17,4V/27MA, "H"-SHUT DOWN
6ES7132-7RD20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 17,4V/40MA
6ES7132-7RD21-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET 200ISP, 4 DO, DC 17,4V/40MA, "H"-SHUT DOWN
6ES7133-0BH00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=160MM, 8DI 24V DC; 8DO 24V DC, 0.5A
6ES7133-0BH01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7 ET200B DIGITAL I/O MODULE, 8DI, 24V DC, 8DO, 24V DC, 0.5A, MAX. 12 MBAUD, 160 MM
6ES7133-0BL00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, DIG. IN-/OUTPUT MODULE FOR ET 200B, 16 DI/16 DO 24V DC/0.5 A, W=235 MM STANDARD
6ES7133-0BN00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=235MM, 24DI 24V DC; 8DO 24V DC,0.5A, EINGANGSVERZOEFERUNG 3MS
6ES7133-0BN01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7 ET200B DIGITAL I/O MODULE, 24DI, 24V DC, 8DO, 24V DC, 0.5A MAX. 12 MBAUD, 235 MM 3 MS INPUT DELAY
6ES7133-0BN10-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=235MM, 24DI 24V DC; 8DO 24V DC, 0.5A, 0.2MS INPUT DELAY
6ES7133-0BN11-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7 ET200B DIGITAL I/O MODULE, 24DI, 24V DC, 8DO, 24V DC, 0.5A MAX. 12 MBAUD, 235 MM 0.2MS INPUT DELAY
6ES7133-0HH00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE DIGITAL, FOR ET 200B, W=235MM, 8DI/8RO, 120/230V AC
6ES7133-0HH01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECT. SUBMODULE DIGITAL, FOR ET200B, W=235MM, 8DI, 8RO, 120/230V AC APPLICABLE ON TB6/AC
6ES7133-1BL00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC BLOCK FOR ET 200L, 16 DI/16 DO, 24V DC/0.5 A
6ES7133-1BL01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC BLOCK FOR ET 200L, 16 DI/16 DO, 24V DC/0.5 A
6ES7134-0HF00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE ANALOG, FOR ET 200B, W=160MM, 4AI 0(4)...20MA; +/- 10V, FAST CONVERSION, 12 BITS
6ES7134-0HF01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ELECTRONIC SUB- SUBMODULE, F. ET200B, ANALOG W=160MM, 4AI, FOR 0(4) TO 20MA; +/- 10V, FAST CONVERSION, 12 BITS, 12 MBAUD
6ES7134-0KH01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ANALOG ELECTRONIC SUBMODULE, FOR ET 200B, W=160MM 8AI (THERMOCOUPLES) OR 4AI, (PT100); 12 BIT, 12 MBIT/S
6ES7134-4FB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AI STANDARD 15 MM WIDE /-10 V; 13 BIT SIGN /-5 V; 12 BIT SIGN, 1..5V; 12BIT, CYCLE TIME 65 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4FB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET-200S, 2 AI STANDARD 15 MM WIDE /-10 V; 13 BIT SIGN /-5 V; 12 BIT SIGN, 1..5V; 12BIT, CYCLE TIME 65 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4FB50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AI HIGH SPEED U FOR ET 200S, 15 MM WIDE /-10V; 11 BIT SIGN CYCLE TIME OF THE MODULE: 1MS WITH LED SF (GROUP FAULT)
6ES7134-4GB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AI STAND. I-2DMU 15 MM WIDE, 4 .. 20MA; 13 BIT FOR 2-WIRE TRANSDUCER CYCLE TIME 65 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4GB52-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE ET200S: 2AI HIGH SPEED I-2WIRE, 0 - 20MA, 4 - 20MA, 15BIT, 15 MM WIDTH, FOR 2-WIRE TRANSDUCER, CYCLE TIME OF THE MOD.: 0.1MS, WITH LED SF (GROUP FAULT)
6ES7134-4GB61-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE ET 200S: 2AI HIGH SPEED I-4WIRE 4 - 20MA; 14BIT, 15 MM WIDTH FOR 4-WIRE TRANSDUCER CYCLE TIME OF THE MODULE: 1MS WITH LED SF (GROUP FAULT)
6ES7134-4GD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE ET200S, 4AI STANDARD I-2-WIRE, 4 - 20MA; 13BIT, 15MM WIDTH, FOR 2-WIRE TRANSDUCER CYCLE TIME 40 MS/MODULE WITH LED SF (GROUP FAULT)
6ES7134-4JB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET-200S, 2 AI TC 15 MM WIDE, 15 BIT SIGN /-80MV; CHARACTERISTICS LINEARIZATION FOR THERMOELEMENTS OF: B, E, J, K, L, N, R, S, T TYPES CYCLE TIME 65 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4JB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AI TC STANDARD, 15 MM WIDE, 15 BIT SIGN /-80MV; CHARACTERISTICS LINEARIZATION FOR THERMOELEMENTS OF: B, E, J, K, L, N, R, S, T TYPES, CYCLE TIME 65 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4JB50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AI RTD 15 MM WIDE, 15BIT SIGN PT100 STD; PT100 KL; NI100 STD; NI100 KL; 150 OHM; 300 OHM; 600 OHM CYCLE TIME 110 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4JB51-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2/4 AI RTD STANDARD, 15 MM WIDE, 15BIT SIGN PT100 STD; PT100 KL; NI100 STD; NI100 KL; 150 OHM; 300 OHM; 600 OHM, CYCLE TIME 110 MS/CHANNEL WITH LED SF (GROUP FAULT)
6ES7134-4LB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AI U HIGH FEATURE FOR ET 200S, 15 MM WIDE, CYCLE TIME PER MODULE: 0.5MS, /-10V; 15 BI SIGN, /-5V; 15BIT SIGN, 1..5V; 15BIT, OPERATIONAL LIMITS /-0.1% WITH LED SF (GROUP FAULT)
6ES7134-4MB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AI HIGH FEATURE I FOR ET 200S, 15 MM WIDE /-20MA; 15 BIT SIGN 4 .. 20MA; 15 BIT OPERATIONAL LIMITS /-0.1% WITH LED SF (GROUP FAULT)
6ES7134-4MB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AI I HIGH FEATURE FOR ET 200S, 15 MM WIDE, CYCLE TIME PER MODULE: 0.5MS, /-20MA; 15 BIT SIGN, 4 .. 20MA; 15 BIT, OPERATIONAL LIMITS /-0.1% WITH LED SF (GROUP FAULT)
6ES7134-4NB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE F. ET200S, 2 AI TC HIGH FEATURE 15 MM WIDE, 15 BIT SIGN WITH INTERNAL TEMERATURE COMPENSATION
6ES7134-4NB50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE ET 200S: 2AI RTD HIGH FEATURE 15 MM WIDTH, 15BIT SIGN ACCURACY /- 0.1% FOR 2-/3-/4- WIRE SENSORS WITH INTERNAL COMPENSATION OF THE WIRE RESISTOR WITH LED SF (GROUP FAULT)
6ES7134-7SD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AI, TC, FOR CONNECTION OF THERMOELEMENTS (VOLTAGE MEASUREMENT)
6ES7134-7SD50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AI, RTD, FOR CONNECTION OF RESISTANCE THERMOMETER PT100/NI100
6ES7134-7SD51-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AI, RTD, FOR CONNECTION OF RESISTANCE THERMOMETER PT100/NI100
6ES7134-7TD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AI HART, 2DMU, FOR CONNECTION OF HART 2-WIRE TRANSDUCER
6ES7134-7TD50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AI HART, 4DMU, FOR CONNECTION OF HART 4-WIRE TRANSDUCER
6ES7135-0HF01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ANALOG ELECTRONIC SUBMODULE, FOR ET 200B, W=160MM 4AO FOR 0(4) TO 20MA; /- 10V 11 BIT, 12 MBIT/S
6ES7135-4FB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AO U, 15 MM WIDTH, /-10 V; 13 BIT SIGN, 1..5V; 12BIT, CYCLE TIME < 1 MS WITH LED SF (GROUP FAULT)
6ES7135-4GB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 2 AO I 15 MM WIDE, /-20 MA; 13 BIT SIGN, 4 .. 20 MA; 13 BIT CYCLE TIME < 1 MS WITH LED SF (GROUP FAULT)
6ES7135-4LB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AO U HIGH FEATURE FOR ET 200S, 15 MM WIDE, CYCLE TIME PER MODULE: 0.5MS, +/-10V; 15 BIT + SIGN, 1 .. 5V; 15 BIT, OPERATIONAL LIMITS +/-0.07% WITH LED SF (GROUP FAULT)
6ES7135-4MB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AO HIGH FEATURE I FOR ET 200S, 15 MM WIDE, +/-20MA; 15 BIT + SIGN, 4 .. 20MA; 15 BIT, OPERATIONAL LIMITS +/-0.05% WITH LED SF (GROUP FAULT)
6ES7135-4MB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE 2 AO I HIGH FEATURE FOR ET 200S, 15 MM WIDE, CYCLE TIME PER MODULE: 0.5MS, +/-20MA; 15 BIT + SIGN, 4 .. 20MA; 15 BIT, OPERATIONAL LIMITS +/-0.05% WITH LED SF (GROUP FAULT)
6ES7135-7TD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECT. SUBMODULE FOR ET200ISP, 4 AO HART, 4 - 20MA, FOR CONNECTION OF HART FIELD DEVICES

6ES7138-1XL00-0XB0	SIEMENS	Simatic S7	SIMATIC SC, INTERFACE IM-SC PROFIBUS-DP INTERFACE IM-SC FOR ELECTRONIC SUBMODULES SIMATIC SMART CONNECT INCL. BUS CONNECTOR
6ES7138-4AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 RESERVE MODULES FOR ET 200S, 15 MM WIDTH FOR SLOT RESERVATION OF UNUSED SLOTS 5 PIECES PER PACKAGING UNIT
6ES7138-4CA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E FOR ET 200S; 24V DC WITH DIAGNOSIS
6ES7138-4CA01-0AA0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E FOR ET 200S; 24V DC WITH DIAGNOSIS
6ES7138-4CA50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E FOR ET 200S; 24V-48V DC WITH DIAGNOSIS
6ES7138-4CA60-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E HIGH FEATURE FOR ET 200S; 24V DC WITH DIAGNOSIS
6ES7138-4CB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWERMODULE PM-E FOR ET 200S; UC 24V - 230V WITH DIAGNOSIS AND BACKUP
6ES7138-4CB10-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E FOR ET200S; DC 24 - 48V, AC 24 - 230V WITH DIAGNOSTICS AND BACKUP
6ES7138-4CB11-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E FOR ET200S, DC24-48V, AC24-230V, WITH DIAGNOSTICS AND BACKUP
6ES7138-4CF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E F PROFISAFE, FOR ET 200S; 24V DC UP TO CATEGORY 4 (EN954-1)
6ES7138-4CF01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E F PROFISAFE, FOR ET 200S; 24V DC USEABLE FOR INSTALLATIONS WITH UNGROUNDED REFERENCE POTENTIAL RELAYS FOR FAIL-SAFE SWITCHING OF VOLTAGE BUSES P1 AND P2 UP TO CAT. 3/ SIL 2 AND 2 FAIL-SAFE DIGITAL OUTPUTS UP TO CAT. 4/ SIL 3
6ES7138-4CF02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E F PROFISAFE, FOR ET 200S; 24V DC USEABLE FOR INSTALLATIONS WITH UNGROUNDED REFERENCE POTENTIAL RELAYS FOR FAIL-SAFE SWITCHING OF VOLTAGE BUSES P1 AND P2 UP TO CAT. 3/ SIL 2 AND 2 FAIL-SAFE DIGITAL OUTPUTS UP TO CAT. 4/ SIL 3
6ES7138-4CF03-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E F PROFISAFE, FOR ET 200S; 24V DC USEABLE FOR INSTALLATIONS WITH UNGROUNDED REFERENCE POTENTIAL RELAYS FOR FAIL-SAFE SWITCHING OF VOLTAGE BUSES P1 AND P2 UP TO CAT. 3/ SIL 2 AND 2 FAIL-SAFE DIGITAL OUTPUTS UP TO CAT. 4/ SIL 3
6ES7138-4CF41-0AB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM-E F PROFISAFE, FOR ET 200S; 24V DC USEABLE FOR INSTALLATIONS WITH GROUNDED REFERENCE POTENTIAL RELAYS FOR FAIL-SAFE SWITCHING OF VOLTAGE BUS P2 UP TO CATEGORY 3 (EN954-1)/ SIL 2 (IEC61508) ALSO USEABLE IN PROFINET-NETWORKS WIT
6ES7138-4DA04-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE F. ET 200S, 1 COUNT 24V/100KHZ 15 MM WIDE, OPERATION MODES: COUNT, MEASURE, (PERIOD DURATION MEASUREMENT HIGH RESOLUTION) WITH CLOCK CYCLIC SYNCHRON.APP
6ES7138-4DB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE F. ET 200S, 1 SSI 25BIT/1MHZ 15MM WIDE MODULE FOR CONN. OF ABSOLUTE ENCODERS WITH SSI INTERFACE SYNCHRONOUS SERIAL INTERFACE WITH DI AND COMPAR. VALUE
6ES7138-4DB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE F. ET 200S, 1 SSI 25BIT/1MHZ 15MM WIDE MODULE FOR CONN. OF ABSOLUTE ENCODERS WITH SSI INTERFACE SYNCHRONOUS SERIAL INTERFACE WITH DI AND COMPAR. VALUE WITH CLOCK CYCLIC SYNCHRON. APP
6ES7138-4DB03-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE F. ET 200S, 1 SSI 25BIT/1MHZ 15MM WIDE MODULE FOR CONN. OF ABSOLUTE ENCODERS WITH SSI INTERFACE SYNCHRONOUS SERIAL INTERFACE WITH DI AND COMPAR. VALUE WITH CLOCK CYCLIC SYNCHRON. APP
6ES7138-4DE01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 COUNT 5V/500KHZ FOR CONNECTING RS442 INCREMENTAL ENCODERS OPERATION MODES: MEASURE, COUNT 30MM WIDE, SINGLE CHANNEL WITH CLOCK CYCLIC SYNCHRON.APP
6ES7138-4DE02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 COUNT 5V/500KHZ FOR CONNECTING RS442 INCREMENTAL ENCODERS, OPERATION MODES: MEASURE, COUNT 30MM WIDE, SINGLE CHANNEL WITH CLOCK CYCLIC SYNCHRON.APP
6ES7138-4DF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 SI SERIAL INTERFACE ONE CHANNEL, 15MM WIDE RS232/422, 485 ASCII, 3964R
6ES7138-4DJ00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 POS-INC ANALOG CONTROLLED POSITIONING WITH ANALOG OUTPUT FOR 5V INCREMENTAL ENCODER 30MM WIDE
6ES7138-4DK00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 POS-SSI ANALOG CONTROLLED POSITIONING WITH ANALOG OUTPUT FOR SSI-ENCODER, 30MM WIDE
6ES7138-4DL00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 1 POS U, CONTROLLED POSITIONING WITH DIGITAL OUTPUTS FOR 5V/24V INCREMENTAL ENCODER, SSI-ENCODER, 30MM WIDE
6ES7138-4FA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4/8 F-DI PROFISAFE 24V DC, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)
6ES7138-4FA01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4/8 F-DI PROFISAFE, 24V DC, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)
6ES7138-4FA02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4/8 F-DI PROFISAFE, 24V DC, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)
6ES7138-4FA03-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4/8 F-DI PROFISAFE, 24V DC, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)/ SIL3 (62061) ALSO USEABLE IN PROFINET- NETWORK WITH IM151-3 HF
6ES7138-4FA04-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4/8 F-DI PROFISAFE, 24V DC, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)/ SIL3 (62061) ALSO USEABLE IN PROFINET- NETWORK WITH IM151-3 HF
6ES7138-4FB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO PROFISAFE DC 24V/2A, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)
6ES7138-4FB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO PROFISAFE, DC 24V/2A, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1)
6ES7138-4FB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO PROFISAFE, DC 24V/2A, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1) ALSO USEABLE IN PROFINET- NETWORKS WITH IM151-3 HF
6ES7138-4FB03-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO PROFISAFE, DC 24V/2A, 30 MM WIDTH UP TO CATEGORY 4 (EN954-1) ALSO USEABLE IN PROFINET- NETWORKS WITH IM151-3 HF
6ES7138-4FC00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO DC24V/2A PROFISAFE, 30 MM WIDTH UP TO CATEGORY 3 (EN954-1)/ SIL2 (62061) ALSO USEABLE IN PROFINET- NETWORK WITH IM151-3 HF
6ES7138-4FC01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE F. ET200S, 4 F-DO DC24V/2A PROFISAFE, 30 MM WIDTH UP TO CATEGORY 3 (EN954-1)/ SIL2 (62061) ALSO USEABLE IN PROFINET- NETWORK WITH IM151-3 HF
6ES7138-4FD00-0AA0	SIEMENS	Simatic S7	SIMATIC-DP, 4POTDIS FOR ET 200S POTENTIAL DISTRIBUTION MODULE, 15MM WIDTH
6ES7138-4FR00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE 1F-RO DC24V/AC24..230V/5A, F. ET200S, 30 MM WIDTH, 1 RELAY OUTPUT (2 NO-CONTACTS) OUTPUT CURRENT SA, RATED VOLTAGE 24V DC AND 24 ... 230V AC, USEABLE UP TO CAT.4 / SIL 3 IF CONTROLLED BY A F-DO (E.G. 6ES7138-4FB02-0AB0)
6ES7138-4GA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, 5 ELECTRON. MODULES FOR ET 200S, 4 IQ-SENSE, 24V DC, 15 MM WIDTH, FOR CONNECTING UP TO 4 IQ-SENSE SENSORS, WITH LED SF (GROUP FAULT), 5 PIECES PER PACKAGING UNIT
6ES7138-4GA50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET 200S, 4SI IO-LINK, 4 POINT TO POINT INTERFACES, 15MM WIDE, IO-LINK MASTER
6ES7138-4HA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, DP MASTER INTERFACE FOR IM 151-7 CPU OR IM 151-8 PN/DP (ET200S), MODULE WITH PROFIBUS DP INTERF. (9 PIN SUB-D, FEMALE) AS DP MASTER
6ES7138-7AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, RESERVE MODULE FOR ET 200ISP
6ES7138-7BB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, WATCHDOG MODULE FOR ET 200ISP
6ES7138-7EA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, POWER SUPPLY MODULE FOR ET200ISP
6ES7138-7EA01-0AA0	SIEMENS	Simatic S7	SIMATIC DP, POWER SUPPLY MODULE 24V FOR ET200ISP
6ES7138-7EC00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, POWER SUPPLY MODULE AC 120/230V FOR ET200ISP
6ES7141-1BD30-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, EXPANSION MODULE EM 141, ET 200X, 4DI 24V DC, 5-PIN M12, PROTECTION IP 65 FOR BASIC MODULE BM 141, BM 142
6ES7141-1BF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200X-BASIC MOD. BM141/ECOFAS 8 DE DC 24V, 5-PIN M12 WITH SINGLE-CHANNEL PORT HYBRID FIELD BUS INTERFACE (RS485), IDENT CONNECTOR, IP67 IDENT CONNECTOR, IP67
6ES7141-1BF00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, BASIC MODULE BM141, ET200X, 8DI 24V DC, IP65 5-PIN M12, DOUBLE-ASSIGNEMENT INT.PROFIBUS DP IF, 12 MBAUD
6ES7141-1BF01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200X-BASIC MOD. BM141/ECOFAS 8 DE DC 24V, 5-PIN M12 WITH SINGLE-CHANNEL PORT HYBRID FIELD BUS INTERFACE (RS485), IDENT CONNECTOR, IP67 IDENT CONNECTOR, IP67
6ES7141-1BF01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, BASIC MOD. BM141 ET 200X, 8DI 24V DC, 5-PIN M12, DOUBLE-ASSIGNEMENT, IP66/67 INT.PROFIBUS DP IF 12 MBIT/S, INTEGR. PS INTERFACE
6ES7141-1BF11-0XB0	SIEMENS	Simatic S7	SIMATIC DP, BASISMODUL BM 141
6ES7141-1BF12-0XB0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE BM141 ET 200X, 8DI 24V DC, 5-PIN M12 DOUBLE-ASSIGNEMENT, IP66/67 INT.PROFIBUS DP IF 12 MBIT/S, INTEGR. PS INTERFACE
6ES7141-1BF30-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, EXPANSION MODULE EM 141, ET 200X, 8DI 24V DC, 5-PIN M12, DOUBLE-ASSIGNEMENT PROTECTION IP 65, FOR BASIC MODULE BM 141, BM 142
6ES7141-1BF31-0XA0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 141, ET 200X, 8DI 24V DC 5-PIN M12, DOUBLE-ASSIGNEMENT PROTECTION IP65 FOR ALL BASIC MODULES
6ES7141-1BF41-0XA0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 141 FOR ET 200X, IP66/67 8 DI 24V DC, 5-PIN, M12 WITH SINGLE-CHANNEL PORT 1 CHANNEL PER M12 CONNECTOR FOR ALL BASIC MODULES

6ES7141-3BH00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE BM141 ET 200ECO: 16DI 24V DC; 8 X M12,DOUBLE-ASSIGNEMENT, DEGREE OF PROTECTION IP65/67; CONNECTING BLOCK 6ES7194-3AA00-0.A0 MUST BE ORDERED SEPARATELY
6ES7141-4BF00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET200PRO 8 DI DC 24V, MODULE DIAGNOSTICS; INCLUSIVE BUS MODULE CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7141-4BF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULES FOR ET200PRO 8 DI DC 24V HIGH FEATURE, CHANNEL DIAGNOSTICS; SHORT CIRCUIT AND WIRE BREAK; INCLUSIVE BUS MODULE CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7141-6BF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 8 DI 24V DC; 4 X M12, DOUBLE-ASSIGNEMENT, DEGREE OF PROTECTION IP67;
6ES7141-6BH00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 16 DI 24V DC; 8 X M12, DOUBLE-ASSIGNEMENT; DEGREE OF PROTECTION IP67
6ES7142-0BF01-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ET 200C, DIGITAL OUTPUT MODULE, 8DO 24V DC, 0.5A DEGREE OF PROTECTION IP66/IP67 MAX. 12 MBAUD
6ES7142-0BF11-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ET 200C, DIGITAL OUTPUT MODULE, 8DO 24V DC, 2A DEGREE OF PROTECTION IP66/IP67 MAX. 12 MBAUD
6ES7142-1BD11-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, BASIC MOD. BM142 F. ET 200X, 4DO 24V DC/2A 5-PIN M12, PROTECTION IP 66/67 INTEGR. PROFIBUS DP IF, 12 MBIT/S, INTEGR. PS INTERFACE
6ES7142-1BD21-0XB0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE BM142 FOR ET200X, 4DO 24V DC/2A 5-PIN M12, PROTECTION IP 66/67, INTEGR. PROFIBUS DP IF, 12 MBIT/S, INTEGR. PS INTERFACE
6ES7142-1BD40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, EXPANSION MODULE EM 142, ET 200X, 4DO 24V DC/2A 5-PIN M12, PROTECTION IP 65, FOR BASIC MODULE BM 141, BM 142
6ES7142-1BD40-0XB0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 142, ET 200X, IP66/67, 4DO 24V DC/2A WITH DIAGNOSIS BY CHANNEL FOR BASIC MODULE BM 141, BM 142
6ES7142-1BF30-0XA0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 142 FOR ET 200X 8 DO DC 24 V/1.2 A 5-PIN M12, PROTECTION IP 66/67 FOR ALL BASIC MODULES
6ES7142-3BF00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE BM142 ET 200ECO: 8 DO DC 24 V/2 A; 8 X M12, SINGLE-ASSIGNEMENT, DEGREE OF PROTECTION IP65/67; CONNECTING BLOCK 6ES7194-3AA00-0.A0 MUST BE ORDERED SEPARATELY
6ES7142-3BH00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MOD. BM142 ET 200ECO: 16 DO DC 24 V/0.5 A, 8 X M12, DOUBLE-ASSIGNEMENT, IP65/67, CONN. BLOCK 6ES7194-3AA00-0.A0 MUST BE ORDERED SEPARATELY
6ES7142-4BD00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULE FOR ET200PRO, 4 DO DC 24V, 2.0A; MODULE DIAGNOSTICS; INCLUSIVE BUS MODULE, CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7142-4BD00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULES FOR ET200PRO 4 DO DC 24V, 2.0A HIGH FEATURE, CHANNEL DIAGNOSTICS; SHORT CIRCUIT AND WIRE BREAK; INCLUSIVE BUS MODULE CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7142-4BF00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULES FOR ET200PRO 8 DO DC 24V, 0.5A MODULE DIAGNOSTICS; INCLUSIVE BUS MODULE, CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7142-6BF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 8 DO DC 24V/1.3A; 4 X M12, DOUBLE-ASSIGNEMENT, DEGREE OF PROTECTION IP67;
6ES7142-6BG00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 8 DO 24V DC/1.3A; 8 X M12, DEGREE OF PROTECTION IP67
6ES7142-6BH00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 16 DO 24V DC/1.3A; 8 X M12, DOUBLE-ASSIGNEMENT DEGREE OF PROTECTION IP67
6ES7143-0BL00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, ET 200C, DIGITAL I/O MODULE, PROTECTION IP65 16DI 24V DC, 16DO 24V/2A DC WITH CONNECTORS, ACC.TO STAND.
6ES7143-1BF30-0XB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200X:EXT.MODULE BM143/DESINA 8DI/DO CONFIGURABLE,ADD.DIAG- INPUTS, IP67
6ES7143-2BH00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200R: HANDLING MODULE IP65, METAL HOUSING, 8 DI 8 DI/DO PARAMETRIERBAR, DC 24V, 5 PIN, 8 X M12; 2 X M23 (DP, PS, ANALOG)
6ES7143-2BH50-0AB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET 200R: WELDING MODULE IP65, METAL HOUSING, 8 DI 8 DI/DO CONFIGURABLE, DC 24V, 5 PIN, 8 X M12, 2 X M23 (DP, PS, ANALOG)
6ES7143-3BH00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE BM143 ET 200ECO: 8DI/8DO, 2A; 8 X M12,DOUBLE-ASSIGNEMENT, DEGREE OF PROTECTION IP65/67; CONNECTING BLOCK 6ES7194-3AA00-0.A0 MUST BE ORDERED SEPARATELY
6ES7143-3BH10-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MOD. BM143 ET 200ECO: 8DI/8DO, 1.3A, 8 X M12, DOUBLE-ASSIGNEMENT, IP65/67, CONN. BLOCK 6ES7194-3AA00-0.A0 MUST BE ORDERED SEPARATELY
6ES7144-1GB31-0XB0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 144 FOR ET 200X, IP66/67 2AI, /- 20MA, 12 BIT SIGN, WITH DIAGNOSIS BY CHANNEL FOR 4-WIRE-TRANSDUCER
6ES7144-1GB40-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7,EXPANSION MODULE EM 144 FOR ET 200X, 2AI, 0(4) TO 20MA, 12 BIT SIGN, FOR 2-WIRE-TRANSDUCER 2X5-PIN M12, IP 66/67
6ES7144-1JB31-0XB0	SIEMENS	Simatic S7	SIMATIC DP, EXPANSION MODULE EM 144 FOR ET 200X, IP66/67 2AI, PT100, 12 BIT SIGN, WITH DIAGNOSIS BY CHANNEL 2/3/4-WIRE CONNECTION
6ES7144-4JF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULES FOR ET200PRO 4 AI RTD HIGH FEATURE, PT100; PT200; PT500; PT1000; NI100; NI200; NI500; NI1000; CHANNEL DIANOSTICS; INCLUSIVE BUS MODULE, CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7145-1GB30-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, EXPANSION MODULE EM 145 FOR ET 200X, 2AO, /-10V, 0(4) - 20MA 12 BIT SIGN, IP 66/67 2-WIRE CONNECTION, 2X5-PIN M12,
6ES7145-4GF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRONIC MODULES FOR ET200PRO 4 AO I HIGH FEATURE, -20MA; 0...20MA; 4-20MA; CHANNEL DIAGNOSTICS; INCLUSIVE BUS MODULE CONNECTING MODULE IO 6ES7194-4..00-0AA0 MUST BE ORDERED SEPARATELY
6ES7147-1AA00-0XB0	SIEMENS	Simatic S7	SIMATIC S5/S7, BASIC MODULE BM147/CPU, ET200X: FOR PREPROCESSING WITH INT. SCOP OF PLC FUNCTIONS INT.PROFIBUS DP IF,PROT.IP66/67
6ES7147-1AA01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE ET200X: BM147/CPU, FOR PREPROCESSING WITH INT. SCOP OF PLC FUNCTIONS INT.PROFIBUS DP IF,PROT.IP66/67
6ES7147-2AA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, BASIC MODULE ET200X: BM147-2 CPU FOR PREPROCESSING WITH INT. PLC FUNCTIONS INT.PROFIBUS DP SLAVE IF WITH ADD. PROFIBUS DP MASTER IF PROT. IP65/67
6ES7147-6BG00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200ECO PN, 8 DIO 24V DC/1.3A; 8 X M12, DEGREE OF PROTECTION IP67
6ES7148-1CA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULE PM 148 FOR ET 200X 4 DO, 24 24V DC/2 A WITH LOAD VOLTAGE INPUT WITH DIAGNOSIS BY CHANNEL
6ES7148-1EH00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, PNEUMATIC INTERFACE EM 148-P FOR ET 200X 16 DO PNEUMATIC FOR COUPLING WITH FESTO VALVE BLOCK CPV-10
6ES7148-1EH11-0XA0	SIEMENS	Simatic S7	SIMATIC DP, PNEUMATIC INTERFACE EM 148-P FOR ET 200X 16 DO PNEUMATIC FOR COUPLING WITH FESTO VALVE BLOCK CPV-14
6ES7148-1FA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200X: EM148-FC, FREQUENCY CONVERTER, 750W, INTEGR. NETWORK FILTER, CONNECTION TO DESINA, IP65
6ES7148-1FA10-0XB0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O ET200X: EM148-FC, FREQUENCY CONVERTER, 1.5KW INTEGR. NETWORK FILTER CONNECTION TO DESINA, IP65
6ES7148-3FA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ELECTRON. MODULE FOR ET200ECO, 4/8 F-DI PROFISAFE 24V DC, UP TO CATEGORY 4 (EN954-1) / SIL 3 (IEC61508)
6ES7148-4CA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, POWER MODULES FOR ELECTRONIC MODULES ET 200PRO PM-E, DC 24V INCLUSIVE BUS MODULE CONNECTING MODULE PM-E 6ES7194-48.00-0AA0 MUST BE ORDERED SEPARATELY
6ES7148-4EA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, PNEUMATIC INTERFACE FOR ET 200PRO 16 DO PNEUMATIC FOR COUPLING WITH FESTO VALVE BLOCK CPV-10 INCLUSIVE BUS MODULE
6ES7148-4FA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200PRO FAILSAFE ELECTRONIC MODULE 8/16 F-DI DC24V PROFISAFE, 90 MM WIDTH, UP TO CATEGORY 4 (EN954-1)/ SIL3 (IEC61508)
6ES7148-4FC00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200PRO FAILSAFE ELECTRONIC MODULE 4/8 F-DI/ 4 F-DO DC24V/2A PROFISAFE, 90 MM WIDTH, UP TO CATEGORY 4 (EN954-1)/ SIL3 (IEC61508)
6ES7151-1AA01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 FOR ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUMEN 128 BYTE FOR EACH INPUT AND OUTPUT; MAX. OF 63 POWER MOD., ELECTR. MOD. OR MOTOR STARTER MODULES CONNECTABLE; BUS INTERFACING VIA 9-WAY SUB-D CONN. INCL. INKL. T
6ES7151-1AA02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 STANDARD FOR ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUME 128BYTE FOR EACH INPUT AND OUTPUT; MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES CONNECTABLE; BUS INTERFACING VIA 9-WAY SUB-D CONN. INCL. TERMINATIN
6ES7151-1AA04-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 STANDARD FOR ET200S; INCL. TERMINATING MODULE DATA VOLUME 244BYTE FOR EACH INPUT AND OUTPUT; MAX. OF 63 PERIPHERIEMODULES PROFIBUS DP V0 AND V1 UP TO 2M WIDTH CONNECTABLE; BUS INTERFACING VIA 9-WAY SUB-D
6ES7151-1AB02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 FO FOR ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUME 128 BYTE FOR EACH INPUT AND OUTPUT; MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES CONNECTABLE; BUS INTERFACING VIA INTEGR. FO INTERFACE INCL. TERMINATING

6ES7151-1AB05-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 FO FOR ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUME 244 BYTE FOR EACH INPUT AND OUTPUT; MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES CONNECTABLE; BUS INTERFACING VIA INTEGR. FO INTERFACE INCL. TERMINATING
6ES7151-1BA01-0AB0	SIEMENS	Simatic S7	IMATIC DP, INTERFACE MODULE IM151-1 HIGH FEATURE F. ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUMEN 244 BYTE FOR I/O, MAX. 63 MODULES CONNECTABLE; ISOCHRON MODE, BUS INTERFACING VIA 9-WAY SUB-D CONNECTOR, INCL. TERMINATING MODULE
6ES7151-1BA02-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 HIGH FEATURE F. ET200S; TRANSMISS. RATE UP TO 12MBIT/S; DATA VOLUMEN 244 BYTE FOR I/O, MAX. 63 MODULES CONNECTABLE; ISOCHRON MODE, BUS INTERFACING VIA 9-WAY SUB-D CONNECTOR, INCL. TERMINATING MODULE
6ES7151-1CA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-1 BASIC FOR ET200S; TRANSMISS. RATE UP TO 12MBIT/S; MAX. OF 12 POWER, ELECTR. OR MOTOR STARTER MODULES (NO F-MODULES) CONNECTABLE; BUS INTERFACING VIA 9-WAY SUB-D CONN. INCL. TERMINATING MODULE
6ES7151-1CA00-1BL0	SIEMENS	Simatic S7	ET 200S COMPACT, 32DI/STD, DC24V, 3MS, EXPANDABLE WITH UP TO 12 ET 200S MODULES (NO F-MODULES) ELECTRONICBLOCK
6ES7151-1CA00-3BL0	SIEMENS	Simatic S7	ET 200S COMPACT, 16DI/16DO STD DC24V, 3MS; DC24V, 0.5A EXPANDABLE WITH UP TO 12 ET 200S MODULES (NO F-MODULES) ELECTRONICBLOCK
6ES7151-3AA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PROFINET FOR ET200S; TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES UP TO 2M WIDTH CONNECTABLE; BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3AA20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PROFINET ST FOR ET200S; TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES UP TO 2M WIDTH CONNECTABLE; 2X BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3AA22-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PN ST FOR ET200S; TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 POWER, ELECTR. OR MOTOR STARTER MODULES UP TO 2M WIDTH CONNECTABLE; 2X BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3BA20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PROFINET HIGH FEATURE; FOR ET 200S TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 PERIPHERAL MODULES UP TO 2M WIDTH CONNECTABLE; 2 X BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3BA22-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PN HF FOR ET 200S, TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 PERIPHERAL MODULES UP TO 2M WIDTH CONNECTABLE; 2 X BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3BA23-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PN HF FOR ET 200S, TRANSMISS. RATE UP TO 100MBIT/S MAX. OF 63 PERIPHERAL MODULES UP TO 2M WIDTH CONNECTABLE; 2 X BUS INTERFACING VIA RJ45 INCL. TERMINATING MODULE
6ES7151-3BB21-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM151-3 PN FO FOR ET 200S 2 PROFINET FO INTERFACES INTEGRATED 2-PORT SWITCH MAX. OF 63 PERIPHERAL MODULES USABLE FOR PROFISAFE MODULES MAX. 2M STATION WIDTH INCL. TERMINATING MODULE
6ES7151-7AA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 CPU FOR ET200S, 24 KB WORKING MEMORY INTEGR. PROFIBUS-DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7AA10-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 CPU FOR ET200S, 48 KB WORKING MEMORY INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7AA13-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 CPU FOR ET200S, 96 KB WORKING MEMORY INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7AA20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 CPU FOR ET200S, 96 KB WORKING MEMORY INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7FA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 F-CPU FOR ET200S, 48 KB WORKING MEMORY W. INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7FA01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 F-CPU FOR ET200S, 64 KB WORKING MEMORY W. INTEGR. PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-7FA20-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-7 F-CPU FOR ET200S, 128KB WORKING MEMORY WITH INTEGRATED PROFIBUS DP INTERFACE (9 PIN SUB-D, FEMALE) AS DP SLAVE, W/O BATTERY
6ES7151-8FB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM151-8F PN/DP CPU FOR ET200S, 192 KB WORKING MEMORY, INT. PROFINET INTERFACE (WITH THREE RJ45 PORTS) AS IO-CONTROLLER, W/O BATTERY MMC REQUIRED
6ES7152-1AA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE MODULE IM152-1 FOR ET200SP, FOR STANDARD AND REDUNDANT OPERATION
6ES7153-1AA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-300, ET 200M DISTRIBUTED I/O SYSTEM FOR MAX. 8 S7-300 MODULES
6ES7153-1AA02-0XB0	SIEMENS	Simatic S7	SIMATIC S7-300, ET 200 M, DISTRIBUTED I/O SYSTEM FOR MAX. 8 S7-300 MODULES
6ES7153-1AA03-0XB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE IM 153-1, FOR ET 200M, FOR MAX. 8 S7-300 MODULES
6ES7153-1AA83-0XB0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE ET200M FOR EXPANDED TEMPERATURE RANGE FOR MAX. 8 S7-300 MODULES
6ES7153-2AA01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-300, ET 200 M, PROFIBUS DP INTERFACE FOR MAX. 8 S7-300 SIGNAL MODULES AND FUNCTION MODULES
6ES7153-2AA02-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE FOR MAX. 8 S7-300 MODULES WITH REDUNDANCY, TIME STAMPING
6ES7153-2AA03-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE FOR MAX. 8 S7-300 MODULES, WITH REDUNDANCY, TIME STAMPING
6ES7153-2AB00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-300, ET 200 M, PROFIBUS DP INTERFACE FOR MAX. 8 S7-300 MODULES, W. INTEGR. FO INTERFACE FOR CONFIGURING AN OPTICAL LINE
6ES7153-2AB01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE FOR MAX. 8 S7-300 MODULES, WITH REDUNDANCY, W. INTEGR. FO INTERFACE FOR CONFIGURING AN OPTICAL LINE
6ES7153-2AB03-0XB0	SIEMENS	DIVERSEN	SIMATIC DP, ET 200M INTERFACE FOR MAX. 8 S7-300 MODULES, WITH REDUNDANCY, W. INTEGR. FO INTERFACE FOR CONFIGURING AN OPTICAL LINE
6ES7153-2BA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-2 HIGH FEATURE FOR MAX. 8 S7-300 MODULES WITH REDUNDANCY, TIME STAMPING FIT FOR ISOCHRON MODE
6ES7153-2BA01-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-2 HIGH FEATURE FOR MAX. 8 S7-300 MODULES, WITH REDUNDANCY, TIME STAMPING FIT FOR ISOCHRON MODE
6ES7153-2BA02-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-2 HIGH FEATURE FOR MAX. 12 S7-300 MODULES, WITH REDUNDANCY, TIME STAMPING FIT FOR ISOCHRON MODE NEW FEATURES: 12 MODULES / STATION SLAVE INITIATIVE FOR SWITCHES AND DRIVE ES EXTENDED DATA FOR HART SECONDARY VARIABLE
6ES7153-2BA81-0XE0	SIEMENS	Simatic S7	SIMATIC DP, INTERFACE DP/PA-LINK A. ET200M IM153-2 HF FOR EXPANDED TEMPERATURE RANGE FOR MAX. 12 S7-300 MODULES, WITH REDUNDANCY, TIME STAMPING FIT FOR ISOCHRON MODE NEW FEATURES: 12 MODULES / STATION SLAVE INITIATIVE FOR SWITCHES AND DRIVES EXTENDED D
6ES7153-2BA82-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-2 FO HIGH FEATURE FOR MAX. 8 S7-300 MODULES WITH REDUNDANCY W. INTEGR. FO INTERFACE FOR CONFIGURING AN OPTICAL LINE
6ES7153-2BB00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-2 FO HIGH FEATURE FOR MAX. 8 S7-300 MODULES WITH REDUNDANCY W. INTEGR. FO INTERFACE FOR CONFIGURING AN OPTICAL LINE
6ES7153-3AA01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-300, ET 200M INTERFACE MODULE FOR PROFIBUS DP REDUNDANT MAX. 8 S7-300 SIGNAL MODULES
6ES7153-4AA00-0XB0	SIEMENS	Simatic S7	SIMATIC DP, ET 200M INTERFACE IM 153-4 PN IO FOR MAX. 12 S7-300 MODULES, 200BYTE INPUT AND 200BYTE OUTPUT DATA, INTEGRATED SWITCH, PN IO COMMUNICATION ACCORDING REAL TIME CLASS 1 AND 2 TRANSMISSION RATE 100MBIT/S MICRO MEMORY CARD REQUIRED
6ES7154-1AA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, PROFIBUS DP INTERFACE MODULE IM154-1 DP FOR ET 200PRO INCLUSIVE TERMINATING MODULE CONNECTING MODULE IM 6ES7194-4A.00-0AA0 MUST BE ORDERED SEPARATELY
6ES7154-2AA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, PROFIBUS DP INTERFACE MODULE IM154-2 HIGH FEATURE FOR ET 200PRO INCLUSIVE TERMINATING MODULE CONNECTING MODULE IM 6ES7194-4A.00-0AA0 MUST BE ORDERED SEPARATELY
6ES7154-4AB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, PROFINET INTERFACE MODULE IM154-4 PN, HIGH FEATURE FOR ET 200PRO, M12 / 7/8
6ES7154-4AB10-0AB0	SIEMENS	Simatic S7	SIMATIC DP, PROFINET INTERFACE MODULE IM154-4 PN, HIGH FEATURE FOR ET 200PRO, INTEGRATED SWITCH, INCLUSIVE TERMINATING MODULE, CONNECTING MODULE IM PN 6ES7194-4A.00-0AA0 MUST BE ORDERED SEPARATELY
6ES7154-4BA00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, PROFINET INTERFACE MOD. IM154-6 PN IWLAN HIGH FEATURE FOR ET 200PRO, WITH CONNECTION MODULE IWLAN INCLUSIVE TERMINATING MODULE, NO SEPARATE CONNECTION MODULE NEEDED, MICRO MEMORY CARD AND ANTENNA MUST BE ORDERED SEPARATELY NOTE NATIONAL APPRO
6ES7154-8AB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM 154-8 PN/DP PLC FOR ET200PRO, 256KB WORK MEMORY, INT. PROFINET IF, INT.PROFIBUS DP MASTER/SLAVE IF PROT. IP65/67, MMC REQUIRED
6ES7154-8FB01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, IM 154-8F PN/DP PLC FOR ET200PRO, 512KB WORK MEMORY, INT. PROFINET IF, INT.PROFIBUS DP MASTER/SLAVE IF PROT. IP65/67, MMC REQUIRED
6ES7156-0AA00-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, FIELD BUS COUPLER DP/AS-I LINK BETWEEN PROFIBUS DP AND AS-I, DEGREE OF PROTECT. IP66/IP67

6ES7156-0AA01-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, FIELD BUS COUPLER DP/AS-I LINK BETWEEN PROFIBUS DP AND AS-I, DEGREE OF PROTECTION IP66/IP67
6ES7157-0AA00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O COUPLER MODULE DP/PA LINK THE IM157 AND ONE OR MORE DP/PA COUPLERS FORM THE DP/PA LINK
6ES7157-0AA80-0XA0	SIEMENS	Simatic S7	SIMATIC DP, IM157 INTERFACE FOR EXPANDED TEMPERATURE RANGE IM157 COUPLER MODULE DP/PA LINK THE IM157 AND ONE OR MORE DP/PA COUPLERS FORM THE DP/PA LINK
6ES7157-0AA81-0XA0	SIEMENS	Simatic S7	SIMATIC DP, IM157 INTERFACE FOR EXPANDED TEMPERATURE RANGE IM157 COUPLER MODULE DP/PA LINK THE IM157 AND ONE OR MORE DP/PA COUPLERS FORM THE DP/PA LINK
6ES7157-0AA82-0XA0	SIEMENS	Simatic S7	SIMATIC DP, IM157 INTERFACE FOR EXPANDED TEMPERATURE RANGE IM157 COUPLER MODULE DP/PA LINK THE IM157 AND ONE OR MORE DP/PA COUPLERS FORM THE DP/PA LINK DPV1.SLAVE
6ES7157-0AC00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O DP/PA COUPLER NON-EX-VERSION FIELD BUS COUPLER BETWEEN PROFIBUS-DP AND PROFIBUS PA DEGREE OF PROTECTION IP 20
6ES7157-0AC82-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O DEVICE LINK DP/PA COUPLER NON EX-VERSION 1000MA/31V FIELD BUS COUPLER BETWEEN PROFIBUS DP AND PROFIBUS PA FOR EXPANDED TEMPERATURE RANGE PROTECTION CLASS IP 20
6ES7157-0AC83-0XA0	SIEMENS	Simatic S7	SIMATIC DP, FIELD DEVICE LINK DP/PA COUPLER FDC 157-0 NON EX-VERSION 1000MA/31V FIELD BUS COUPLER BETWEEN PROFIBUS DP AND PROFIBUS PA INTEGR. DIAGNOSIS SLAVE OPTIONAL REDUNDANT USAGE FOR EXPANDED TEMPERATURE RANGE PROTECTION CLASS IP 20
6ES7157-0AD00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O DP/PA COUPLER EX-VERSION FIELD BUS COUPLER BETWEEN PROFIBUS-DP AND PROFIBUS PA DEGREE OF PROTECTION IP 20
6ES7157-0AD81-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O FIELD DEVICE LINK DP/PA COUPLER EX-VERSION EX(IA) 110MA FIELD BUS COUPLER BETWEEN PROFIBUS DP AND PROFIBUS PA FOR EXPANDED TEMPERATURE RANGE PROTECTION CLASS IP20
6ES7157-0AD82-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O FIELD DEVICE LINK DP/PA COUPLER EX-VERSION EX(IA) 110MA FIELD BUS COUPLER BETWEEN PROFIBUS DP AND PROFIBUS PA FOR EXPANDED TEMPERATURE RANGE PROTECTION CLASS IP 20
6ES7158-0AD00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O DP/DP COUPLER COUPLING MODULE FOR CONNECTING TWO PROFIBUS DP NETWORKS
6ES7158-0AD01-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O DP/DP COUPLER COUPLING MODULE FOR CONNECTING TWO PROFIBUS DP NETWORKS REDUNDANTE POWERSUPPLY
6ES7158-3AD00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O PN/NP COUPLER COUPLING MODULE FOR CONNECTING TWO PROFINET NETWORKS TRANSFER OF PROFISAFE DATA REDUNDANTE POWERSUPPLY
6ES7171-1AA01-0AA0	SIEMENS	Simatic S7	ZA724 MAIN INTERFACE CONTROL. CONNECTION TO PROFIBUS DP 1.5 OR 12 MBAUD CONDITION: POWER OUTPUT LA724 REQUIRED
6ES7171-2AA00-0AA0	SIEMENS	Simatic S7	LA724 HEATING CONTROL POWER OUTPUT TO CENTRAL INTERFACE MODULE ZA724
6ES7171-2AA02-0AA0	SIEMENS	Simatic S7	LA724 HEATING CONTROL OUTPUT TO CENTRAL INTERFACE MODULE ZA 724 ENHANCED WITH CHANNEL FUSE ON FRONT SIDE
6ES7181-0AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TEST UNIT BT200 F. PROFIBUS
6ES7181-0AA01-0AA0	SIEMENS	Simatic S7	SIMATIC DP, BT200 BUS TEST UNIT F. PROFIBUS DP FOR TESTING BUS INSTALLATION; PROTOCOL KIT AVAILABLE AS AN OPTION (CHARGER NECESSARY)
6ES7182-0AA01-0XA0	SIEMENS	Simatic S7	SIMATIC DP, IM 182-1 PC SLAVE BOARD FOR PROFIBUS DP, MAX. 12 MBIT/S
6ES7193-0CA10-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB1/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 3-WIRE SCREW TERMINALS, W=160MM
6ES7193-0CA20-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB1-4/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 4-WIRE SCREW TERMINALS, W=160MM
6ES7193-0CA30-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB3/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 3-WIRE SPRING TERMINALS, W=160MM
6ES7193-0CA40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB3-4/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 4-WIRE SPRING TERMINALS, W=160MM
6ES7193-0CB10-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB2/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 3-WIRE SCREW TERMINALS, W=235MM
6ES7193-0CB20-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB2-4/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 4-WIRE SCREW TERMINALS, W=235MM
6ES7193-0CB30-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB4/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 3-WIRE SPRING TERMINALS, W=235MM
6ES7193-0CB40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB4-4/DC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 4-WIRE SPRING TERMINALS, W=235MM
6ES7193-0CC10-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TERMINAL BLOCK TB6/AC (ET 200B) FOR DIGITAL ELECTR. SUBMODULES WITH 2-WIRE SCREW-TYPE TERMINALS, W=235MM
6ES7193-0CD40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TB8 TERMINAL BLOCK (ET 200B) FOR ANALOG ELECTRONIC MODULES WITH 4-WIRE SPRING-LOADED TERMINAL; W=160MM
6ES7193-0CD40-7XA0	SIEMENS	Simatic S7	SIMATIC DP, SHIELD CONNECTION FOR ANALOG SIGNALS
6ES7193-0CE30-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, TB4-M/DC ET 200B TERMINAL BLOCK FOR DIGITAL ELECTRONIC SUBMODULES 3-WIRE SPRING-TYPE TERMINAL WITH ADDITIONAL FRAME EARTH T.
6ES7193-1CH00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, TB16L TERMINAL BLOCK, 16 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1CH10-0XA0	SIEMENS	Simatic S7	SIMATIC DP, TB16L TERMINAL BLOCK, 16 CHANNELS FOR ET 200L SPRING-TYPE TERMINAL
6ES7193-1CL00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, TB32L TERMINAL BLOCK, 32 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1CL10-0XA0	SIEMENS	Simatic S7	SIMATIC DP, TB32L TERMINAL BLOCK, 32 CHANNELS FOR ET 200L SPRING-TYPE TERMINAL
6ES7193-1FH20-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 1 ROW, 16 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1FH30-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 2 ROWS, 16 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1FH60-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 2 ROWS, 16 CHANNELS FOR ET 200L SPRING-TYPE TERMINAL
6ES7193-1FL20-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 1 ROW, 32 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1FL30-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 2 ROWS, 32 CHANNELS FOR ET 200L SCREW-TYPE TERMINAL
6ES7193-1FL50-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 1 ROW, 32 CHANNELS FOR ET 200L SPRING-TYPE TERMINAL
6ES7193-1FL60-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ADDITIONAL TERM. 2 ROWS, 32 CHANNELS FOR ET 200L SPRING-TYPE TERMINAL
6ES7193-4CA20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15S24-A1 FOR ET 200S FOR ELECTRONIC MODULES 15 MM WIDE, SCREW-TYPE TERMINALS 2X4 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CA30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15C24-A1 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SPRING-LOAD TERMINALS 2X4 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CA40-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 UNIVERSAL TERMINAL MODULES TM-E15S26-A1 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SCREW-TYPE TERMINALS 2X6 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CA50-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 UNIVERSAL TERMINAL MODULES TM-E15C26-A1 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, CAGE CLAMP TERMINALS 2X6 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CA80-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 UNIVERSAL TERMINAL MODULES TM-E15N26-A1 FOR ET 200S, FOR ELECTRONIC MODULES, 15MM WIDTH, FAST CONNECT TERMINAL, 2X6 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15S23-01 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SCREW-TYPE TERMINALS 2X3 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CB10-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15C23-01 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SPRING-LOAD TERMINALS 2X3 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CB20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15S24-01 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SCREW-TYPE TERMINALS 2X4 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CB30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 5 TERMINAL MODULES TM-E15C24-01 FOR ET 200S FOR ELECTRONIC MODULES 15MM WIDE, SPRING-LOAD TERMINALS 2X4 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE, 5 PIECES PER PACKAGING UNIT
6ES7193-4CC20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P15S23-A1 FOR ET 200S FOR POWER MODULES 15MM WIDE, SCREW-TYPE TERMINALS 2X3 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE
6ES7193-4FC30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P15C23-A1 FOR ET 200S FOR POWER MODULES 15MM WIDE, SPRING-LOAD TERMINALS (CAGE CLAMP), 2X3 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE

6ES7193-4CD20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P15S23-A0 FOR ET 2005 FOR POWER MODULES 15 MM WIDE,SCREW-TYPE TERMINALS 2X3 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1 AUX1 INTERRUPTED
6ES7193-4CE00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P15S22-01 FOR ET 2005 FOR POWER MODULES 15 MM WIDE,SCREW-TYPE TERMINALS 2X2 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1 AUX1 IN LINE
6ES7193-4CF40-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-E30S46-A1 FOR ET 2005 FOR ELECTRONIC MODULES 30MM WIDE, SCREW-TYPE TERMINALS 4X6 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE,
6ES7193-4CF50-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-E30C46-A1 FOR ET 2005 FOR ELECTRONIC MODULES 30MM WIDE,SPRING-LOAD TERMINALS 4X6 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1, AUX1 IN LINE,
6ES7193-4CG20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 1 TERMINAL MODULE TM-E30S44-01 FOR ET 2005 FOR ELECTRONIC MODULES 30MM WIDE, SCREW-TYPE TERMINALS 4X4 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE,
6ES7193-4CG30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, 1 TERMINAL MODULE TM-E30C44-01 FOR ET 2005 FOR ELECTRONIC MODULES 30MM WIDE,SPRING-LOAD TERMINALS 4X4 TERMINAL CONNECTIONS W/O TERMINAL LEAD TO AUX1, AUX1 IN LINE,
6ES7193-4CK20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P30S44-A0 FOR ET 2005, FOR POWER MODULE PM-E F PROFISAFE, 30MM WIDE, SCREW-TYPE TERMINALS 2X3 2X4 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1 AUX1 INTERRUPTED
6ES7193-4CK30-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-P30C44-A0 FOR ET 2005, FOR POWER MODULE PM-E F PROFISAFE, 30MM WIDE,SPRING-LOAD TERMINALS 2X3 2X4 TERMINAL CONNECTIONS WITH TERMINAL LEAD TO AUX1 AUX1 INTERRUPTED
6ES7193-4DL00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-C120C FOR ET 2005 COMPACT, SPRING-LOADED TERMINALS, 4 X 21 CONNECTORS, FIT FOR 32PT MODULES IN 2-WIRE
6ES7193-4DL10-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-C120S FOR ET 2005 COMPACT, SCREW-TYPE TERMINALS, 4 X 21 CONNECTORS, FIT FOR 32PT MODULES IN 2-WIRE
6ES7193-4JA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, SPARE PART TERMINATING MODULE FOR ET 2005
6ES7193-7AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-IM/EM60S FOR ET200ISP, FOR THE INTEGRATION OF ONE IM152-1 AND ONE ELECTRONIC MODULES, SCREW-TYPE TERMINALS, INCL. POWER BUS TERMINATING MODULE
6ES7193-7AB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-IM/IM FOR ET200ISP, FOR THE INTEGRATION OF TWO IM152-1, IN REDUNDANT OPERATING, INCL. POWER BUS TERMINATING MODULE
6ES7193-7CA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-EM/EM60S FOR ET 200ISP, FOR THE INTEGRATION OF TWO ELECTRONIC MODULES, SCREW-TYPE TERMINALS
6ES7193-7CA10-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-EM/EM60C FOR ET 200ISP, FOR THE INTEGRATION OF TWO ELECTRONIC MODULES, SPRING-LOAD TERMINALS
6ES7193-7CB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-RM/RM FOR ET 200ISP, FOR THE INTEGRATION OF TWO ELECTRONIC MODULES, SCREW-TYPE TERMINALS
6ES7193-7DA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-PS-A FOR ET200ISP, FOR THE INTEGRATION OF ONE POWER SUPPLY MODULE STANDARD
6ES7193-7DA20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-PS-A STANDARD FOR ET200ISP, FOR THE INTEGRATION OF ONE POWER SUPPLY MODULE AC 120/230V
6ES7193-7DB10-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-PS-B FOR ET200ISP, IN ADDITION TO TM-PS-A, FOR THE INTEGRATION OF THE REDUNDANT POWER SUPPLY DC 24V (6ES7138-7EA01-0AA0 ONLY)
6ES7193-7DB20-0AA0	SIEMENS	Simatic S7	SIMATIC DP, TERMINAL MODULE TM-PS-B FOR ET200ISP, IN ADDITION TO TM-PS-A, F. INTEGRATION OF THE REDUNDANT POWER SUPPLY MODULE AC 120/230V
6ES7194-1AA00-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7, CABLE CONNECTOR IP65 FOR PROFIBUS DP AND POWER SUPPLIES TO BASIC MODULES BM141 BM142, 3 PCS / BM ARE REQUIRED
6ES7194-1AA01-0XA0	SIEMENS	Simatic S7	SIMATIC DP, CABLE CONNECTOR IP65 FOR PROFIBUS DP AND POWER SUPPLIES TO BASIC MODULES BM141, BM142, BM147, METRIC SCREW JOINT, 3 PCS / BM ARE REQUIRED
6ES7194-1KB00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O IDENTIFIC. CONNECTOR FOR ADJUSTING THE PROFIBUS ADDRESS FOR BM143 DESINA AND NODES WITH DESINA STANDARD
6ES7194-1LY00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, STANDARD CABLE 5-CORE, F. ET 200X, FOR BUS SIGNALS AND POWER SUPPLY NOT PREFABRICATED, SPECIAL LENGTHS, PVC SHEATH
6ES7194-1LY10-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CABLE, 5-CORE NON-WELDING, TRAILING TYPE, FOR ET 200, FOR BUS SIGNALS AND POWER SUPPLY, NOT PREASSEMBLED, SPECIAL LENGTHS, PUR-SHEATH, MINIMUM ORDER AMOUNT: 10 METERS
6ES7194-3AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING BLOCK ECOFAST FOR ET200ECO, 2 X ECOFAST CONNECTION RS485, IDENTIFIC. CONNECTOR FOR PROFIBUS-DP, ADDRESS SETTING
6ES7194-3AA00-0BA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING BLOCK M12, 7/8" FOR ET200ECO, 2 X M12 AND 2 X 7/8", 2 ROTARY CODING SWITCH FOR PROFIBUS-DP, ADDRESS SETTING
6ES7194-4AA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR PROFIBUS INTERFACE MODULES ET 200PRO; ECOFAST CU, 2 X ECOFAST CONNECTION RS485, INTEGRATED ADDRESS SETTING AND BUS TERMINATION FOR PROFIBUS DP
6ES7194-4AC00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR PROFIBUS INTERFACE MODULES ET 200PRO; DIRECT CONNECTION, INTEGRATED ADDRESS SETTING AND BUS TERMINATION FOR PROFIBUS DP
6ES7194-4AD00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR PROFIBUS INTERFACE MODULES ET 200PRO; M12 / 7/8", 2 X M12 AND 2 X 7/8", INTEGRATED ADDRESS SETTING AND BUS TERMINATION FOR PROFIBUS DP
6ES7194-4AF00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR PROFINET INTERFACE MODULES ET 200PRO; CONNECTOR 2XRJ45 2X POWER PLUG PUSH PULL FOR PROFINET PN
6ES7194-4AG00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR PROFINET INTERFACE MODULES ET 200PRO; CONNECTOR 2XSCRJ FO 2X POWER PLUG PUSH PULL FOR PROFINET PN
6ES7194-4AN00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR ET200PRO PLC IM154-8 PN/DP, 4 X M12 UND 2 X 7/8" , FOR PROFINET AND PROFIBUS DP
6ES7194-4BC00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR POWER MODULES PM-E ET 200PRO DIRECT CONNECTION: UP TO 2 CABLE FITTINGS M20
6ES7194-4CA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR DIGITAL AND ANALOG ELECTRONIC MODULES ET 200PRO 4 X M12
6ES7194-4CB00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, CONNECTING MODULE FOR DIGITAL ELECTRONIC MODULES ET 200PRO 8 X M12
6ES7194-4DA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ET200PRO CONNECTING MODULE FOR FAILSAFE ELECTRONIC MODULE F-SWITCH PROFISAFE
6ES7194-4DD00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, ET200PRO CONNECTING MODULE FOR FAILSAFE ELECTRONIC MODULE 8/16 F-DI DC24V/2A
6ES7195-0BC01-0XA0	SIEMENS	Simatic S7	SIMATIC DP, ASIC SPC 2 LEADFREE FOR PROFIBUS DP MAX. 1.5 MBITS/S, 244 BYTES 6 FOR LABORATORY DEVELOPMENT
6ES7195-1GA00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, RAIL FOR ET 200M 483 MM LONG F. MAX. 5 BUS MOD. FUNCTION: INSERT/REMOVE
6ES7195-1GG30-0XA0	SIEMENS	Simatic S7	SIMATIC DP, RAIL FOR ET 200M 620 MM LONG FOR BUS MODULES FUNCTION: INSERT/REMOVE
6ES7195-1JA00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, COVERS FOR BUS UNIT ET 200M,4 BACKPLANE BUS COVERS, 1 BUS BACKPLANE COVER,FUNCTION: INSERT/REMOVE
6ES7195-7HA00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT FOR ET200M F. THE INTEGR.OF 1 PS A.1 IM153 FUNCTION:INSERT/REMOVE-MODULE WHILE OPERATING MODE RUN INCL. COVER FOR BUS UNIT
6ES7195-7HB00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT FOR ET200M F. THE INTEGR.OF TWO 40 MM WIDE I/O SUBMODULES FOR INSERT/REMOVE
6ES7195-7HC00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT FOR ET200M F. THE INTEGR.OF ONE 80 MM WIDE I/O SUBMODULE FOR INSERT/REMOVE
6ES7195-7HD00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT FOR ET200M F. THE INTEGR.OF 2 IM153-2 RED. FUNCTION: INSERT/REMOVE WHILE OPERATING MODE RUN
6ES7195-7HD10-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT FOR ET200M FOR INTEGRATING 2 IM153-2 RED. FUNCTION: INSERT/REMOVE WHILE OPERATING MODE RUN
6ES7195-7HD80-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT BM IM 157 FOR EXPANDED TEMPERATURE RANGE SUBMODULE FOR IM157 DPV1 FOR INSERT/REMOVE FUNCTION WHILE OPERATING MODE RUN
6ES7195-7HF80-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS UNIT BM DP/PA FOR EXPANDED TEMPERATURE RANGE SUBMODULE FOR DP/PA COUPLER FOR INSERT/REMOVE FUNCTION WHILE OPERATING MODE RUN
6ES7195-7HG00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, SEPARATOR BUS MOD. BETWEEN F- AND STANDARD MODULES USE ONLY W. SEPARATOR MODULE
6ES7195-7KF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, SEPARATOR MODULE BETWEEN F- AND STANDARD MODULES WITH REDUNDANT ET200M INTERFACE MODULES USE ONLY WITH SEPARATOR BUS MODULE
6ES7197-1LB00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, Y-COUPLER FOR BUILDING UP A Y-LINK FOR REDUNDANT CONTROLLERS
6ES7210-0AA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 210 COMPACT UNIT, DC POWER SUPPLY 120 STATEMENTS 4 DI DC/4 DO DC, ISOLATED
6ES7210-0BA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 210 COMPACT UNIT, AC POWER SUPPLY 120 STATEMENTS 4 DI DC/4 DO RELAY, ISOLATED
6ES7211-0AA21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 221 COMPACT UNIT, DC POWER SUPPLY 6 DI DC/4 DO DC, 4 KB CODE/2 KB DATA,
6ES7211-0BA20-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 221 COMPACT UNIT, AC POWER SUPPLY 6 DI DC/4 DO RELAY, 4 KB CODE/2 KB DATA, EAN: 4025515161691
6ES7211-0BA21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 221 COMPACT UNIT, AC POWER SUPPLY 6 DI DC/4 DO RELAY 4 KB CODE/2 KB DATA,
6ES7211-0BA22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 221 COMPACT UNIT, AC POWER SUPPLY 6 DI DC/4 DO RELAY 4 KB CODE/2 KB DATA,

6ES7211-0BA23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 221 COMPACT UNIT, AC POWER SUPPLY 6 DI DC/4 DO RELAY 4 KB CODE/2 KB DATA,
6ES7211-1BD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1211C, COMPACT CPU, AC/DC/RELAY, ONBOARD I/O: 6 DI 24V DC; 4 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 85 - 264 V AC AT 47 - 63 HZ, PROGRAM/DATA MEMORY: 25 KB
6ES7211-1HD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1211C, COMPACT CPU, DC/DC/RELAY, ONBOARD I/O: 6 DI 24V DC; 4 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 20.4 - 28.8 V DC, PROGRAM/DATA MEMORY: 25 KB
6ES7212-1AA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 1 KBYTE WORKING MEMORY 8DI/6DQ, DC OUTPUTS
6ES7212-1AA01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 512 STATEMENTS, 512 DATA WORDS 8DI/6DQ, DC OUTPUTS EAN: 4025515160045
6ES7212-1AB21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1AB22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1AB23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1AB23-0XB8	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, DC POWER SUPPLY 8 DI DC/6 DO DC 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1AD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1212C, COMPACT CPU, DC/DC/DC, ONBOARD I/O: 8 DI 24V DC; 6 DO 24 V DC; 2 AI 0 - 10V DC, POWER SUPPLY: DC 20.4 - 28.8 V DC, PROGRAM/DATA MEMORY: 25 KB
6ES7212-1BA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 1 KBYTE WORKING MEMORY 8DI/6DQ, RELAYS OUTPUTS
6ES7212-1BA01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 512 STATEMENTS, 512 DATA WORDS 8DI/6DQ, RELAYS OUTPUTS EAN: 4025515160052
6ES7212-1BB20-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, AC POWER SUPPLY 8 DI DC/6 DO RELAY 4 KB CODE/2 KB DATA, EAN: 4025515161356
6ES7212-1BB21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, AC POWER SUPPLY 8 DI DC/6 DO RELAY 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1BB22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 222 COMPACT UNIT, AC POWER SUPPLY 8 DI DC/6 DO RELAY 4 KB CODE/2 KB DATA, PROFIBUS DP EXTENDABLE
6ES7212-1BD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1212C, COMPACT CPU, AC/DC/RLY, ONBOARD I/O: 8 DI 24V DC; 6 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 85 - 264 V AC AT 47 - 63 HZ, PROGRAM/DATA MEMORY: 25 KB
6ES7212-1BE31-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1212C, COMPACT CPU, AC/DC/RLY, ONBOARD I/O: 8 DI 24V DC; 6 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 85 - 264 V AC AT 47 - 63 HZ, PROGRAM/DATA MEMORY: 50 KB
6ES7212-1CA00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 1 KBYTE WORKING MEMORY 8DI/6DQ, AC OUTPUTS
6ES7212-1CA01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 212 COMPACT UNIT 512 STATEMENTS, 512 DATA WORDS 8DI/6DQ, AC OUTPUTS EAN: 4025515160076
6ES7212-1HD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1212C, COMPACT CPU, DC/DC/RLY, ONBOARD I/O: 8 DI 24V DC; 6 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 20.4 - 28.8 V DC, PROGRAM/DATA MEMORY: 25 KB
6ES7214-1AC00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214 COMPACT UNIT 4 KBYTE WORKING MEMORY 14DI/10DQ, DC OUTPUTS
6ES7214-1AC01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214, COMPACT UNIT 2 K STATEMENTS, 2 K DATA WORDS 14DI/10DQ, DC OUTPUTS EAN: 4025515160106
6ES7214-1AD20-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224, COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 8 KB CODE/5 KB DATA, EAN: 4025515161363
6ES7214-1AD21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224, COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 8 KB CODE/5 KB DATA, PROFIBUS DP EXTENDABLE
6ES7214-1AD22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224 COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC 8 KB CODE/5 KB DATA PROFIBUS DP EXTENDABLE
6ES7214-1AD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224, COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 8/12 KB CODE/8 KB DATA, PROFIBUS DP EXTENDABLE
6ES7214-1AE30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1214C, COMPACT CPU, DC/DC/DC, ONBOARD I/O: 14 DI 24V DC; 10 DO 24 V DC; 2 AI 0 - 10V DC, POWER SUPPLY: DC 20.4 - 28.8 V DC, PROGRAM/DATA MEMORY: 50 KB
6ES7214-1BC00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214 COMPACT UNIT 4 KBYTE WORKING MEMORY 14DI/10DQ, RELAYS OUTPUTS
6ES7214-1BC01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214, COMPACT UNIT 2 K STATEMENTS, 2 K DATA WORDS 14DI/10DQ, RELAYS OUTPUTS EAN: 4025515160113
6ES7214-1BC10-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214 14DI (SOURCE INP.)/10 REL. OUTP. 2K STATEM., 2K DATAWORDS, AC PS 2 X7 KHZ COUNT. 0.8MS/1K STATE. EAN: 4025515160120
6ES7214-1BD21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224, COMPACT UNIT, AC POWER SUPPLY 14 DI DC/10 DO, RELAY 8 KB CODE/5 KB DATA, PROFIBUS DP EXTENDABLE
6ES7214-1BD22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224 COMPACT UNIT, AC POWER SUPPLY 14 DI DC/10 DO, RELAY 8 KB CODE/5 KB DATA PROFIBUS DP EXTENDABLE
6ES7214-1BD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224, COMPACT UNIT, AC POWER SUPPLY 14 DI DC/10 DO, RELAY, 8/12 KB CODE/8 KB DATA, PROFIBUS DP EXTENDABLE
6ES7214-1BE30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1214C, COMPACT CPU, AC/DC/RLY, ONBOARD I/O: 14 DI 24V DC; 10 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 85 - 264 V AC AT 47 - 63 HZ, PROGRAM/DATA MEMORY: 50 KB
6ES7214-1CC01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214, COMPACT UNIT 2 K STATEMENTS, 2 K DATA WORDS 14DI/10DQ, AC OUTPUTS EAN: 4025515160137
6ES7214-1DC01-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 214, COMPACT UNIT 2 K STATEMENTS, 2 K DATA WORDS 14DI 24V /10DQ 120V AC, EAN: 4025515160144
6ES7214-1HE30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, CPU 1214C, COMPACT CPU, DC/DC/RLY, ONBOARD I/O: 14 DI 24V DC; 10 DO RELAY 2A; 2 AI 0 - 10V DC, POWER SUPPLY: AC 20.4 - 28.8 V DC, PROGRAM/DATA MEMORY: 50 KB
6ES7214-2AD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224XP COMPACT UNIT, DC POWER SUPPLY 14 DI DC/10 DO DC, 2 AI, 1 AO 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7214-2BD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 224XP COMPACT UNIT, AC POWER SUPPLY 14DI DC/10DO RELAY, 2AI, 1AO, 12/16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7215-2AD00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 215 COMPACT UNIT, DC POWER SUPPLY 4K PRG/2,5K DW, 14DI DC/10DQ DC PROFIBUS-DP INTERFACE EAN: 4025515160151
6ES7215-2BD00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 215 COMPACT UNIT, AC POWER SUPPLY 4K PRG/2,5K DW, 14DI DC/10DQ RLY PROFIBUS-DP INTERFACE EAN: 4025515160168
6ES7216-2AD00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 216 COMPACT UNIT, DC POWER SUPPLY 4K PRG/2,5K DW, 24DI DC/16DQ DC 2 PPI/FREEPORT PORTS EAN: 4025515160175
6ES7216-2AD21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC, 8 KB CODE/5 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2AD22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC 8 KB CODE/5 KB DATA 2 PPI/FREEPORT PORTS
6ES7216-2AD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC, 16/24 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2AD23-0XB8	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 CN
6ES7216-2AF21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 XM COMPACT UNIT, DC POWER SUPPLY 24 DI DC/16 DO DC, 16 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2BD00-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 216 COMPACT UNIT, AC POWER SUPPLY 4K PRG/2,5K DW, 24DI DC/16DQ RLY 2 PPI/FREEPORT PORTS EAN: 4025515160182
6ES7216-2BD21-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, AC POWER SUPPLY 24 DI DC/16 DO RELAY, 8 KB CODE/5 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2BD22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, AC POWER SUPPLY 24 DI DC/16 DO RELAY 8 KB CODE/5 KB DATA 2 PPI/FREEPORT PORTS
6ES7216-2BD23-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 COMPACT UNIT, AC POWER SUPPLY 24 DI DC/16 DO RELAY, 16/24 KB CODE/10 KB DATA, 2 PPI/FREEPORT PORTS
6ES7216-2BF22-0XB0	SIEMENS	Simatic S7	SIMATIC S7-200, CPU 226 XM COMPACT UNIT, AC POWER SUPPLY 24 DI DC/16 DO RELAY 16 KB CODE/10 KB DATA 2 PPI/FREEPORT PORTS
6ES7221-1BF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL INPUT EM 221, OPTICALLY ISOLATED 8DI, 24 V DC EAN: 4025515160199
6ES7221-1BF10-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, EM 221 DIGITAL INPUT MOD., OPTICALLY ISOLATED 8 DI, 24V DC, SOURCE INPUT EAN: 4025515160205
6ES7221-1BF20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL INPUT EM 221
6ES7221-1BF21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL INPUT EM 221
6ES7221-1BF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL INPUT EM 221, FOR S7-22X CPU ONLY, 8 DI, 24V DC, SINK/SOURCE INPUT
6ES7221-1BH22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL INPUT EM 221, FOR S7-22X CPU ONLY, 16DI, 24V DC, SINK/SOURCE INPUT
6ES7221-1EF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, EM 221 DIGITAL INPUT MOD., OPTICALLY ISOLATED 8DI, 120 V AC EAN: 4025515160212
6ES7222-1BF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, OPTICALLY ISOLATED 8DQ, 24 V DC, 0.5A EAN: 4025515160236
6ES7222-1BF20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222
6ES7222-1BF21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222

6ES7222-1BF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DQ, 24 V DC,
6ES7222-1BF22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUT, 8X24VDC, 7A, C
6ES7222-1BF30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, DIGITAL OUTPUT SM 1222, 8 DO, 24V DC, TRANSISTOR 0.5A
6ES7222-1EF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, OPTICALLY ISOLATED 8DQ, 24-264 V AC, 1A EAN: 4025515160243
6ES7222-1HF20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DO, (RELAY OUTPUTS) 2A EAN: 4025515161400
6ES7222-1HF21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DO, (RELAY OUTPUTS) 2A
6ES7222-1HF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL OUTPUT EM 222, FOR S7-22X CPU ONLY, 8DO, (RELAY OUTPUTS) 2A
6ES7223-1BF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL IN-/OUTOUT MOD. EM 223, OPT. ISOL. 4 DI / 4 DO, 24 V DC EAN: 4025515160267
6ES7223-1BF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 4 DI / 4 DO, 24 V DC
6ES7223-1BH00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL MODULE EM 223, DIGITAL IN-/OUTPUT MOD. 8 DI DC 24 V/8 DO DC 24 V EAN: 4025515160977
6ES7223-1BH20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1BH21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1BH22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 8 DI DC 24 V, SINK/SOURCE, 8 DO DC 24V, 0.75A/POINT SOURCE
6ES7223-1BH22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200CN, EM 223, 8DE/8DA, DC 24V, 0.75A-CN
6ES7223-1BH30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, DIGITAL I/O SM 1223, 8DI / 8DO, 8DI DC 24 V, SINK/SOURCE, 8DO, TRANSISTOR 0.5A
6ES7223-1BL00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL MODULE EM 223, DIGITAL IN-/OUTPUT MOD. 16 DI DC 24 V/16 DO DC 24 V EAN: 4025515160984
6ES7223-1BL21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1BL22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 16DI 24V DC, SINK/SOURCE, 16DO 24V DC, 0.75A/POINT, SOURCE
6ES7223-1BL22-0XA8	SIEMENS	Simatic S7	SIM 57-200, DIG I/O, 16X24VDC/16X24VDC, CH
6ES7223-1BM22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 32DI 24V DC, SINK/SOURCE, 32DO 24V DC, 0.75A/POINT, SOURCE
6ES7223-1BM22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 32DI 24V DC, SINK/SOURCE, 32DO 24V DC, 0.75A/POINT, SOURCE THIS S7-200 CN PRODUCT HAS CE APPROVAL ONLY
6ES7223-1EF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL IN-/OUTOUT MOD. EM 223, OPT. ISOL. 4 DI / 4 DO, 120 V AC EAN: 4025515160274
6ES7223-1HF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL IN-/OUTOUT MOD. EM 223, RELAY, 4 DI / 4 DO, 5-30V DC, 250V AC EAN: 4025515160281
6ES7223-1HF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 4 DI / 4 DO RELAY, 5-30 V DC, 250 V AC
6ES7223-1PH20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1PH21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1PH22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 8 DI 24 V DC, SINK/SOURCE, 8 DO RELAY, 2A/POINT
6ES7223-1PL00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL MODULE EM 223, DIGITAL IN-/OUTPUT MOD. 16 DI DC 24 V/ 16 DO RELAY EAN: 4025515160304
6ES7223-1PL21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223
6ES7223-1PL22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 16 DI 24 V DC, SINK/SOURCE 16 DO RELAY, 2A/POINT THIS S7-200 CN PRODUCT HAS CE APPROVAL ONLY
6ES7223-1PL30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, DIGITAL I/O SM 1223, 16DI / 16DO, 16DI DC 24 V, SINK/SOURCE, 16DO, RELAY 2A
6ES7223-1PM22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, DIGITAL I/O EM 223, FOR S7-22X CPU ONLY, 32 DI 24 V DC, SINK/SOURCE 32 DO RELAY, 2A/POINT
6ES7231-0HC00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG INPUT EM 231, NON - ISOLATED, 3 AI 12 BIT UNIPOLAR, IN RANGES: DC 0-5 V/ DC 0-10 V, 0-20 MA EAN: 4025515160311
6ES7231-0HC20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 4AI, +/-10V DC, 12BIT CONVERTER EAN: 4025515161615
6ES7231-0HC21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 4 AI, 0 - 10V DC, 12 BIT CONVERTER
6ES7231-0HC22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 4 AI, 0 - 10V DC, 12 BIT CONVERTER
6ES7231-0HC22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, analog input, EM 231,
6ES7231-0HF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG INPUT EM 231, FOR S7-22X CPU ONLY, 8 AI, 0-10V DC, MAX 2AE 0..20MA 12/11 BIT CONVERTER
6ES7231-4HF30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, ANALOG INPUT, SM 1231, 8 AI, /-10V, /-5V, /-2.5V, OR 0-20 MA 12 BIT SIGN OR (13 BIT ADC)
6ES7231-5PD30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, ANALOG INPUT, SM 1231 RTD, 4 X AI RTD MODULE
6ES7231-7PB22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, RTD INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 2AI, PT100/200/500/1000/10000 NI100/120/1000, CU10, RESISTANCE 150/300/600 OHM 15 BIT SIGN
6ES7231-7PB22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, RTD INPUT MOD. 4POINTS, CH
6ES7231-7PC22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, RTD INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 4AI, PT100/200/500/1000/10000 NI100/120/1000, CU10, 14 GOST, RESISTANCE 150/300/600 OHM 15 BIT+ SIGN
6ES7231-7PD22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, T/C INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 4 AI, /-80 MV AND THERMOCOUPLE TYPE J,K,S,T,R,E,N; 15BIT VORZ.
6ES7231-7PD22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, T/C INPUT MOD. 4POINTS, CH
6ES7231-7PF22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, T/C INPUT MOD. EM 231, FOR S7-22X CPU ONLY, 8 AI, /-80 MV AND THERMOCOUPLE TYPE J,K,S,T,R,E,N; 15BIT VORZ.
6ES7232-0HB00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG OUTPUT EM232, NON-ISOLATED 2AQ, 12 BIT RESOLUTION, /- 10 V OR 0 - 20 MA EAN: 4025515160991
6ES7232-0HB21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG OUTPUT EM 232, FOR S7-22X CPU ONLY, 2 AQ, +/- 10V DC, 12 BIT CONVERTER
6ES7232-0HB22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG OUTPUT EM 232, FOR S7-22X CPU ONLY, 2 AQ, /- 10V DC, 12 BIT CONVERTER
6ES7232-0HB22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG OUTPUT, 2AQX12B, CH
6ES7232-0HD22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG OUTPUT EM 232, FOR S7-22X CPU ONLY, 4 AQ, /- 10V DC, 0..20MA 12/11 BIT CONVERTER
6ES7234-4HE30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, ANALOG I/O SM 1234, 4 AI / 2 AO, /-10V, 14 BIT RESOLUTION, OR 0-20 MA, 13 BIT RESOLUTION,
6ES7235-0KD21-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG I/O EM 235, FOR S7-22X CPU ONLY, 4 AI, DC +/-10V; 1AQ, DC +/-10V 12 BIT CONVERTER
6ES7235-0KD22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG I/O EM 235, FOR S7-22X CPU ONLY, 4 AI, DC /-10V; 1AQ, DC /-10V 12 BIT CONVERTER
6ES7235-0KD22-0XA8	SIEMENS	Simatic S7	SIMATIC S7-200, ANALOG I/O, 4AI/1AQX12B, CH
6ES7241-1AA22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, MODERN MODULE ANALOG MODEM, FOR PPI PROTOCOL, MODBUS MASTER/SLAVE PROTOCOL, MESSAGING TO MOBILE OR PAGER, S7-200 TO S7-200 COMMUNICATION, CALL BACK FUNCTION, PASSWORD
6ES7241-1CH30-0XB0	SIEMENS	Simatic S7	SIMATIC S7-1200, COMMUNICATION COMMUNICATION MODULE CM 1241, RS485, 9 PIN SUB D (MALE), SUPPORTS MESSAGE BASED FREEPORT
6ES7253-1AA22-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, EM 253 POSITIONING MODULE, 200 KHZ, FOR CONTROLLING STEPPER OR SERVO DRIVE, OPEN LOOP CONTROL, PROGRAMMING WITH MICRO/WIN
6ES7272-0AA20-0YA0	SIEMENS	Simatic S7	SIMATIC S7, TD 200 TEXT DISPLAY FOR S7-200, 2 LINES WITH CABLE (2.5M) AND MOUNTING ACCESSORIES
6ES7272-0AA30-0YA1	SIEMENS	Simatic S7	SIMATIC S7, TD 200 TEXTDISPLAY FOR S7-200, 2 LINES, WITH CABLE (2.5M) AND MOUNTING ACCESSORIES, CONFIGURATION WITH STEP7-MICRO/WIN W/O ATEX CERTIFICATE
6ES7272-0AA31-0YA1	SIEMENS	Simatic S7	SIMATIC S7, TD200, TEXTDISPLAY MAJA, CUSTOMIZED WITHOUT ATEX CERTIFICATE
6ES7272-1AA10-0YA0	SIEMENS	Simatic S7	SIMATIC S7-200, TD200C CUSTOMIZ. TXT DISPL. F. S7-200, 2 LINES, WITH CABLE (2.5M) AND MOUNTING ACCESSORIES, CONFIGURATION WITH STEP7-MICRO/WIN
6ES7274-1XF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, SIM274 SIMULATOR MODULE, 8 DI SIMULATOR SWITCHES, DC INPUT, FOR CPU AND EM,
6ES7277-0AA20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, PROFIBUS DP SLAVE MODULE, 9.6KB TO 12MB 1 PORT, PROFIBUS DP/MPI FOR CPU222 - CPU 226 WITH NEW FIRMWARE ONLY
6ES7290-2AA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, TERMINAL ELEMENT WITH 12 TERMINALS FOR FIELD WIRING, FOR CPU 212/221/222 10 PIECES PER PACKAGING UNIT
6ES7290-2BA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, TERMINAL ELEMENT (SET OF 10), DC INPUTS, FOR CPU 214 EAN: 4025515160793
6ES7291-8BA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, BATTERY MODULE F. LONG-TERM BACKUP OF DATA PLUGGABLE IN VERTICAL TRUNKING OF MEMORY SUBMODULE OF CPU 214 EAN: 4025515160748
6ES7291-8BA20-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, BATTERY MODULE F. LONG-TERM BACKUP OF DATA PLUGGABLE IN MEMORY SUBMODULE SLOT OF S7-22X CPU
6ES7291-8GC00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY MODULE MC 291, 8 KBYTE EEPROM EAN: 4025515160755
6ES7291-8GD00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY MODULE MC 291, FOR CPU 215/216 16 KBYTE EEPROM EAN: 4025515160762
6ES7291-8GE20-0XA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY MODULE MC 291, FOR S7-22X CPU ONLY
6ES7291-8GH23-0XA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY MODULE MC 291, 256 KBYTES, FOR S7-22X CPU (FROM .23-0XB0) STORAGE OF PLC PROGRAM, DATA LOGGING, RECIPE HANDLING
6ES7292-1AD20-0AA0	SIEMENS	Simatic S7	SIMATIC S7-200, SPARE PART I/O TERMINAL BLOCK FOR EM 221, EM 222, (4 PIECES, 7 SCREWS EACH)
6ES7292-6AA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200 22X BUS UPGRADE KIT THIS KIT FIXES A PARITY ERROR ON THE 22X BUS IF S7-200 IS >0 INSTALL THIS KIT
6ES7297-1AA20-0XA0	SIEMENS	Simatic S7	SIMATIC S7 COMBINED BATTERY A. CLOCK MOD. PLUGGABLE IN MEMORY SUBMODULE SLOT OF S7-221/222 CPU
6ES7298-8AA00-8AHO	SIEMENS	Simatic S7	SIMATIC S7-200, DOCUMENTATION HW AND INST. MANUAL INCL. LIST OF INSTRUCTIONS GERMAN
6ES7305-1BA80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 OUTDOOR STABILIZED POWER SUPPLY PS305 INPUT: 24-110 V DC OUTPUT: 24 V DC/2 A

6ES7307-1BA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, STABILIZED POWER SUPPLY, PS 307, 120/230 V AC; 24 V DC, 2 A
6ES7307-1BA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: DC 24 V DC/2 A
6ES7307-1EA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, STABILIZED POWER SUPPLY, PS 307, 120/230 V AC; 24 V DC, 5 A
6ES7307-1EA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: DC 24 V DC/5 A
6ES7307-1EA80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 OUTDOOR STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: 24 V DC/5 A/5
6ES7307-1KA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, STABILIZED POWER SUPPLY, PS 307, 120/230 V AC; 24 V DC, 10 A
6ES7307-1KA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 POWER SUPPLY PS 307 120/230 V AC; 24 V DC, 10 A
6ES7307-1KA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 STABILIZED POWER SUPPLY PS307 INPUT: 120/230 V AC OUTPUT: DC 24 V DC/10 A
6ES7312-1AD10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312 CPU WITH MPI INTERFACE INTEGRATED 24 V DC POWER SUPPLY 16 KBYTE WORKING MEMORY MICRO MEMORY CARD NECESSARY
6ES7312-1AE13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312 CPU WITH MPI INTERFACE, INTEGRATED 24 V DC POWER SUPPLY 32 KBYTE WORKING MEMORY, MICRO MEMORY CARD NECESSARY
6ES7312-5AC00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, CPU 312 CENTRAL PROCESSING UNIT WITH COUNTER, FREQUENCY MEASUREMENT INTEGR. POWER SUPPLY 24V DC 6 KBYTES WORKING MEMORY
6ES7312-5AC02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312 IFM CENTRAL PROCESSING UNIT WITH 10 DI/6 DO, 1 X 20 PIN., COUNTER, FREQUENCY MEASUREMENT INTEGRATED POWER SUPPLY 24V DC 6 KBYTES WORKING MEMORY
6ES7312-5AC81-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312 FOR EXPANDED TEMPERATURE RANGE COUNTER, FREQUENCY MEASUREMENT INTEGRATED POWER SUPPLY 24V DC 6 KBYTES WORKING MEMORY
6ES7312-5BD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312C COMPACT CPU WITH MPI 10 DI/6 DO 2 FAST COUNTERS (10 KHZ) INTEGRATED 24V DC POWER SUPPLY 16 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7312-5BD01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312C COMPACT CPU WITH MPI 10 DI/6 DO 2 FAST COUNTERS (10 KHZ) INTEGRATED 24V DC POWER SUPPLY 16 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7312-5BE03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 312C COMPACT CPU WITH MPI, 10 DI/6 DO, 2 FAST COUNTERS (10 KHZ), INTEGRATED 24V DC POWER SUPPLY, 32 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7313-1AD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313 W. INTEGR. 24V DC POWER SUPPLY 12 KBYTE WORKING MEMORY APPROX. 4 KAW, 0.6 MS/KAW
6ES7313-1AD02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313 CPU WITH INTEGRATED 24V DC POWER SUPPLY 12 KBYTE WORKING MEMORY
6ES7313-1AD03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313 CPU WITH INTEGRATED 24V DC POWER SUPPLY 12 KBYTE WORKING MEMORY
6ES7313-5BE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO 1 PT100 3 FAST COUNTERS (30 KHZ) INTEGRATED 24V DC POWER SUPPLY 32 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7313-5BE01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO 1 PT100 3 FAST COUNTERS (30 KHZ) INTEGRATED 24V DC POWER SUPPLY 32 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7313-5BF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C, COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO 1 PT100, 3 FAST COUNTERS (30 KHZ), INTEGRATED 24V DC POWER SUPPLY, 64KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7313-6BF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2 PTP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7313-6BG04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2 PTP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 128 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7313-6CE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2DP COMPACT CPU WITH MPI 16 DI/16 DO 3 FAST COUNTERS (30 KHZ) INTEGRATED DP INTERFACE INTEGRATED 24V DC POWER SUPPLY 32 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7313-6CE01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2DP COMPACT CPU WITH MPI 16 DI/16 DO 3 FAST COUNTERS (30 KHZ) INTEGRATED DP INTERFACE INTEGRATED 24V DC POWER SUPPLY 32 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7313-6CF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2DP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7313-6CG04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 313C-2DP COMPACT CPU WITH MPI, 16 DI/16 DO, 3 FAST COUNTERS (30 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 128 KBYTE WORKING MEMORY, FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7314-1AE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU W. MULTI POINT INTERFACE MPI INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AE01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU W. MULTI POINT INTERFACE MPI INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AE02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AE03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AE04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AE84-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 FOR EXPANDED TEMPERATURE RANGE INTEGRATED 24 V DC POWER SUPPLY 24 KBYTE WORKING MEMORY
6ES7314-1AF10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH MPI INTERFACE INTEGRATED 24 V DC POWER SUPPLY 48 KBYTE WORKING MEMORY MICRO MEMORY CARD NECESSARY
6ES7314-1AF11-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH MPI INTERFACE INTEGRATED 24 V DC POWER SUPPLY 64 KBYTE WORKING MEMORY MICRO MEMORY CARD NECESSARY
6ES7314-1AG14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 CPU WITH MPI INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 128 KBYTE WORKING MEMORY, MICRO MEMORY CARD NECESSARY
6ES7314-5AE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 IFM COMPACT CPU WITH MPI, 16DI/16DO, 4AI/1AO, 2 X 40 PIN, INTEGRATED 24V DC POWER SUPPLY, 24 KBYTE WORKING MEMORY
6ES7314-5AE03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 IFM COMPACT CPU WITH MPI, 16DI/16DO, 4AI/1AO, 2 X 40 PIN, INTEGRATED 24V DC POWER SUPPLY, 32 KBYTE WORKING MEMORY
6ES7314-5AE10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314 IFM COMPACT CPU WITH SLOT F. MC 16DI/16DO, 4AI/1AO, 2 X 40 PIN, INTEGRATED 24V DC POWER SUPPLY, 32 KBYTE WORKING MEMORY
6ES7314-6BF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2 PTP COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO, 1 PT100 4 FAST COUNTERS (60 KHZ) INTEGRATED INTERFACE RS485 INTEGRATED 24V DC POWER SUPPLY 48 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7314-6BF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2 PTP COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO, 1 PT100 4 FAST COUNTERS (60 KHZ) INTEGRATED INTERFACE RS485 INTEGRATED 24V DC POWER SUPPLY 48 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7314-6BF02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2 PTP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7314-6BG03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2 PTP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED INTERFACE RS485, INTEGRATED 24V DC POWER SUPPLY, 96 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7314-6CF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2DP COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO, 1 PT100 4 FAST COUNTERS (60 KHZ) INTEGRATED DP INTERFACE INTEGRATED 24V DC POWER SUPPLY 48 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7314-6CF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2DP COMPACT CPU WITH MPI 24 DI/16 DO, 4AI, 2AO, 1 PT100 4 FAST COUNTERS (60 KHZ) INTEGRATED DP INTERFACE INTEGRATED 24V DC POWER SUPPLY 48 KBYTE WORKING MEMORY MICRO MEMORY CARD REQUIRED
6ES7314-6CF02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2DP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY, FRONT CONNECTOR (X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7314-6CG03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2DP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 96 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED
6ES7314-6CH04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 314C-2 DP COMPACT CPU WITH MPI, 24 DI/16 DO, 4AI, 2AO, 1 PT100, 4 FAST COUNTERS (60 KHZ), INTEGRATED DP INTERFACE, INTEGRATED 24V DC POWER SUPPLY, 192 KBYTE WORKING MEMORY, FRONT CONNECTOR (2 X 40PIN) AND MICRO MEMORY CARD REQUIRED

6ES7315-1AF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315 CPU WITH INTEGRATED 24 V DC POWER SUPPLY, 48 KBYTE WORKING MEMORY
6ES7315-2AF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315-DP CPU WITH INTEGRATED 24V DC PS, 48 KBYTE WORKING MEMORY 2ND INTERFACE DP-MASTER/SLAVE
6ES7315-2AF02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315-DP CPU WITH INTEGRATED 24 V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY 2ND INTERFACE DP-MASTER/SLAVE
6ES7315-2AF02-0AB0-Z	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315-DP CPU WITH INTEGRATED 24 V DC PS, 64KB WORKING MEMORY 2ND INTERFACE DP-MASTER/SLAVE
6ES7315-2AF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315-2 DP CPU WITH INTEGRATED 24 V DC POWER SUPPLY, 64 KBYTE WORKING MEMORY 2ND INTERFACE DP-MASTER/SLAVE
6ES7315-2AG10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315-2DP CPU WITH MPI INTERFACE INTEGRATED 24 V DC POWER SUPPLY 128 KBYTE WORKING MEMORY 2. INTERFACE DP-MASTER/SLAVE MICRO MEMORY CARD NECESSARY
6ES7315-2EG10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 128 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
6ES7315-2EH13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 256 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
6ES7315-2EH14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 315-2 PN/DP, CENTRAL PROCESSING UNIT WITH 384 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7315-2FH10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU315F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 192 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY USEABLE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER
6ES7315-2FH13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU315F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 256 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY USEABLE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER
6ES7315-2FH14-0AB0	SIEMENS	Simatic S7	CPU 315 F-2 PN/DP CPU WITH MPI INTEGRATED 24 V DC POWER SUPPLY
6ES7315-2FJ14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU315F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7315-6FF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315F CENTRAL UNIT FOR S7-300F, 128 KBYTE WORKING MEMORY, 2 INTERFACES: 1 MPI/DP UND 1 DP INTEGRATED 24V DC POWER SUPPLY, MICRO MEMORY CARD REQUIRED
6ES7315-6FF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315F CENTRAL UNIT FOR S7-300F 192 KB WORKING MEM., 40MM WIDE 384 BYTES PAE/384 BYTES PAA 2 INTERFACES: 1 MPI/DP UND 1 DP INTEGRATED 24V DC POWER SUPPLY MICRO MEMORY CARD REQUIRED
6ES7315-6FF04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315F-2DP FAILSAFE CPU WITH MPI INTERFACE INTEGRATED 24V DC POWER SUPPLY, 384 KB WORKING MEMORY, 40MM WIDE, 2. INTERFACE DP-MASTER/SLAVE MICRO MEMORY CARD REQUIRED
6ES7315-6TG10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 128 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN)
6ES7315-6TH13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 315T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 256 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN. 4MB NECESSARY
6ES7316-2AG00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 316-2DP CPU WITH INTEGRATED 24 V DC POWER SUPPLY, 128 KBYTE WORKING MEMORY 2ND INTERF. DP-MASTER/SLAVE
6ES7317-2AJ10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317-2DP, CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY
6ES7317-2AK14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU317-2 DP, CENTRAL PROCESSING UNIT WITH 1 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY
6ES7317-2EJ10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 317-2 PN/DP, CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
6ES7317-2EK13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 317-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1 MB WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
6ES7317-2EK14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 317-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1 MB WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7317-2FJ10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU317F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER
6ES7317-2FK13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU317F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1024 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.4 OR HIGHER
6ES7317-2FK14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU317F-2 PN/DP, CENTRAL PROCESSING UNIT WITH 1.5 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7317-6FF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317F-2DP CENTRAL PROCESSING UNIT WITH 512 KBYTE WORKING MEMORY 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP-MASTER/SLAVE MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.2 SP1 AND HIGHER
6ES7317-6FF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317F-2DP, CENTRAL PROCESSING UNIT WITH 1024 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.2 SP1 AND HIGHER
6ES7317-6FF04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317F-2DP, CENTRAL PROCESSING UNIT WITH 1.5 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAFETY V5.2 SP1 AND HIGHER
6ES7317-6TF14-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317TF-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY AND SAFETY, 1.5 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN.
6ES7317-6TJ10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 512 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN. 4MB NECESSARY
6ES7317-6TK13-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 317T-2 DP, CENTRAL PROCESSING UNIT FOR PLC AND TECHNOLOGY 1024 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S 2. INTERFACE DP(DRIVE), INTEGRATED I/O FOR TECHNOLOGY FRONT CONNECTOR (1 X 40PIN) AND MICRO MEMORY CARD MIN. 4MB NECESSAR
6ES7318-2AJ00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, CPU 318-2 DP 512 KBYTE USER MEMORY (256 KB CODE; 256 KB DATA 1ST INTERF. = MPI 12 MBIT/S; 2ND INTERF. = PROFIBUS DP
6ES7318-3EL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 319-3 PN/DP, CENTRAL PROCESSING UNIT WITH 1,4 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, 3. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY
6ES7318-3EL01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU 319-3 PN/DP, CENTRAL PROCESSING UNIT WITH 2 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, 3. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7318-3FL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU319F-3 PN/DP, CENTRAL PROCESSING UNIT WITH 1400 KBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, 3. INTERFACE ETHERNET PROFINET, MICRO MEMORY CARD NECESSARY FOR USE WITH SOFTWARE OPTION S7 DISTRIBUTED SAF
6ES7318-3FL01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300 CPU319F-3 PN/DP, CENTRAL PROCESSING UNIT WITH 2.5 MBYTE WORKING MEMORY, 1. INTERFACE MPI/DP 12MBIT/S, 2. INTERFACE DP-MASTER/SLAVE, 3. INTERFACE ETHERNET PROFINET, WITH 2 PORT SWITCH, MICRO MEMORY CARD NECESSARY
6ES7321-1BH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT, SM 321, 16*DC 24V, OPTICALLY ISOLETED
6ES7321-1BH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 16DI, 24 V DC
6ES7321-1BH02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16DI, 24 V DC, 1 X 20 PIN
6ES7321-1BH50-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 16DI, 24 V DC, SOURCE INPUT, 1 X 20 PIN
6ES7321-1BH81-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT FOR EXPANDED TEMPERATURE RANGE GALVAN. ISOLATED, 16DI, 24 V DC
6ES7321-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 32DI, 24 V DC, 1 X 40 PIN

6ES7321-1BL80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED FOR EXPANDED TEMPERATURE RANGE 32DI, 24V DC (1 X 32DI), 40 PIN
6ES7321-1BP00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 DIGITAL INPUT SM321, OPTICALLY ISOLATED IN GROUPS OF 16, 64 DI,DC 24V, 3MS, SINKING/SOURCING TERMINAL BLOCKS 6ES7392-1.N00-0AA0 AND CABLES 6ES7392-4...0-0AA0 NECESSARY
6ES7321-1CH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16 DE, AC/DC 24 - 48V WITH ONE CHANNEL PER COMMON, 1 X 40 PIN
6ES7321-1CH20-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16 DI, DC 48-125V, 1 X 20 PIN
6ES7321-1CH80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, FOR EXPANDED TEMPERATURE RANGE, 16 DI, DC 48 - 125V, 20 PIN
6ES7321-1EH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 16 DI, 120V AC, 20 PIN
6ES7321-1EL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 32 DI, 120V AC, 1 X 40 PIN
6ES7321-1FF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 8 DI, 120V/230V AC, 20 PIN
6ES7321-1FF01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 8 DI, 120V/230V AC, 1 X 20 PIN
6ES7321-1FF10-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 8 DI, 120V/230V AC, 1 X 40 PIN, WITH 1 POINT PER COMMON
6ES7321-1FF81-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT FOR EXPANDED TEMPERATURE RANGE ISOLATED., 8DI, 120V/230V AC
6ES7321-1FH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, OPTICALLY ISOLATED 16 DI, 120/230V AC, 1 X 20 PIN
6ES7321-7BH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, SM 321 DIGITAL INPUT MODULE, OPTIC. ISOLATED, 16 DI, DC 24V PROCESS INTERRUPT, DIAGNOSTICS
6ES7321-7BH01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT SM 321, GALVANICALLY ISOLATED, 16 DI, DC 24V, 1 X 20 PIN, PROCESS INTERRUPT, DIAGNOSTICS, FIT FOR ISOCHRON MODE
6ES7321-7BH80-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL INPUT FOR EXPANDED TEMPERATURE RANGE ISOLATED, 16 DI, 24V DC PROCESS INTERRUPT, DIAGNOSTICS
6ES7321-7RD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL INPUT SM 321, OPTICALLY ISOLATED, 4 DI, 24V DC, NAMUR/DIN 19234, F. SIGNALS F HAZARDOUS AREAS, CAPABLE OF DIAGNOST.,PTB-TESTED
6ES7321-7TH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7/PCS7, SM 321 DIGITAL INPUT MODULE, 16 DI, 24V DC, CAPABLE OF DIAGNOSTICS, FOR CONTACTS (CONNECTED/UNCONNECTED), NAMUR SENSOR, 3/4-WIRE-BERO, WITH FLUTTER MONITORING, PULSE LENGTHENING, WIRE BREAK DETECTION, IM 153-2 INTERFACE MODULE REQUIRED
6ES7322-1BF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY IS
6ES7322-1BF01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 24V DC, 2A, 1 X 20 PIN
6ES7322-1BH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DO, 24V DC, 0.5A, 20 PIN
6ES7322-1BH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DO, 24V DC, 0.5A, 1 X 20 PIN SUM OF OUTPUT CURRENTS 4A/GROUP (8A/MODULE)
6ES7322-1BH81-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT FOR EXPANDED TEMPERATURE RANGE ISOLATED, 16DO, 24V DC,0.5A
6ES7322-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 32DO, 24V DC, 0.5A, 1 X 40 PIN, SUM OF OUTPUT CURRENTS 4A/GROUP (16A/MODULE)
6ES7322-1BP00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 DIGITAL OUTPUT SM322, OPTICALLY ISOLATED IN GROUPS OF 16, 64 DO, DC 24V, 0.3A, (SOURCING) TOTAL CURRENT 2A/GROUP 8A/MODULE TERMINAL BLOCKS 6ES7392-1.N00-0AA0 AND CABLES 6ES7392-4...0-0AA0 NECESSARY
6ES7322-1BP50-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300 DIGITAL OUTPUT SM322, OPTICALLY ISOLATED IN GROUPS OF 16, 64DO, DC 24V, 0.3A M-WRITE TOTAL CURRENT 2A/GROUP 8A/MODULE TERMINAL BLOCKS 6ES7392-1.N00-0AA0 AND CABLES 6ES7392-4...0-0AA0 NECESSARY
6ES7322-1CF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, DC 48-125V, 1.5A, 1 X 20 PIN
6ES7322-1CF80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, FOR EXPANDED TEMPERATURE RANGE, 8 DO, DC 48-125V, 1.5A, 20 PIN
6ES7322-1EH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DO, 120V AC, 0.5A, 20 PIN
6ES7322-1EH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 321, OPTICALLY ISOLATED 16 DO, 120 V AC, 0.5A
6ES7322-1EL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED 32 DO, 120 V AC, 1A DOUBLE-WIDTH HOUSING
6ES7322-1FF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 120/230V AC, 1A, 20 PIN
6ES7322-1FF01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 120/230V AC, 1A, 1 X 20 PIN
6ES7322-1FF81-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT FOR EXPANDED TEMPERATURE RANGE ISOLATED, 8DO, 120/230V AC,1A
6ES7322-1FH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 321, OPTICALLY ISOLATED 16 DO, 120/230V AC, 1 A, 1 X 20 PIN
6ES7322-1FL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 32 DO, AC 120V/230V, 1A, DOUBLE WIDTH HOUSING, 2 X 20 PIN
6ES7322-1HE01-0AA0	SIEMENS	Simatic S7	
6ES7322-1HF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY IS
6ES7322-1HF01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 20 PIN, 24V DC, 2A OR 230V AC, 2A
6ES7322-1HF10-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 40 PIN, 24V DC, 5A OR 230V AC, 5A, CONNECTOR W.SPRING TERMINAL CAN BE USED FROM 6ES7392-1BM01-0AA0
6ES7322-1HF80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT FOR EXPANDED TEMPERATURE RANGE ISOLATED, 8DO (RELAY OUTPUTS) 24V DC, 5A OR 230V AC, 5A
6ES7322-1HH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED 16DO, RELAY CONTACTS,(2 X 8 DO)
6ES7322-1HH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED 16DO, RELAY CONTACTS, 1 X 20 PIN
6ES7322-5FF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 120/230V AC, 2A, WITH 1 POINT PER COMMON AND SELECTABLE FAIL MODE, 1 X 40 PIN
6ES7322-5GH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 16 DA (SOLID STATE RELAY), AC/DC 24 - 48V; 0.5A; 1.5A SURGE CURRENT, ONE CHANNEL PER COMMON, 1 X 40 PIN
6ES7322-5HF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO (RELAY), 1 X 40 PIN, 24V DC, 120 - 230V AC, 5A WITH INTEGR. SNUBBER F. IND. LOADS
6ES7322-5RD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 4 DO, 15V / 20MA, 1 X 20 PIN, FOR SIGNALS FROM HAZARDOUSAREAS CAPABLE OF DIAGNOST.,PTB-TESTED
6ES7322-5SD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 4 DO, 24V DC, 10MA, 1 X 20 PIN, FOR SIGNALS FROM HAZARDOUSAREAS CAPABLE OF DIAGNOST.,PTB-TESTED
6ES7322-8BF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322, OPTICALLY ISOLATED, 8 DO, 24V DC, 0.5 A (1 X 8 DO), SHORT-CIRCUIT PROTECTION, DIAGNOSTICS, 1 X 20 PIN
6ES7322-8BF80-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL OUTPUT SM 322
6ES7322-8BH01-0AB0	SIEMENS	Simatic S7	SIMATIC S7/PCS7, SM 322 DIGITAL OUTPUT MODULE, 16 DO, DC 24 V / 0.5A, CAPABLE OF DIAGNOSTICS, WIRE BREAK DETECTION TO 0 AND 1 SIGNAL, 1 X 40-PIN, INTERFACE MODULE IM 153-2 NECESSARY
6ES7323-1BH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL MODULE SM 323, OPTICALLY ISOLATED 8DI AND 8DO, 24V DC, 0.5A AGGREGATE CURRENT 2A
6ES7323-1BH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL MODULE SM 323, OPTICALLY ISOLATED, 8 DI AND 8 DO, 24V DC, 0.5A AGGREGATE CURRENT 2A, 1X20 PIN
6ES7323-1BH81-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL MODULE SM 323
6ES7323-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL MODULE SM 323, OPTICALLY ISOLATED, 16 DI AND 16 DO, 24V DC, 0.5A, AGGREGATE CURRENT 4A, 1X40 PIN
6ES7326-1BK00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL INPUT SM 326, 24 DI; DC 24V, 40 PIN FAILSAFE DIGITAL INPUTS FOR SIMATIC S7F SYSTEMS WITH DIAGNOST. INTERRUPT
6ES7326-1BK01-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL INPUT SM 326, 24 DI; DC 24V, 40 PIN, FAILSAFE DIGITAL INPUTS FOR SIMATIC S7 FAILSAFE SYSTEMS WITH DIAGNOST. INTERRUPT
6ES7326-1BK02-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL INPUT SM 326, F-DI 24 X DC 24V, FAILSAFE DIGITAL INPUTS FOR SIMATIC S7 FAILSAFE SYSTEMS WITH DIAGNOST. INTERRUPT, 1 X 40 PIN
6ES7326-1RF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL INPUT SM 326, 8 DI; DC 24V, NAMUR, FAILSAFE NAMUR INPUTS FOR SIMATIC S7F SYSTEMS, 1 X 40 PIN
6ES7326-2BF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 326, 10 DO; 24V DC, 2A, FAILSAFE OUTPUT MODULE FOR SIMATIC S7F SYSTEMS WITH DIAGNOST. INTERRUPT, 40 PIN
6ES7326-2BF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 326, 10 DO; 24V DC, 2A FAILSAFE DIGITAL OUTPUT FOR SIMATIC S7F SYSTEMS WITH DIAGNOST. INTERRUPT, 40 PIN
6ES7326-2BF10-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM326, F-DO10 X DC24V/2A PP, FAILSAFE DIGITAL OUTPUT FOR SIMATIC S7F SYSTEMS WITH DIAGNOST. INTERRUPT, LVV, 1 X 40 PIN
6ES7326-2BF40-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 326, DO 8 X DC 24V/2A PM FAILSAFE DIGITAL OUTPUT P-M SWITCHING UP TO CATEGORY 4 (EN954-1), SIL 3 (IEC 61508)
6ES7326-2BF41-0AB0	SIEMENS	Simatic S7	SIMATIC S7, DIGITAL OUTPUT SM 326, F-DO 8 X DC 24V/2A PM FAILSAFE DIGITAL OUTPUT P-M SWITCHING UP TO CATEGORY 4 (EN954-1), SIL 3 (IEC 61508)

6ES7327-1BH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, DIGITAL MODULE SM 327, OPTICALLY ISOLATED, 8 DI AND 8 DX, 24V DC, 0.5A 1 X 20 PIN, 8DX CHANNELWISE PROGRAMMABLE AS DI OR DO
6ES7328-0AAA0-7AA0	SIEMENS	Simatic S7	SIMATIC S7-300, FRONT DOOR EXTENDED FOR 32-CHANNELSIGNAL MODULES, ALLOWS CONNECTION OF 1.3 QMM OR 16 AWG WIRE SIZE ON A 32 POINT MODULE 5 PIECES PER PACKAGING UNIT
6ES7331-1KF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED 8 AI, 13 BIT RESOLUTION U/I/RESISTANCE/PT100 NI100, NI1000, LG-NI1000 66 MS MODULE UPDATE, 40 PIN
6ES7331-1KF02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AI, 13 BIT RESOLUTION, U/I/RESISTANCE/PT100, NI100, NI1000, LG-NI1000, PTC / KTY, 66 MS MODULE UPDATE, 1 X 40 PIN
6ES7331-7HF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, GALVANICALLY ISOLATED 8 AI, 14 BIT, 0.052MS/CHANNEL CURRENT, VOLTAGE INTERRUPTS, DIAGNOSTICS,20 PIN FIT FOR ISOCHRON MODE
6ES7331-7HF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, GALVANICALLY ISOLATED, 8 AI, 14 BIT, 0.052MS/CHANNEL CURRENT, VOLTAGE INTERRUPTS, DIAGNOSTICS,1 X 20 PIN, FIT FOR ISOCHRON MODE IMPROVED DP-CYCLE TIME FOR ISOCHRON MODE
6ES7331-7KB00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 2 AI, 9/12/14 BITS RESOLUTION, U/I/THERMOCOUPLE/RESISTANCE, INTERRUPT, DIAGNOSTICS, 20 PIN
6ES7331-7KB01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS; RESOLUTION 9/12/14 BITS, 2AI
6ES7331-7KB02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 2 AI, 9/12/14 BITS RESOLUTION, U/I/THERMOCOUPLE/RESISTANCE, INTERRUPT, DIAGNOSTICS, 1 X 20 PIN, REMOVE/INSERT W. BACKPLANE BUS
6ES7331-7KB81-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT M. FOR EXPANDED TEMPERATURE RANGE ISOLATED, 2AI, 9/12/14 BIT RES. U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS
6ES7331-7KB82-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, FOR EXPANDED TEMPERATURE RANGE, 2 AI, 9/12/14 BIT RESOLUTION, U/I/THERMOCOUPLE/RESISTANCE, INTERRUPT, DIAGNOSTICS, 20 PIN
6ES7331-7KF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS; RESOLUTION 9/12/14 BITS, 8A
6ES7331-7KF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS; RESOLUTION 9/12/14 BITS, 8AI
6ES7331-7KF02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8AI, RESOLUTION 9/12/14 BITS, U/I/THERMOCOUPLE/RESISTANCE INTERRUPT, DIAGNOSTICS; 1X20PIN REMOVE/INSERT W. BACKPLANE BUS
6ES7331-7NF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AE; /-5/10V, 1-5 V, /-20MA, 0/4 TO 20MA, 16 BIT (55 MS), 1 COMMON POINT(50 V COM.), 1 X 40 PIN
6ES7331-7PF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPT. ISOL.,2/3/4 WIRE 8AI, RESISTANCE, PT100/200/1000 NI100/120/200/500/1000, CU10 16 (INTERN 24) BIT, 50MS,40 PIN
6ES7331-7PF01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPT. ISOL.,2/3/4 WIRE, 8AI, RESISTANCE, PT100/200/1000 NI100/120/200/500/1000, CU10, PLUS CHARACTERISTICS ACCORDING TO GOST STANDARD 16 (INTERN 24) BIT, 50MS, 1 X 40 PIN
6ES7331-7PF10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED 8 AI THERMOCOUPLE TYPE B, E, J, K, L, N, R, S, T 16 BIT, 50 MS, 40 PIN
6ES7331-7PF11-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AI THERMOCOUPLE, TYPE B, E, J, K, L, N, R, S, T TXK/TXK(L) ACCORDING GOST 16 BIT, 50 MS, 1 X 40 PIN
6ES7331-7RD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 4 AI, 0/4 - 20MA, 1 X 20 PIN, F. SIGNALS F. HAZARDOUS AREAS, CAPABLE OF DIAGNOST.,PTB-TESTED
6ES7331-7SF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG INPUT SM 331, OPTICALLY ISOLATED, 8 AI THERMOCOUPLE/4 AI PT100, F. SIGNALS F. HAZARDOUS AREAS, CAPABLE OF DIAGNOST.,PTB-TESTED 1 X 20 PIN
6ES7331-7TB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOG INPUT SM 331, 2 AI, 0/4 - 20MA HART, FOR ET200M WITH IM153-2, 1 X 20 PIN
6ES7331-7TF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOG INPUT SM 331, 8 AI, 0/4 - 20MA HART, FOR ET200M WITH IM153-2, 20 PIN
6ES7331-7TF01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOG INPUT SM 331, 8 AI, 0/4 - 20MA HART, FOR ET200M WITH IM153-2, 1 X 20-POLE, FEATURES: FW UPDATE, HART SECONDARY VARIABLES, REDUNDANCY, LOCAL DIAGNOSTIC BUFFER WITH TIMESTAMP, NECESSARY: PCS7 V7.0, SP1
6ES7332-5HB01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 2 AO, U/I: 11/12 BITS RESOL., 20 PIN., REMOVE/INSERT WITH ACTIVE BACKPLANE BUS
6ES7332-5HB81-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG OUTPUT M FOR EXPANDED TEMPERATURE RANGE ISOLATED, 2AO, U/I: RESOLUTION 11/12 BITS
6ES7332-5HD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY IS
6ES7332-5HD01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 4 AO, U/I; DIAGNOSTICS; RESOLUTION 11/12 BITS, 20 PIN, REMOVE/INSERT W. ACTIVE, BACKPLANE BUS
6ES7332-5HF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 8 AO, U/I; DIAGNOSTICS; RESOLUTION 11/12 BITS, 40 PIN, REMOVE/INSERT W. ACTIVE, BACKPLANE BUS
6ES7332-5RD00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG OUTPUT SM 332, OPTICALLY ISOLATED, 4 AO, 0/4 UP TO 20 MA, 20 PIN, FOR SIGNALS FROM HAZARDOUSAREAS CAPABLE OF DIANOST., PTB-TESTED
6ES7332-5TB00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOG OUTPUT SM 332, 2AO, 0/4 - 20MA HART, FOR ET200M WITH IM153-2, 20 PIN
6ES7332-7ND00-0AB0	SIEMENS	Simatic S7	SIMATIC S7,SM 332 ANALOG OUTPUT CHANNEL-TO CHANNEL ISOLATION 4 AO, 15 BIT RESOLUTION 0-10V, 1-5V, /-10V, /-20MA 0/4 - 20MA, 20 PIN
6ES7332-7ND01-0AB0	SIEMENS	Simatic S7	SIMATIC S7,SM 332 ANALOG OUTPUT CHANNEL-TO CHANNEL ISOLATION 4 AO, 15 BIT RESOLUTION 0-10V, 1-5V, /-10V, /-20MA 0/4 - 20MA, 20 PIN FIT FOR ISOCHRON MODE
6ES7332-7ND02-0AB0	SIEMENS	Simatic S7	SIMATIC S7,SM 332 ANALOG OUTPUT CHANNEL-TO CHANNEL ISOLATION, 4 AO, 16 BIT RESOLUTION, 0-10V, 1-5V, /-10V, /-20MA, 0/4 - 20MA, 20 PIN, FIT FOR ISOCHRON MODE IMPROVED DP-CYCLE TIME FOR ISOCHRON MODE
6ES7332-8TF00-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOGAUSGABE, SM 332B
6ES7332-8TF01-0AB0	SIEMENS	Simatic S7	SIMATIC DP, HART ANALOG OUTPUT SM 332, 8AO, 0/4 - 20MA HART, FOR ET200M WITH IM153-2, 20 PIN FEATURES: FW UPDATE, HART SECONDARY VARIABLES, REDUNDANCY, LOCAL DIAGNOSTIC BUFFER WITH TIMESTAMP, NECESSARY: PCS7 V7.0, SP1
6ES7334-0CE00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG INPUT/OUTPUT SM 334, NON-ISOLAT
6ES7334-0CE01-0AA0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG INPUT/OUTPUT SM 334, NON-ISOLATED, 4 AI/2 AO, 1 X 20 PIN, REMOVE AND INSERT WITH BACKPLAIN BUS
6ES7334-0KE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG MODULE SM 334, OPTICALLY ISOLATED, 4AE/2AA, 12 BIT, 0-10V F. PT100 (CLIMAT RANGE -120 - 155 DEGR.) AND 10 KOHM MEASURING RANGE, 1 X 20 PIN
6ES7335-7HF00-0AB0	SIEMENS	Simatic S7	
6ES7335-7HG00-6AA0	SIEMENS	Simatic S7	INTERFERENCE SUPPRESSOR FILTER FOR SM335
6ES7335-7HG01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG MODULE SM 335, OPTICALLY ISOLATED U/I; DIAGNOSTICS; INTERRUPT 4 AI 14 BIT RESOL. 4 AO 11/12 BIT
6ES7335-7HG02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, ANALOG MODULE SM 335, OPTICALLY ISOLATED U/I; DIAGNOSTICS; INTERRUPT, 4 AI 14 BIT RESOL., 4 AO 11/12 BIT 1 X 20-PINS
6ES7336-4GE00-0AB0	SIEMENS	Simatic S7	SIMATIC S7, ANALOG INPUT SM336 6 AI; 15 BIT; 1 X 20 PIN, FAILSAFE ANALOG INPUTS SIL 3, FOR SIMATIC SAFETY, WITH HART SUPPORT
6ES7338-4BC00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, SIGNAL MODULE FOR 3 SSI SENSORS FOR READ-IN OF POSITIONING VALUE WITH 2 FREEZE INPUTS
6ES7338-4BC01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, SIGNAL MODULE FOR 3 SSI SENSORS FOR READ-IN OF POSITIONING VALUE WITH 2 FREEZE INPUTS , 1 X 20 PIN, SUPPORTS ISOCHRON MODE
6ES7338-7XF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-300, IQ-SENSE SM338 FOR S7-300 AND ET200M FOR CONNECTING UP TO 8 IQ-SENSE SENSORS, OPTICAL SENSORS AND ULTRASONIC SENSORS CAN BE CONNECTED
6ES7340-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR
6ES7340-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24)
6ES7340-1AH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24) INCL. CONFIG. PACKAGE ON CD
6ES7340-1BH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH 20MA INTERFACE (TTY)
6ES7340-1CH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH RS422/485 INTERFACE
6ES7340-1CH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 340 COMMUNICATION PROCESSOR WITH RS422/485 INTERFACE INCL. CONFIG. PACKAGE ON CD
6ES7341-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 341 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24) INCL. CONFIG. PACKAGE ON CD
6ES7341-1AH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP341 COMMUNICATION PROCESSOR WITH RS232C INTERFACE (V.24) INCL. CONFIG. PACKAGE ON CD
6ES7341-1BH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 341 COMMUNICATION PROCESSOR WITH 20MA INTERFACE (TTY) INCL. CONFIG. PACKAGE ON CD
6ES7341-1CH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP 341 COMMUNICATION PROCESSOR WITH RS422/485 INTERFACE INCL. CONFIG. PACKAGE ON CD
6ES7341-1CH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CP341 COMMUNICATION PROCESSOR WITH RS422/485 INTERFACE INCL. CONFIG. PACKAGE ON CD

6ES7350-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, COUNTER MODULE FM 350-1 FOR S7-300
6ES7350-1AH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, COUNTER MODULE FM 350-1 FOR S7-300, COUNTER FUNCTIONS UP TO 500 KHZ 1 CHANNEL FOR CONNECTION OF 5V AND 24V INCREMENTAL ENCODERS INCL. CONFIG. PACKAGE ON CD
6ES7350-1AH03-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, COUNTER MODULE FM 350-1 FOR S7-300, COUNTER FUNCTIONS UP TO 500 KHZ 1 CHANNEL FOR CONNECTION OF 5V AND 24V INCREMENTAL ENCODERS ISOCHRON MODE, MEASUREMENT MODE INCL. CONFIG. PACKAGE ON CD
6ES7350-2AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, COUNTER MODULE FM 350-2, 8 CHANNELS, 10 KHZ, 24V ENCODER FOR COUNTING, MEASURING LENGTHS, MEASURING FREQUENCIES, SPEED MEASUREMENT
6ES7350-2AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, COUNTER MODULE FM 350-2, 8 CHANNELS, 20 KHZ, 24V ENCODER FOR COUNTING, MEASURING FREQUENCIES, SPEED MEASUREMENT, PERIOD DURATION MEASUREMENT AND PROPORTIONING INCL. CONFIG. PACKAGE AND ELECTRONIC DOCU ON CD
6ES7351-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 351 POSITIONING MODULE
6ES7351-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 351 POSITIONING MODULE FOR RAPID/ CREEP FEED DRIVE
6ES7352-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 352 ELECTRON. CAM-OPERATED CONT
6ES7352-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 352 ELECTRON. CAM-OPERATED CONTROL
6ES7352-1AH02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 352 ELECTRON. CAM-OPERATED CONTROL INCL. CONFIG. PACKAGE ON CD
6ES7352-5AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM352-5 WITH SINK OUT, HIGH SPEED BOOLEAN PROCESSOR, FOR HIGH-SPEED LOGIC OPERATION 12 DI, 8 DO, 1 ENCODER INTERF. FOR RS422 INCR./SSI ENCODER
6ES7352-5AH10-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM352-5 WITH SRC OUT, HIGH SPEED BOOLEAN PROCESSOR, FOR HIGH-SPEED LOGIC OPERATION 12 DI, 8 DO, 1 ENCODER INTERF. FOR RS422 INCR./SSI ENCODER
6ES7353-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 353 FUNCTION MODULE FOR POSITIONING WITH STEPPER MOTOR
6ES7353-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FUNCTION MODULE FM 353, FOR POSITIONING WITH STEPPER MOTOR, MODULE EXCHANGE W/O PG, PREREQUISITE STEP7 V3.1 INCL. CONFIG. PACKAGE ON CD
6ES7354-1AH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 354 SUBMODULE FOR POSITIONING WITH SERVOMOTORS
6ES7354-1AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 354 SUBMODULE FOR POSITIONING WITH SERVOMOTORS, MODULE EXCHANGE W/O PG, PREREQUISITE STEP7 V3.1 INCL. CONFIG. PACKAGE ON CD
6ES7355-0VH10-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CONTROL MODULE FM 355 C, 4 CHANNELS, CONTIN. 4 AI 8 DI 4 AO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/FR/IT) ON CD-ROM
6ES7355-1VH10-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, CONTROL MODULE FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI 8 DI 8 DO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/FR/IT) ON CD-ROM
6ES7355-2SH00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, TEMPERATURE CONTROL MODULE FM 355 S, 4 CHANNELS, STEP AND PULSE, 4 AI 8 DI 8 DO INCL. MULTI-LANG CONFIG. PACK., MANUAL AND GETTING STARTED (GER/EN/IT) ON CD-ROM
6ES7357-4AH00-0AE0	SIEMENS	Simatic S7	FUNCTION MODULE FM 357 (HARDWARE) FOR POSITIONING AND PATH CONTROL OF STEPPER AND SERVO MOTORS (4 MEASURING CIRCUITS)
6ES7357-4AH01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FUNCTION MODULE FM 357-2 (M80486 CPU) FOR POSITIONING AND PATH CONTROL OF STEPPER AND SERVO MOTORS (4 MEASURING CIRCUITS)
6ES7360-3AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, INTERFACE MODULE IM 360
6ES7360-3AA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, INTERFACE MODULE IM 360 IN CENTRAL RACK FOR CONNECTING MAX. 3 EXPANSION RACKS, WITH K-BUS
6ES7361-3CA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, INTERFACE MODULE IM 361 IN EXPANSION RACK FOR CONNECTING TO CENTRAL RACK (IM 360), 24 V DC SUPPLY VOLTAGE
6ES7361-3CA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, INTERFACE MODULE IM 361 IN EXPANSION RACK FOR CONNECTING TO CENTRAL RACK (IM360), 24 V DC SUPPLY VOLTAGE, WITH K-BUS
6ES7365-0BA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, INTERFACE MODULE IM 365 FOR CONNECTING AN EXPANSION RACK, 2 MODULES + CONNECTING CABLE 1M
6ES7368-3BB01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, CONNECTING CABLE BETWEEN IM 360/IM 361 1M
6ES7368-3BC51-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, CONNECTING CABLE BETWEEN IM 360/IM 361 2.5M
6ES7368-3CB01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, CONNECTING CABLE BETWEEN IM 360/IM 361 10M
6ES7370-0AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DUMMY MODULE DM 370, FOR USE WITH MODULE EXCHANGE AVAILABLE AS A SPARE PART ONLY!
6ES7370-0AA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, DUMMY MODULE DM 370, FOR USE WITH MODULE EXCHANGE
6ES7374-2XH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, SIMULATOR MODULE SM 374, FOR SIMULATING 16 INPUTS AND 16 OUTPUTS; 16 SWITCHES, 16 LED
6ES7374-2XH01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, SIMULATOR MODULE SM 374, FOR SIMULATING 16 INPUTS OR 16 OUTPUTS RESP. 8 INPUTS AND 8 OUTPUTS; 16 SWITCHES, 16 LED
6ES7378-2AB00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-300, EXM378-2 EXPANSION MODULE FOR THE USE OF 2 IF MODULES
6ES7378-2AC00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-300, EXM378-3 EXPANSION MODULE FOR THE USE OF 3 IF MODULES
6ES7378-2BA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-300, MSM378 MASS STORAGE MODULE WITH 3.5" FLOPPY DISK DRIVE AND 500 MB HARD DISK
6ES7388-4BN00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-300, CPU388-4 CENTRAL PROCESSING UNIT 80486DX2; 50 MHZ, 8MB RAM MPI, 1 SERIAL INTERFACE, EXP. BUS CONNECTOR
6ES7390-1AB60-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, RAIL L=160MM
6ES7390-1AE80-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, RAIL L=480MM
6ES7390-1AF30-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, RAIL L=530MM
6ES7390-5AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, SHIELD CONNECTING ELEMENT 80MM WIDE, WITH 2 ROWS FOR 4 SHIELDED TERMINALS EACH
6ES7390-5AB00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, TERMINAL ELEMENT F. 2 CABLES W. 2 TO 6MM IN DIA. 2 PIECES PER PACKAGING UNIT
6ES7392-1AJ00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, FRONT CONNECTOR FOR SIGNAL MODULES WITH SCREW CONTACTS, 20-PIN
6ES7392-1AM00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, FRONT CONNECTOR 392 WITH SCREW CONTACTS, 40-PIN
6ES7392-1AN00-0AA0	SIEMENS	Simatic S7	S7-300, TERMINAL BLOCK WITH SCREW-TYPE TERMINALS FOR 64 CHANNEL MODULES OF S7-300, 2 PIECES PER PACKAGING UNIT
6ES7392-1BM01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, FRONT CONNECTOR FOR SIGNAL MODULES WITH SPRING CONTACTS, 40-PIN
6ES7398-8AA02-8BA0	SIEMENS	Simatic S7	SIMATIC S7-300, MANUAL INCL. INSTRUCTION SET F. S7-300 PAPER VERSION, ENGLISH
6ES7398-8CA00-8AA0	SIEMENS	Simatic S7	SIMATIC S7-300, MANUAL INTEGRATED FUNCTIONS FOR COMPACT MODULES GERMAN
6ES7400-1JA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR2 RACK, CENTRALIZED AND DISTRIBUTED WITH 9 SLOTS
6ES7400-1JA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR2 RACK, CENTRALIZED AND DISTRIBUTED WITH 9 SLOTS 2 REDUNDANT PS PLUGGABLE
6ES7400-1JA11-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR2 RACK ALU, CENTRALIZED AND DISTRIBUTED WITH 9 SLOTS, 2 REDUNDANT PS PLUGGABLE
6ES7400-1TA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR1 RACK, CENTRALIZED AND DISTRIBUTED WITH 18 SLOTS
6ES7400-1TA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR1 RACK, CENTRALIZED AND DISTRIBUTED WITH 18 SLOTS 2 REDUNDANT PS PLUGGABLE
6ES7400-1TA11-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, UR1 RACK ALU, CENTRALIZED AND DISTRIBUTED WITH 18 SLOTS, 2 REDUNDANT PS PLUGGABLE
6ES7400-2JA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400H, UR2-H RACK, CENTRALIZED AND DISTRIBUTED WITH 2 X 9 SLOTS
6ES7401-1DA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, CR3 RACK, CENTRALIZED WITH 4 SLOTS
6ES7403-1JA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, ER2 EXP. RACK, WITH 9 SLOTS, F. SIGNAL MODULES ONLY, 2 REDUNDANT PS PLUGGABLE
6ES7403-1TA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, ER1 EXP. RACK, WITH 18 SLOTS, F. SIGNAL MODULES ONLY, 2 REDUNDANT PS PLUGGABLE
6ES7405-0DA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWERSUPPLY PS 405: 4A, 24/48/60V DC, 5V DC/4A, ATEXAPPROBATIONIDENTIFICATION
6ES7405-0KA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 405 POWER SUPPLY, 10A, 24V DC, 5V/10A DC
6ES7405-0KA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 405 POWER SUPPLY, WIDE RANGE 10A, 24/48/60V DC, 5V/10A DC
6ES7405-0KA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 405 POWER SUPPLY, WIDE RANGE 10A, 24/48/60V DC, 5V/10A DC ATEX APPROBATION IDENTIFICATION
6ES7405-0RA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 405 POWER SUPPLY, 20A, 24V DC, 5V/20A DC
6ES7405-0RA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 405 POWER SUPPLY, WIDE RANGE 20A, 24/48/60V DC, 5V/20A DC
6ES7405-0RA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWERSUPPLY PS 405: 20A, WIDE RANGE, 24/48/60V DC, 5V DC/20A, ATEXAPPROBATIONIDENTIFICATION
6ES7407-0DA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWERSUPPLY PS407: 4A, WIDERANGE, 120/230V UC, 5V DC/4A
6ES7407-0KA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 407 POWER SUPPLY, 10A, 120/230V AC, 5V/10A DC
6ES7407-0KA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 407 POWER SUPPLY, 10A, 120/230V UC, 5V/10A DC
6ES7407-0KA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWER SUPPLY PS407: 10A, WIDERANGE, 120/230V UC, 5V DC/10A
6ES7407-0KR00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWER SUPPLY PS407:10A,120/230V UC,5V/10A DV FOR REDUNDANT USE
6ES7407-0KR02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWER SUPPLY PS407: 10A, WIDERANGE, 120/230V UC, 5V DC/10A, FOR REDUNDANT USE
6ES7407-0RA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 407 POWER SUPPLY, 20A, 120/230V AC, 5V/20A DC
6ES7407-0RA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, PS 407 POWER SUPPLY, 20A, 120/230V UC 5V/20A DC
6ES7407-0RA02-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, POWER SUPPLY PS407, 20A, WIDERANGE, 120/230V UC, 5V DC/20A
6ES7412-1XF03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 412-1 96 KB WORKING MEMORY (48 KB CODE, 48 KB DATA) INTERFACE MPI/DP 12 MBIT/S

6ES7412-1XF04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 412-1 CENTRAL PROCESSING UNIT WITH: 144 KB WORKING MEMORY, (72 KB CODE, 72 KB DATA), INTERFACE MPI/DP 12 MBIT/S
6ES7412-2XG00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 412-2 144 KB WORKING MEMORY (72 KB CODE, 72 KB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. INTERFACE DP
6ES7412-2XG04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 412-2 CENTRAL PROCESSING UNIT WITH: 256 KB WORKING MEMORY, (128 KB CODE, 128 KB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP
6ES7413-1XG02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 413-1 CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE 72 KB WORKING MEMORY
6ES7413-2XG00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 413-2 L2-DP INT.
6ES7413-2XG01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 413-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS-DP INTERFACE
6ES7413-2XG02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 413-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS-DP INTERFACE 72 KB WORKING MEMORY
6ES7414-1XG01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-1 CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE 128 KB WORKING MEMORY
6ES7414-1XG02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-1 CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE 128 KB WORKING MEMORY
6ES7414-2XG00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, 414-2 DP CPU CENTRAL PROCESSING UNIT WITH: MULTI-POINT INTERFACE, INTEGRATED L2-DP INTERFACE 128 KB WORKING MEMORY
6ES7414-2XG01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS-DP INTERFACE
6ES7414-2XG02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS-DP INTERFACE 128 KB WORKING MEMORY
6ES7414-2XG03-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 256 KB WORKING MEMORY (128 KB CODE, 128 KB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. INTERFACE DP
6ES7414-2XG04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 CENTRAL PROCESSING UNIT WITH: 512 KB WORKING MEMORY, (256 KB CODE, 256 KB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP
6ES7414-2XJ00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS DP INTERFACE
6ES7414-2XK05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-2 CENTRAL PROCESSING UNIT WITH: 1 MB WORKING MEMORY, (0,5 MB CODE, 0,5 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP
6ES7414-3EM05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-3 PN/DP CENTRAL PROCESSING UNIT WITH: 2.8 MB WORKING MEMORY, (1,4 MB KB CODE, 1,4 MB DATA), INTERFACES: 1. IF MPI/DP 12 MBIT/S(X1), 2. IF ETHERNET/PROFINET (X5) 3. IF IF964-DP PLUGGABLE (IF1)
6ES7414-3XJ00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-3 768 KB WORKING MEMORY (384 KB CODE, 384 KB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. IF PROFIBUS DP, 3. IF FOR IFM
6ES7414-3XJ04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-3 CENTRAL PROCESSING UNIT WITH: 1.4 MB WORKING MEMORY, (700 KB CODE, 700 KB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3. IF IFM MODULES PLUGGABLE
6ES7414-3XM05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 414-3 CENTRAL PROCESSING UNIT WITH: 2.8 MB WORKING MEMORY, (1,4 MB CODE, 1,4 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3. IF IFM MODULES PLUGGABLE
6ES7416-1XJ01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-1 CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE 512 KB WORKING MEMORY
6ES7416-1XJ02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-1 CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE 512 KB WORKING MEMORY
6ES7416-2FK02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416F-2 1.6 MB WORKING MEMORY (0.8 MB CODE, 0.8 MB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. INTERFACE DP APPLICABLE W. SOFTWARE PACKAGE DISTRIBUTED SAFETY V5.2
6ES7416-2FK04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416F-2 CENTRAL PROCESSING UNIT WITH: 2.8 MB WORKING MEMORY, (1,4 MB CODE, 1,4 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP APPLICABLE W. SOFTWARE PACKAGE DISTRIBUTED SAFETY >= V5.2
6ES7416-2FN05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416F-2, CENTRAL PROCESSING UNIT WITH: 5.6 MB WORKING MEMORY, (2.8 MB CODE, 2.8 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP APPLICABLE W. SOFTWARE PACKAGE DISTRIBUTED SAFETY >= V5.2 SP2
6ES7416-2XK00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS DP INTERFACE
6ES7416-2XK01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS DP INTERFACE 0.8 MB WORKING MEMORY
6ES7416-2XK02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 1.6 MB WORKING MEMORY (0.8 MB CODE, 0.8 MB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. INTERFACE DP
6ES7416-2XK04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 CENTRAL PROCESSING UNIT WITH: 2.8 MB WORKING MEMORY, (1,4 MB CODE, 1,4 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP
6ES7416-2XL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 DP CENTRAL PROCESSING UNIT WITH: MPI, PROFIBUS DP INTERFACE 1.6 MB WORKING MEMORY
6ES7416-2XL01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 DP CENTRAL PROCESSING UNIT WITH: MULTI-POINT MPI INTERFACE INTEGR. PROFIBUS DP INTERFACE 1.6 MB WORKING MEMORY
6ES7416-2XN05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-2 CENTRAL PROCESSING UNIT WITH: 5.6 MB WORKING MEMORY, (2,8 MB CODE, 2,8 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP
6ES7416-3ER05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-3 PN/DP CENTRAL PROCESSING UNIT WITH: 11.2 MB WORKING MEMORY, (5,6 MB KB CODE, 5,6 MB DATA), INTERFACES: 1. IF MPI/DP 12 MBIT/S, 2. IF ETHERNET/PROFINET, 3. IF IFM-MODULES PLUGGABLE
6ES7416-3FR05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416F-3 PN/DP CENTRAL PROCESSING UNIT WITH: 11.2 MB WORKING MEMORY, (5,6 MB KB CODE, 5,6 MB DATA), INTERFACES: 1. IF MPI/DP 12 MBIT/S, 2. IF ETHERNET/PROFINET, 3. IF IFM-MODULES PLUGGABLE APPLICABLE W. SOFTWARE PACKAGE S7 DISTRIBUTED SAFETY
6ES7416-3XL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-3 3.2 MB WORKING MEMORY (1.6 MB CODE, 1.6 MB DATA) 1. INTERFACE MPI/DP 12 MBIT/S 2. IF PROFIBUS DP, 3. IF FOR IFM
6ES7416-3XL04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-3 CENTRAL PROCESSING UNIT WITH: 5.6 MB WORKING MEMORY, (2,8 MB CODE, 2,8 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3. IF IFM MODULES PLUGGABLE
6ES7416-3XR05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 416-3 CENTRAL PROCESSING UNIT WITH: 11.2 MB WORKING MEMORY, (5,6 MB CODE, 5,6 MB DATA), 1. INTERFACE MPI/DP 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3. IF IFM MODULES PLUGGABLE
6ES7417-4HL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400H, CPU 417H CENTRAL UNIT FOR S7-400H 4 INTERFACES: 1 MPI/DP, 1 DP A, 2 FOR SYNC MODULES 4MB MEMORY (2MB CODE/2MB DATA)
6ES7417-4HL01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400H, CPU 417H CENTRAL UNIT FOR S7-400H 4 INTERFACES: 1 MPI/DP, 1 DP A, 2 FOR SYNC MODULES 4MB MEMORY (2MB CODE/2MB DATA)
6ES7417-4HL04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400H, CPU 417H CENTRAL UNIT FOR S7-400H 4 INTERFACES: 1 MPI/DP, 1 DP A, 2 FOR SYNC MODULES 20MB MEMORY (10MB CODE/10MB DATA)
6ES7417-4XL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 417-4 4MB USER MEMORY (2 MB CODE; 2 MB DATA) 1ST INTERF. = MPI 12 MBIT/S; 2ND INTERF. = PROFIBUS DP 3RD AND 4TH INTERFACE = IFM MODULES PLUGGABLE
6ES7417-4XL04-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 417-4 CENTRAL PROCESSING UNIT WITH: 20MB WORKING MEMORY, (10 MB CODE; 10 MB DATA) 1. INTERFACE MPI 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3./4. IF IFM MODULES PLUGGABLE
6ES7417-4XT05-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, CPU 417-4 CENTRAL PROCESSING UNIT WITH: 30 MB WORKING MEMORY, (15 MB CODE; 15 MB DATA) 1. INTERFACE MPI 12 MBIT/S, 2. INTERFACE PROFIBUS DP, 3./4. IF IFM MODULES PLUGGABLE
6ES7421-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 421 DIGITAL INPUT MODULE, OPTIC. ISOLATED, 32 DI, 24V DC
6ES7421-1BL01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 421 DIGITAL INPUT MODULE, OPTIC. ISOLATED, 32 DI, 24V DC
6ES7421-1FH20-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, DIG.INPUT MOD. SM 421, OPTIC. ISOLATED, 16 DI, 120/230V UC INPUTS PER IEC1131-2 TYPE 2
6ES7421-7BH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, DIG.INPUT MOD. SM 421, OPTIC. ISOLATED, 16 DI, 24V DC WITH 0,1 MS INPUT DELAY, ALARM, DIAGNOSTICS
6ES7421-7DH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 421 DIGITAL INPUT MODULE, OPTIC. ISOLATED, 16 DI, 24 - 60V UC, ALARM, DIAGNOSTICS
6ES7422-1BH10-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 422 DIGITAL OUTPUT MODULE, OPTIC. ISOLATED, 16 DO, 24V DC, 2A
6ES7422-1BH11-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 422 DIGITAL OUTPUT MODULE, OPTIC. ISOLATED, 16 DO, 24V DC, 2A
6ES7422-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 422 DIGITAL OUTPUT MODULE, OPTIC. ISOLATED, 32 DO, 24V DC, 0.5A
6ES7422-1FH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 422 DIGITAL OUTPUT MODULE, OPTIC. ISOLATED, 16 DO, 120/230V AC, 2A
6ES7422-1HH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 422 DIGITAL OUTPUT MODULE, OPTIC. ISOLATED, 16 DO, 5..230V AC, 5A RELAY
6ES7422-7BL00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, DIG.OUTPUT MOD. SM 422, OPTIC. ISOLATED, 32 DO, 24V DC, 0.5A WITH 0,15 MS OUTPUT DELAY, DIAGNOSTICS
6ES7431-0HH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, ANALOG INPUT SM 431, NON-ISOLATED 16 AI, RESOLUTION 13 BITS, /-10V, /-20MA, 4 - 20MA 20 MS MODULE UPDATE
6ES7431-1KF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 431 ANALOG INPUT MODULE OPTIC. ISOLATED, 8 AI, 13 BIT RESOLUTION, U/I/RESIST.
6ES7431-1KF10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 431 ANALOG INPUT MODULE OPTIC. ISOLATED, 8 AI, 14 BIT RESOLUTION, U/I/RESIST./ THERMOEL/PT100
6ES7431-1KF20-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 431 ANALOG INPUT MODULE OPTIC. ISOLATED, 8 AI, 14 BIT RESOLUTION, U/I/RESIST. 0.416 MS SCAN TIME

6ES7431-7KF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, ANALOG INPUT SM 431, 8AI; 16 BIT RESOLUTION, U/I/THERMOEL., OPTIC. ISOLATED W. 1 POINT PER COMMON, DIAGN., ALARM, 20 MS MODULE UPDATE
6ES7431-7KF10-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, ANALOG INPUT SM 431, 8AI; 16 BIT RESOLUTION, RESIST./PT100/NI100 OPTIC. ISOLATED, DIAGNOSTIC, ALARM, 20 MS MODULE UPDATE
6ES7431-7QH00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 431 ANALOG INPUT MODULE OPTIC. ISOLATED, 16 AI, 16 BIT RESOLUTION, U/I/RESIST./THERMOEL./PT100,ALARM,DIAGNOST.
6ES7432-1HF00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, SM 432 ANALOG OUTPUT MODULE OPTIC. ISOLATED, 8 AO, 13 BIT RESOLUTION, U/I
6ES7440-1CS00-0YEO	SIEMENS	Simatic S7	SIMATIC S7-400, CP 440-1 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 1 CHANNEL INCL. CONFIG. PACKAGE ON CD
6ES7441-1AA00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-1 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 1 CHANNEL
6ES7441-1AA01-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-1 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 1 CHANNEL
6ES7441-1AA03-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-1 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 1 CHANNEL INCL. CONFIG. PACKAGE ON CD
6ES7441-1AA04-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-1 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 1 CHANNEL INCL. CONFIG. PACKAGE ON CD
6ES7441-2AA02-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-2 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 2 CHANNELS
6ES7441-2AA03-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-2 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 2 CHANNELS INCL. CONFIG. PACKAGE ON CD
6ES7441-2AA04-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CP 441-2 COMMUNICATIONS MODULE FOR POINT TO POINT CONNECTIONS 2 CHANNELS INCL. CONFIG. PACKAGE ON CD
6ES7450-1AP00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, FM 450-1 FUNCTION MODULE F. COUNT.FUNCT. WITH 2 CHANNELS INCL. CONFIG. PACKAGE ON CD
6ES7451-3AL00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-300, FM 451 POSITIONING MODULE FOR RAPID/ CREEP FEED DRIVE 3 CHANNELS INCL. CONFIG. PACKAGE ON CD
6ES7453-3AP00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, FM 453 FUNCTION MODULE FOR POSITIONING WITH SERVO AND STEPPER MOTORS (3 CHANNELS) INCL. CONFIG. PACKAGE ON CD
6ES7455-1VS00-0AE0	SIEMENS	Simatic S7	SIMATIC S7-400, CONTROL MODULE FM 455 S, 16 CHANNELS, STEP AND PULSE 8/16 AI 16 DI 32 DO
6ES7456-4EY00-0AE0	SIEMENS	Simatic S7	SIMATIC M7-400, FM456-4 APPLICATION MODULE WITH 80486, 75 MHZ, MPI
6ES7460-0AA01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, IM460-0 TRANSMITTER INTERFACE MODULE, FOR CENTRALIZED CONNECTION W/O PS TRANSMISSION WITH K BUS
6ES7460-1BA01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, IM460-1 TRANSMITTER INTERFACE MODULE, FOR CENTRALIZED CONNECTION WITH PS TRANSMISSION W/O K BUS
6ES7460-3AA01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, IM460-3 TRANSMITTER INTERFACE MODULE, FOR DISTRIBUTED CONNECTION UP TO 102 M, WITH K BUS
6ES7461-0AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, FM461-0 RECEIVER INTERFACE MODULE, FOR CENTRALIZED CONNECTION W/O PS TRANSMISSION, WITH K BUS
6ES7461-0AA00-7AA0	SIEMENS	Simatic S7	SIMATIC S7-400, TERMINATOR FOR IM 461 RECEIVER INTERF.MOD.
6ES7461-0AA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM461-0 RECEIVER INTERFACE MODULE, FOR CENTRALIZED CONNECTION W/O PS TRANSMISSION, WITH K BUS
6ES7461-1BA00-7AA0	SIEMENS	Simatic S7	SIMATIC S7-400, TERMINATOR FOR IM461-1 RECEIVER INTERFACE MOD.
6ES7461-3AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM461-3 RECEIVER INTERFACE MODULE DISTRIBUTED CONNECTION UP TO 102 M, WITH K BUS
6ES7461-3AA00-7AA0	SIEMENS	Simatic S7	SIMATIC S7-400, TERMINATOR FOR RECEIVER IM461-3 INTERFACE MOD.
6ES7461-3AA01-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM461-3 RECEIVER INTERFACE MODULE FOR DISTRIBUTED CONNECTION UP TO 102 M, WITH K BUS
6ES7463-2AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM463-2 TRANSMITTER INTERFACE MODULE FOR DISTRIBUTED CONNECTION TO SIMATIC S5 EXPANSION MODULES VIA IM314, UP TO 600 M
6ES7466-3AA00-0XB0	SIEMENS	Simatic S7	MODULE INTERFACE REMOTE I/O S7400
6ES7467-5GJ00-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, IM 467 (RS485) PROFIBUS DP MASTER INTERFACE FOR CONNECTING FIELD DEVICES ACC. TO PROFUBUS DP STANDARD
6ES7467-5GJ01-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400,INTERFACE MODULE PROFIBUS DP MASTER INTERFACE FOR CONNECTING FIELD DEVICES ACC. TO PROFUBUS DP STANDARD CAN BE USED IN S7-400
6ES7467-5GJ02-0AB0	SIEMENS	Simatic S7	SIMATIC S7-400, IM 467 (RS485) PROFIBUS DP MASTER INTERFACE FOR CONNECTING FIELD DEVICES ACC. TO PROFIBUS DP STANDARD CAN BE USED IN S7-400
6ES7468-1AH50-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM CABLE WITH K BUS, 0.75 M
6ES7468-1BB50-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM CABLE WITH K BUS, 1.5 M
6ES7468-1CC50-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IM CABLE WITH K BUS, 25 M
6ES7470-1VB10	SIEMENS	Simatic S7	SIMATIC S7-400, VIDEOMAT IV IMAGE ANALYS.SYSTEM GREY-SCALE PICTURES WITH ADAPTER CASING FOR USE IN S7-400 FOR CONNECT. OF 6 MONOCHROME CAMERAS INCL.
6ES7470-1VC10	SIEMENS	Simatic S7	SIMATIC S7-400, VIDEOMAT IV IMAGE ANALYS.SYSTEM COLOUR PICTURES WITH ADAPTER CASING FOR USE IN S7-400 FOR CONNECT. OF 2 RGB CAMERAS INCL. SYST. SW
6ES7478-2AC00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-400, EXM478 EXPANSION MODULE FOR 3 IF MOD.
6ES7478-2BA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-400, MSM478 EXPANSION MODULE WITH HARD DISK DRIVE (>500MB) AND FLOPPY DISK DRIVE 3.5", 1.44 MBYTE
6ES7478-2CA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-400, ATM478 EXPANSION MODULE FOR SHORT AT CARDS (ISA)
6ES7478-2DA00-0AC0	SIEMENS	Simatic S7	INTERFACE MODUL TPM478 FOR 20-M LOCAL BUS AND FOR TELEPERM M I/O-MODULES
6ES7478-2DA01-0AC0	SIEMENS	Simatic S7	INTERFACE MODULE TPM478-1 FOR CS275 20-M LOCAL BUS AND FOR TELEPERM M I/O-MODULES
6ES7478-2DX00-0AA0	SIEMENS	Simatic S7	INTERFACE MODUL TBX478 WITH INTERFACE TO I/O-BUS 1/2 (ONLY TOGETHER WITHM TPM478)
6ES7486-3AA00-0AB0	SIEMENS	Simatic S7	SIMATIC M7-400, CPU486-3 CENTRAL PROCESSING UNIT WITH PENTIUM 75 MHZ, MPI INTERFACE 2 IF MODULE POSITIONS
6ES7488-4GY00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-400, CPU488-4,CENTRAL PROCESSING UNIT WITH,80486, MPI, 100 MHZ,3 IF MODULE POSITIONS
6ES7488-5FY00-0AC0	SIEMENS	Simatic S7	SIMATIC M7-400, CPU488-5 CENTRAL PROCESSING UNIT WITH PENTIUM 90 MHZ, MPI, 2 IF MODULE POSITIONS
6ES7490-1AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, SPARE PART MODULE LOCATION COVER FOR SUBRACKS UR, CR AND ER, 10 PIECES PER PACKAGING UNIT
6ES7492-1AL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, FRONT CONNECTOR FOR SIGNAL MODULES WITH SCRE-TYPE CONTACT, 48-POLE
6ES7492-1BL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, FRONT CONNECTOR FOR SIGNAL MODULES WITH SPRING CONTACT, 48-POLE
6ES7612-2QH00-0AB4	SIEMENS	Simatic S7	SIMATIC WINAC SPARE PART FOR WINAC SLOT 412 CPU412-2 PCI, 2 X 128KBYTE DP AND MPI/DP ON BOARD RUNNING UNDER WINDOWS NT/2000 W/O DOCUMENTATION
6ES7613-1CA00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-613, COMPACT UNIT WITH 4 LINE DISPLAY, KEYS AND S7-300 CPU313C WITH 24 DI, 16 DO, 5 AI, 2 AO
6ES7613-1CA01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-613, COMPACT UNIT WITH 4 LINE DISPLAY, KEYS AND S7-300 CPU313C WITH 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7613-1SB00-0AC0	SIEMENS	HMI	SIMATIC C7-613, COMPACT UNIT CUSTOMIZED DESIGN FOR GEA COMPANY ONLY
6ES7613-1SB02-0AC0	SIEMENS	HMI	SIMATIC C7-613, COMPACT UNIT CUSTOMIZED DESIGN FOR GEA COMPANY ONLY
6ES7614-1AH00-0AB3	SIEMENS	Simatic S7	SIMATIC S7, SPECIAL CPU 614, 128 KB MEMORY
6ES7614-1AH01-0AB3	SIEMENS	Simatic S7	SIMATIC S7-300,SPECIAL CPU 614
6ES7614-1AH02-0AB3-Z	SIEMENS	Simatic S7	SIMATIC S7-300,SPECIAL CPU 614, 128 KB MEMORY
6ES7614-1AH03-0AB3	SIEMENS	Simatic S7	SIMATIC S7-300,SPECIAL CPU 614 128 KB MEMORY
6ES7616-2PK01-0AB4	SIEMENS	Simatic S7	SIMATIC WINAC, SPARE PART CPU 416-2 DP ISA (0.8 MB) FOR WINAC PRO AND WINAC STATION PRO
6ES7616-2QL00-0AB4	SIEMENS	Simatic S7	SIMATIC WINAC SPARE PART FOR WINAC SLOT 416 CPU416-2 PCI, 2 X 1,6 MBYTE DP AND MPI/DP ON BOARD RUNNING UNDER WINDOWS NT/2000 W/O DOCUMENTATION
6ES7621-1AD00-6AE3	SIEMENS	Simatic S7	SIMATIC S7-621, INTERFACE IM 621 IN EXPASION MODULE RACK FOR CONNECTION OF 4 S7-300 MODULES WITH THE C7-621, WITH CABLE 0.5 M
6ES7621-1AD01-0AE3	SIEMENS	Simatic S7	SIMATIC S7-621, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 3, IM 621, 16DI, 16DO, 4AI, 1AO, DESIGN LIKE C7-633/634 OR OP7/17
6ES7621-1AD02-0AE3	SIEMENS	Simatic S7	SIMATIC S7-621, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 3, IM 621 16DI, 16DO, 4AI, 1AO
6ES7621-6BD00-0AE3	SIEMENS	Simatic S7	SIMATIC S7-621, COMPACT UNIT C7-621 ASI WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 3 AND AS-INTERFACE (MASTER)
6ES7621-6BD01-0AE3	SIEMENS	Simatic S7	SIMATIC S7-621 ASI,COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 3 AND AS-INTERFACE (MASTER), DESIGN LIKE C7-633/634 OR OP7/17
6ES7621-6BD02-0AE3	SIEMENS	Simatic S7	SIMATIC S7-621 ASI,COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 3 AND AS-INTERFACE (MASTER)
6ES7623-1AE00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-623, COMPACT UNIT
6ES7623-1AE00-6AA0	SIEMENS	Simatic S7	SIMATIC S7, I/O MODULE FOR EXPANSION OF THE INTEGR. I/O OF C7-623/A AND C7-626/A TO 16DI, 16DO, 4AI, 4AO
6ES7623-1AE01-4AA0	SIEMENS	Simatic S7	SIMATIC C7, CONNECTOR SET FOR I/O AND POWER SUPPLY FOR C7-621, -633/P, -634/P C7-626/P, -626/P DP
6ES7623-1AE01-5AA0	SIEMENS	Simatic S7	SIMATIC C7 BACK-UP BATTERY 3.6V 1.5AH FOR C7-623/-633/-624/-634/-626 INCL. ADAPTER COUPLING

6ES7623-1CE01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-623/A, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314,SIMATIC OP5,IM360 16 DI, 16 DO, 4 AI, 4 AO
6ES7623-1DE01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-623/P, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314,SIMATIC OP5,IM360 16 DI, 16 DO, 4 AI, 4 AO, 4 UI
6ES7626-1DG03-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626/P, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU 315 (96KB MEMORY), SIMATIC OP25 AND IM 360, 16 DI, 16 DO, 4 AI, 4AO, 4UI
6ES7626-1DG04-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626/P, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU 315 (96KB MEMORY) SIMATIC OP25 AND IM 360 16 DI, 16 DO, 4 AI, 4AO, 4UI
6ES7626-1SB04-0ACO	SIEMENS	Simatic S7	GEA SIMATIC C7-626/P, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU 315 (96KB MEMORY), SIMATIC OP25 AND IM 360, 16 DI, 16 DO, 4 AI, 4AO, 4UI
6ES7626-2AG00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626 DP, COMP.STATION WITH INTEGRATED COMPONENTS: S7-300 CPU, COROS OP25, IM360 16 DI, 16 DO, 4 AI, 1 AO AND 4 UNIVERSAL DI, DP INTERFACE
6ES7626-2AG01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626 DP, COMP.STATION WITH INTEGRATED COMPONENTS: S7-300 CPU, OP 25, IM360 16 DI, 16 DO, 4 AI, 1 AO AND 4 UNIVERSAL DI, DP INTERFACE
6ES7626-2DG02-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626/P DP, COMP. UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU 315 2DP (96 KB), SIMATIC OP25 AND IM 360, 16 DI, 16 DO, 4 AI, 4AO, 4 UI
6ES7626-2DG04-0AE3	SIEMENS	Simatic S7	SIMATIC C7-626/P DP, COMP. UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU 315 2DP (128 KB) SIMATIC OP25 AND IM 360 16 DI, 16 DO, 4 AI, 4AO, 4 UI
6ES7633-2BF00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-633 DP, COMP.STATION WITH INTEGRATED COMPONENTS: S7-300 CPU 315-2DP, SIMATIC OP7 AND IM 360, WITH INTEGRATED PROFIBUS DP INTERFACE
6ES7633-2BF02-0AE3	SIEMENS	Simatic S7	SIMATIC C7-633 DP, COMP.STATION WITH INTEGRATED COMPONENTS: S7-300 CPU 315-2DP, SIMATIC OP7 AND IM 360, WITH INTEGRATED PROFIBUS DP INTERFACE
6ES7635-0AA00-4AA0	SIEMENS	Simatic S7	SIMATIC C7-613/C7-635 CONNECTOR SET SCREW CONTACTS FOR I/O AND POWER SUPPLY
6ES7635-2EB00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-635 TOUCH COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND TP170B 24 DI, 16 DO, 5 AI, 2 AO
6ES7635-2EB01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-635 TOUCH, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND TP170B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7635-2EB02-0AE3	SIEMENS	Simatic S7	SIMATIC C7-635 TOUCH, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND TP170B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7635-2EC01-0AE3	SIEMENS	Simatic S7	SIMATIC C7-635 KEYS, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND OP170B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7635-2EC02-0AE3	SIEMENS	Simatic S7	SIMATIC C7-635 KEYS, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND OP170B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7635-2SB02-0ACO	SIEMENS	Simatic S7	SIMATIC C7-635 TOUCH, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU314C-2 DP AND TP170B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED - GEA FRONT
6ES7636-2EB00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-636 TOUCH, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU315-2 DP AND TP270, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7636-2EC00-0AE3	SIEMENS	Simatic S7	SIMATIC C7-636 KEYS, COMPACT UNIT WITH INTEGRATED COMPONENTS: S7-300 CPU315-2 DP AND OP270B, 24 DI, 16 DO, 5 AI, 2 AO; MICRO MEMORY CARD AND CONNECTOR SET REQUIRED
6ES7643-1EL31-0AX0	SIEMENS	Simatic PC	SIMATIC PC RI45,19"-RACK SYSTEM PENTIUM 233 MMX, 32 MBYTE RAM; SLC; 5.2 GBYTE HD; CD-ROM; SAFE CARD; MSDOS 6.X
6ES7643-1DK40-0AX0	SIEMENS	Simatic PC	SIMATIC PC RI25 P, 19" RACK IPC PENT.200MMX; 16 MB; 3.2 GB HD BOARD RETAINER; INTERNAL DRIVE CAGE; WITHOUT SAFE CARD; MSDOS 6.X
6ES7643-4DC00-0CA0	SIEMENS	Simatic PC	SIMATIC PC RI 45 PIII 19"-RACK PENTIUM III 700; 64 MBYTE RAM 10.2 GB HD; CD ROM; 1.4 MB FDD MATROX G200 8 MB (AGP-GRAPHIC) WINDOWSNT 4.0, SP 5, ENGLISH
6ES7645-2AB00-0CA0	SIEMENS	Simatic PC	SYSTEM, PENTIUM 200 MMX, 19" VISUSYSTEM, PENTIUM II 266, 64 MB RAM, 2.1 GB HD; CD ROM; 13.3" XGA-TFT, WIN NT 4., SERV.PACK 3, GERMAN
6ES7645-2AB30-0DA0	SIEMENS	Simatic PC	SIMATIC PC RI45, 19"-VISUSYSTEM,PENTIUM II 266, 64 MBYTE RAM, 3.2 GB HD, 13.3"-XGA-TFT, CD-ROM WIN NT 4.0, SERVICE PACK 3 ENGLISH
6ES7645-3AA00-0BA0	SIEMENS	Simatic Box PC	SIMATIC PC FI45 V2, CELERON 400 MHZ 64 MB RAM, 4.3 GB HD, W/O EXPANSION COUNTRY-SPECIFIC VERSION:EUROPE (230V PRESET) 13.3" COLOR TFT DISPL. 1024X768 WINDOWS NT ENGLISH
6ES7646-0DD20-1BD1	SIEMENS	PANEL PC	SIMATIC PC FI10, SPECIAL CONFIGURATION 3.5" DISKETTE DRIVE, 1.44 MB PCMCIA (TYPE III), MPI INTER- FACE; 36 FUNCTION KEYS PROCESSOR: PENTIUM 200 MHz MMX, 64 MBYTE RAM (2X32 MBYTE), 3.2 GBYTE EIDE HARD DRIVE, WITHOUT EXPANSIONS, NATIONAL/CUSTOMER VERSION US
6ES7647-0BC10-0AX0	SIEMENS	Simatic PC	SIMATIC PC, BOX SYSTEM BI 10, PENTIUM 133, 32 MBYTE RAM, 2.1 GB HD,1 X ISA,1 X ISA/PCI IP 20, PCMCIA TYP III, MSDOS 6.22
6ES7647-1AC10-0AX0	SIEMENS	Simatic PC	SIMATIC PC BI45 PII; 266 MHz
6ES7647-2GG10-0JX1	SIEMENS	Simatic Box PC	SIMATIC BOX PC 620, AGP-GRAPHIC, ONBOARD, 2 MBYTE 10/100 MBIT/S ETHERNET RJ45 WATCHDOG,TEMPERATURE MONITORING USB 1 PCI, 1 ISA/PCI FREE PROCESSOR: CELERON 500 MHZ, 128KB SLC; WITHOUT MPI/PROFIBUS 12 MIT/S; WITHOUT TTY 20 GBYTE HDD EIDE, 128 MBYTE RAM (1 X
6ES7647-3DC00-0DX0	SIEMENS	Simatic Box PC	SIMATIC BOX PC820 PENTIUM III 700 MHZ, 64 MB RAM; 10.2 GB HD, CD-ROM; 3.5" FDD 2 MB AGP GRAPHIC; 5 SLOTS WINDOWS NT4.0 WS SP5, GERMAN
6ES7647-6AA15-0AK0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 627; AGP GRAPHICS ONBOARD, 8-128 MB SHARED MEMORY; 2X10/100 MBIT/S ETHERNET RJ45 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; 1XSLOT FOR COMPACT FLASH DRIVE, WATCHDOG, TEMP.-/FAN MONITORING; 2 PCI FREE;
6ES7647-6AA20-0AK0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 627; AGP GRAPHICS ONBOARD, 8-128 MB SHARED MEMORY; 2X10/100 MBIT/S ETHERNET RJ45 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; 1XSLOT FOR COMPACT FLASH DRIVE, WATCHDOG, TEMP.-/FAN MONITORING; 2 PCI FREE;
6ES7647-6AD25-0HX0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 627; AGP GRAPHICS ONBOARD, 8-128 MB SHARED MEMORY; 2X10/100 MBIT/S ETHERNET RJ45 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; 1XSLOT FOR COMPACT FLASH DRIVE, WATCHDOG, TEMP.-/FAN MONITORING; 2 PCI FREE;
6ES7647-6BD16-0BB0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 627B; GRAFIK ONBOARD,128 MB SHARED MEMORY; 2X10/100/1000 MBIT/S ETHERNET RJ45; 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; COMPACT FLASH DRIVE NR.1 FRONT SIDE (WITHOUT CF); WATCHDOG, TEMP.-/FAN-MONITORING;
6ES7647-6BG23-1HB0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 627B; GRAFIK ONBOARD,128 MB SHARED MEMORY; 2X10/100/1000 MBIT/S ETHERNET RJ45; 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; COMPACT FLASH DRIVE NR.1 FRONT SIDE (WITHOUT CF); WATCHDOG, TEMP.-/FAN-MONITORING; CORE 2
6ES7647-6BG36-0FB0	SIEMENS	Simatic S7	SIMATIC BOX PC 627B; GRAFIK ONBOARD,128 MB SHARED MEMORY; 2X10/100/1000 MBIT/S ETHERNET RJ45; 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; COMPACT FLASH DRIVE NR.1 FRONT SIDE (WITHOUT CF); WATCHDOG, TEMP.-/FAN-MONITORING; CORE 2
6ES7647-6MC15-0CJ0	SIEMENS	Simatic Box PC	SIMATIC BOX PC 840 V2; AGP GRAPH., ONBOARD, 8/16/32 MB SHARED MEMORY; 10/100 MBIT/S ETHERNET RJ45 2 X USB (HIGH CURRENT); WATCHDOG,TEMPERATURE MONITORING ;2 PCI, 2 ISA/PCI, 1 ISA FREE; PENTIUM 4 2.4 GHZ, 533 MHZ FSB, 512 KB SLC; 256 MBYTE DDR SDRAM; 24V D
6ES7647-6NH53-0DB1	SIEMENS	Simatic Box PC	SIMATIC BOX PC 827B; GRAFIK ONBOARD,128 MB SHARED MEMORY; 2X10/100/1000 MBIT/S ETHERNET RJ45; 4 X USB V2.0 (HIGH CURRENT); 1XSERIAL (COM1) RAID-CONTROLLER ON BOARD; COMPACT FLASH DRIVE NR.1 FRONT SIDE (WITHOUT CF); WATCHDOG, TEMP.-/FAN-MONITORING;
6ES7647-7AK30-0QA0	SIEMENS	Simatic PC	SIMATIC MICROBOX PC 427B PROCESSOR: PENTIUM M 1.4 GHZ, 400 MHZ FSB, 2 MB SLC, PROFIBUS DP 12, MEMORY EXTENSION: 1 GBYTE, DDR2 533, SODIMM (1 X 1 GB) EXTENSION: WITHOUT HW EXTENSION DRIVES: 2 GB COMPACT-FLASH REPLACEABLE (ACCESSIBLE) OPERATING SYSTEM: WIND
6ES7648-0CB00-0YA0	SIEMENS	Simatic S7	SIMATIC PC KEYBOARD GERMAN / INTERNATIONAL USB INTERFACE USB PS/2 ADAPTER INCLUDED
6ES7648-0EB00-1BA0	SIEMENS	Simatic S7	SIMATIC PC ACCESSORY, PLUG-IN HDD REMOVABLE DRIVE FRAME FOR 3.5" HARD DISK, SATA,(OHNE HARD DISK), FOR SIMATIC RACK PC
6ES7648-1AA20-0XE0	SIEMENS	Simatic S7	EXPANSION RACK ENCODER FOR MICROBOX PC 42X FOR CONTACT. THE ENCODER INTERFACES AND DIS OF PC IO BASE 400, INCL.FIXING MATERIAL
6ES7648-2AE30-0CA0	SIEMENS	Simatic S7	SIMATIC MEMORY EXPANSION; 512 MBYTE; DDR-RAM; PC2100 FOR FIELD PG PENTIUM 4
6ES7648-2BF01-0XC0	SIEMENS	Simatic S7	SIMATIC PC, COMPACTFLASH, 256 MB, INDUSTRIAL GRADE
6ES7648-2BF01-0XD0	SIEMENS	Simatic S7	SIMATIC PC, COMPACTFLASH, 512 MB , INDUSTRIAL GRADE

6ES7648-2BF01-0XE0	SIEMENS	Simatic S7	SIMATIC PC, COMPACTFLASH, 1 GB , INDUSTRIAL GRADE
6ES7648-2BF01-0XF0	SIEMENS	Simatic S7	SIMATIC PC, COMPACTFLASH, 2 GB , INDUSTRIAL GRADE
6ES7648-2BF02-0XC0	SIEMENS	Simatic S7	SIMATIC PC, COMPACTFLASH DIAG, 256 MB, INDUSTRIAL GRADE
6ES7648-2BF02-0XF0	SIEMENS	Simatic S7	SIMATIC PC , COMPACTFLASH DIAG, 2GB, INDUSTRIAL GRADE
6ES7648-2BF02-0XG0	SIEMENS	Simatic S7	SIMATIC PC COMPACTFLASH DIAG, 4GB, INDUSTRIAL GRADE
6ES7648-2BF02-0XH0	SIEMENS	Simatic S7	SIMATIC PC COMPACTFLASH DIAG, 8GB, INDUSTRIAL GRADE
6ES7648-6CA02-2YX0	SIEMENS	Simatic PC	SIMATIC PC/PG DIAGMONITOR SOFTWARE F. DIAGNOSIS/ALARMS VIA ETHERNET, EMAIL,SMS,OPC; ON CD ROM; SINGLE LICENSE; V2.2
6ES7648-6CA03-0YX0	SIEMENS	Simatic S7	SIMATIC PC/PG DIAGMONITOR SOFTWARE F. DIAGNOSIS/SIGNALS VIA ETHERNET, EMAIL, SMS, OPC, WEB; ON CD-ROM; SINGLE LICENSE; VERSION V3.0
6ES7650-0GG16-0YX0	SIEMENS	Simatic PCS7	SIMATIC PCS7 OS CLIENT IL405 V2 OS CLIENT IL405 V2 XP; P4 2,8GHZ; 2X256MB RAM; SOUND; DYNAMIC VIDEO MEMORY; DVD-ROM; FD 1.44MB; HD 80GB; 1 X FAST ETHERNET RJ45 ON BOARD WINXP PROF. MUI (G,E,F,S,I); WITH MOUSE; WITHOUT KEYBOARD, MONITOR AND PRINTER; PCS7
6ES7650-0LG16-0YX0	SIEMENS	Simatic PCS7	SIMATIC PCS7 OS CLIENT IL43 WXP P4 3.4GHZ, 2 X 256MB RAM, SOUND DYNAMIC VIDEO MEMORY, DVD-ROM, FD 1,44 MB, SATA 120GB 1 X FAST ETHERNET RJ45 ON BOARD WIN XP PROF. MUI (D, E, F, S, I, J, CN) WITH MOUSE, WITHOUT KEYBOARD, MONITOR AND PRINTER, PCS7 V6.1 SP1
6ES7650-0LH07-0YX0	SIEMENS	Simatic PCS7	SIMATIC PCS7 OS SERVER IL43 P4 3.4GHZ, 2GB RAM (2 X 1GB), SOUND, DYNAMIC VIDEO MEMORY, DVD-ROM, FD 1,44 MB, SATA-RAID1 2 X 120GB, 2 X FAST ETHERNET RJ45 (ONBOARD PCI-KARTE), WIN SERVER 2003 5 CAL, MUI (D,E,F,S,I), WITH MOUSE, WITHOUT KEYBOARD, MONITOR
6ES7650-1AH51-5XX0	SIEMENS	Simatic PCS7	SIMATIC PCS7, RED. F-AIG MTA, MARSHALLING TERMINATION ASSEMBLY FOR ET200M F-MODULE 6ES7336-1HE00-0AB0 6 CHANNELS, PER CHANNEL FUSE, REDUNDANT POWER INPUT WITH FUSES AND LED INDICATION MEASURING RANGE: 4-20 MA
6ES7654-0YK00-0AB0	SIEMENS	Simatic PCS7	SIMATIC S7, Y-COUPLER FOR BUILDING UP A Y-LINK FOR REDUNDANT CONTROLLERS
6ES7654-0YS00-0AB0	SIEMENS	Simatic PCS7	SIMATIC S7 Y-IM V0 FOR NORM MASTER FOR BUILDING UP A Y-SWITCH LIKE 6ES7 654-1YB00-0AB0 OR 6ES7 654-2YB00-0AB0 (NOT FOR USE IN SIMATIC S7)
6ES7654-7HY00-0XA0	SIEMENS	Simatic PCS7	SIMATIC S7, BUS UNIT FOR THE INTEGRATION OF A Y COUPLER INCL. COVER FOR BUS UNIT
6ES7671-0AG00-1YA7	SIEMENS	Software / Manual	SIMATIC WINAC NV128, PC BOARD 128 KB NON VOLATILE RAM FOR WINAC RTX 2005 SP2 AND HIGHER REFERENCE-HW: SIMATIC PC
6ES7671-0RC03-0YA0	SIEMENS	Software / Manual	SIMATIC WINAC RTX V4.0 SINGLE LICENSE F. 1. INSTALL. R-SW, SW AND DOCU. ON CD LICENSE KEY ON FD, CLASS B 3 LANGUAGES (D,E,F) EXECUTABLE UNDER WIN 2000/XP AND VCI RTX REFERENCE-HW: SIMATIC PC
6ES7675-1BB30-0PA0	SIEMENS	Simatic Box PC	SIMATIC MICROBOX 420-RTX, 512 MB SDRAM-133, 2 X 10/100MBIT/S ETHERNET RJ45, 4 X USB UND 1 X SERIAL (COM1), 1 X SLOT F. COMPACT FLASH DRIVE WATCHDOG, TEMP MONITORING; WINAC RTX PREINSTALLED; CELERON 400 MHZ, 100 MHZ FS#; PROFIBUS DP 12; 1 GBYTE COMPACT-FLA
6ES7675-1CK30-0AA0	SIEMENS	Simatic Box PC	SIMATIC MICROBOX 427B-RTX, INTEL PENTIUM M 1.4 GHZ, 1 GB DDR2-RAM, 1 X PROFIBUS DP, 2 X 10/100MBIT/S ETHERNET RJ45, 4 X USB AND 1 X SERIAL (COM1), 1 X SLOT F. COMPACT FLASH DRIVE WITHOUT HD AND FLASH DRIVE, WITHOUT OPERATING SYSTEM AND SW
6ES7675-1DK30-0AA0	SIEMENS	Simatic PC	SPARE PART FOR SIMATIC IPC427C BUNDLE, INTEL CORE2DUO 1.2 GHZ, 2 GBYTE RAM, 1 X PROFIBUS DP, 2 X 10/100MBIT/S ETHERNET RJ45, 4 X USB AND 1 X SERIAL (COM1), 1 X SLOT F. COMPACT FLASH DRIVE W/O CF_CARD AND SOFTWARE
6ES7677-1DD00-0BA0	SIEMENS	Simatic S7	SIMATIC S7-MODULAR EMBEDDED CONTROLLER, EC31, 1 GB RAM, 2 GB FLASH DISK WITH PREINSTALLED SW: WINDOWS XP EMBEDDED; INTERFACES: 1. IF: 2X PROFINET, 2. IF: 1X FAST ETHERNET, 3. IF: 2 X USB, MMC SLOT, DOCUMENTATION ON CD/DVD, RESTORE CD/DVD
6ES7677-1DD40-1AA0	SIEMENS	Simatic S7	SIMATIC S7-MODULAR EMBEDDED CONTROLLER, EM PCI-104 EXTENSION MODULE FOR UP TO 3 ADDITIONAL PCI-104 CARDS, (USING OF PC/104 PLUS CARDS WITH ADDITIONAL ADAPTER POSSIBLE)
6ES7678-1RA00-0XB0	SIEMENS	Simatic S7	SIMATIC WINAC SLOT PSEB PS EXTENSION BOARD FOR PC-BASED CONTROL WITH SLOT PLC POWER SUPPLY FOR WINAC SLOT 41X PCI 24V EXTERNAL A. 12V INTERNAL INCL. BATTERY 3.6V
6ES7702-0AA00-0YA0	SIEMENS	HMI	SIMATIC S7, PG 702, HANDHELD 2-LINE DISPLAY, 20 CPL, FOR PROGR. S7-200 IN STL WITH COMPACT DESCRIPTION (G,E,F,S,I) AVAILABLE AS A SPARE PART ONLY! EAN: 402515160397
6ES7710-5BA55-4LB4	SIEMENS	PG	SIMATIC FIELD PG
6ES7711-1AA11-0FE0	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4 - 2.0 GHZ; 512 KB 2ND LEVEL CACHE; UPGRADE INSTALLATION; ; 256 MB RAM (1X256 MB DDR-RAM); TFT XGA (1024 X 768) DVD-ROM / CD-RW DRIVE; 20 GBYTE HDD EIDE; WINDOWS 2000 ENGLISH MUI GFSI; POWER CABLE FOR: USA, JAPAN;
6ES7711-1AA11-2FB1	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.0 GHZ; 512 KB 2ND LEVEL CACHE; UPGRADE INSTALLATION; ; 256 MB RAM (1X256 MB DDR-RAM); TFT XGA (1024 X 768) DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS 2000 ENGLISH MUI GFSI; POWER CABLE FOR: GER,FR,NLS
6ES7711-1CA24-2FE1	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.0 GHZ; 512 KB 2ND LEVEL CACHE; STEP 7, STEP 5, STEP 7 MICROWIN ; 512 MB RAM (1X512 MB DDR-RAM); TFT SXGA (1400 X 1050) DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS 2000 ENGLISH MUI GFSI; POWER CABLE FOR
6ES7711-1DA11-2FE1	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.0 GHZ; 512 KB 2ND LEVEL CACHE; STEP 7 PROFESSIONAL, STEP 5, STEP 7 MICROWIN; ; 256 MB RAM (1X256 MB DDR-RAM); TFT XGA (1024 X 768) DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS 2000 ENGLISH MUI GFSI; POWER CABLE FOR: FRANK REIT INDUSTRIAL AUTOMATION, A TP
6ES7711-1DA11-2LB1	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.0 GHZ; 512 KB 2ND LEVEL CACHE; STEP 7 PROFESSIONAL, STEP 5, STEP 7 MICROWIN; ; 256 MB RAM (1X256 MB DDR-RAM); TFT XGA (1024 X 768) DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS XP PROF. ENGLISH MUI GFSI;
6ES7711-2AA21-2LE3	SIEMENS	PG	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.2 GHZ; 512 KB 2ND LEVEL CACHE; UPGRADE INSTALLATION; ; 512 MB RAM (1X512 MB DDR-RAM); TFT XGA (1024 X 768) + DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS XP PROF. ENGLISH + MUI GFSI; POWER CABLE FOR: USA, JAP
6ES7711-2BA21-2LB3	SIEMENS	Simatic S7	SIMATIC FIELD PG PENTIUM 4, PENTIUM 4 - 2.2 GHZ; 512 KB 2ND LEVEL CACHE; STEP 7, STEP 7 MICROWIN; ; 512 MB RAM (1X512 MB DDR-RAM); TFT XGA (1024 X 768) + DVD-ROM / CD-RW DRIVE; 40 GBYTE HDD EIDE; WINDOWS XP PROF. ENGLISH + MUI GFSI; POWER CABLE FOR: GER,F
6ES7711-2EA34-3LE2	SIEMENS	PG	SIMATIC FIELD PG P4
6ES7711-2EA35-3LE4	SIEMENS	PG	SIMATIC FIELD PG P4
6ES7712-0AA03-0AA0	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M STANDARD 1.6 GHZ PENTIUM M (730), DVD ROM / CD-RW COMBO DRIVE, 15" XGA DISPLAY (1024 X 768) 60 GB HDD, 1X1 GB DDR2 RAM
6ES7712-0AA03-0AA5	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M STANDARD 1.6 GHZ PENTIUM M (730), DVD ROM / CD-RW COMBO DRIVE, 15" XGA DISPLAY (1024 X 768) 60 GB HDD, 1X1 GB DDR2 RAM
6ES7712-1BB10-0AA3	SIEMENS	PG	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB10-0AG4	SIEMENS	PG	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB13-0AA3	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB13-0AA5	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB13-0AE0	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB13-0AF0	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7712-1BB13-0AF5	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M PREMIUM 2 GHZ PENTIUM M (760), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 100 GB HDD, 1 X 1 GB DDR2 RAM
6ES7713-1BB10-0AA1	SIEMENS	PG	SIMATIC FIELD PG M2 PREMIUM 2.2 GHZ CORE 2 DUO (T7500), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 250GB S-ATA HDD, 1X2GB DDR2 RAM POWER CABLE FOR: GER, FR,NL,SP,BEL,AT,SWD,FIN; WLAN APPROVAL F. EUROPE MODEM APPROVAL FOR EUROPE; WINDOWS XPPR
6ES7713-1BB10-0AD1	SIEMENS	PG	SIMATIC FIELD PG M2 PREMIUM 2.2 GHZ CORE 2 DUO (T7500), DL MULTISTANDARD DVD RW, 15" SXGA DISPLAY (1400 X 1050) 250GB S-ATA HDD, 1X2GB DDR2 RAM

6ES7713-1BB10-0AF2	SIEMENS	PG	SIMATIC FIELD PG M2 PREMIUM 2.2 GHZ CORE 2 DUO (T7500), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 250GB S-ATA HDD, 1X2GB DDR2 RAM
6ES7713-1BB13-0AA0	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M2 PREMIUM 2.2 GHZ CORE 2 DUO (T7500), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 250GB S-ATA HDD, 1X2GB DDR2 RAM
6ES7713-1BB13-0AA1	SIEMENS	Simatic PCS7	SIMATIC FIELD PG M2 PREMIUM 2.2 GHZ CORE 2 DUO (T7500), DL MULTISTANDARD DVD RW, 15" SXGA+ DISPLAY (1400 X 1050) 250GB S-ATA HDD, 1X2GB DDR2 RAM
6ES7720-2AC20-0YB0	SIEMENS	PG	SIMATIC S7, PG 720 C STN COL. DISPLAY, 80486 DX4/100 32 MB RAM, 810 MB HD, WIN95 STEP5/STEP7, MICRO DOS/-WIN, 5 LANGUAGE VERSION (G,E,F,S,I)
6ES7721-1AB01-0AA2	SIEMENS	PG	SIMATIC PG 720 P II
6ES7740-0AA00-0YA0	SIEMENS	HMI	SIMATIC S7, PG 740 (PORTABLE) CPU 80486DX2,8 MB RAM,340 MB HD 10.4" TFT DISPLAY, (VGA), WITH STEP5/ST (STEP 7 AVAIL. SOON) 5 LANGUAGE VERSION
6ES7740-1AA00-0YA0	SIEMENS	HMI	SIMATIC S7, PG 740 (PORTABLE) CPU 80486DX4,8 MB RAM,850 MB HD 10.4" TFT DISPLAY, (VGA), WITH STEP5/STEP7,WFW 3.11,MS DOS 6.2 5 LANGUAGE VERSION
6ES7740-3AC11-0YB0	SIEMENS	PG	SIEMENS PG 740 PENTIUM V03.1 CPU=INTEL PENTIUM 200MHZ SYSTEM RAM 640KB EXT.RAM 64512KB SHADOW RAM 384KB CACHE RAM 256KB HDD 2559MB
6ES7740-5AC43-1YC0	SIEMENS	HMI	SIMATIC S7, PROGRAMMERS PG 740, 12,1" TFT-DISP. 800X600 PENTIUM 200, 32MB RAM CD-ROM, 3.2 GB HD, WIN95 STEP5/STEP7, MICRO-DOS 5 LANGUAGE VERSION (G,E,F,S,I)
6ES7740-5AC43-1YC3	SIEMENS	HMI	SIMATIC S7, PROGRAMMER PG 740, 12,1" TFT-DISP. 800X600 PENTIUM 200, 32MB RAM, CD-ROM, 3,2 GB HD, WIN95, STEP5 V7.01, STEP7 V4.01; MICRO, (D,E,F,S,I)
6ES7741-0AB00-0YA0	SIEMENS	PG	SIMATIC PG, PROGRAMMER PG740 PII, 13.3" TFT XGA, PENTIUM II 266,64MB RAM,CD-ROM, 5.2 GB HD, WIN95, STEP5 V7.01, STEP7 V4.02, MICRO/WIN V2.1
6ES7741-0AB10-0AA0	SIEMENS	PG	SIMATIC PG, PROGRAMMER PG740 PII, 13.3" XGA-TFT, PII 333MHZ,64MB SDRAM, 6.4GB HD CD-ROM,STEP5 V7.01/STEP7 V4.02, MICRO/WIN V2.1; WIN98 GERMAN
6ES7742-0AC00-0AA2	SIEMENS	PG	SIMATIC PG, PROGRAMMER PG740 PIII, 13.3" XGA-TFT, PIII 450, 128 MB RAM, 8.4 GB HD STEP5 V7.12; STEP7 V5.0 SP3 MICRO/WIN V3.02; WIN98 SE GERMAN
6ES7742-1AC10-0AA2	SIEMENS	PG	SIMATIC PG, PROGRAMMER PG740 PIII, 13.3" XGA-TFT, PIII 700E, 128 MB RAM, 10 GB HD STEP5 V7.14; STEP7 V5.1, MICRO/WIN V3.1; WIN98 SE GERMAN
6ES7750-0CA31-4GB2	SIEMENS	PG	SIMATIC POWER PG, PENTIUM 866 MHZ, 256 KB 2ND LEVEL CACHE, STEP 7, STEP 5, STEP 7 MICROWIN , 256 MBYTE RAM (1X256 MB SDRAM), TFT XGA (1024 X 768) + 40 GBYTE HDD EIDE; DVD-ROM / CD-RW DRIVE & 1.44 MB FLOPPY DISK DRIVE; WINDOWS 2000 GERMAN; POWER CABLE FOR:
6ES7750-0CA31-4GB3	SIEMENS	PG	SIMATIC POWER PG, PENTIUM 866 MHZ, 256 KB 2ND LEVEL CACHE, STEP 7, STEP 5, STEP 7 MICROWIN , 256 MBYTE RAM (1X256 MB SDRAM), TFT XGA (1024 X 768) + 40 GBYTE HDD EIDE; DVD-ROM / CD-RW DRIVE & 1.44 MB FLOPPY DISK DRIVE; WINDOWS 2000 GERMAN; POWER CABLE FOR:
6ES7750-1DA31-0FB2	SIEMENS	PG	SIMATIC POWER PG, PENTIUM 1.13 GHZ, 256 KB 2ND LEVEL CACHE, STEP 7 PROFESSIONAL, STEP 5, STEP 7 MICROWIN , 256 MBYTE RAM (1X256 MB SDRAM), TFT XGA (1024 X 768) + 40 GBYTE HDD EIDE; DVD / CD ROM DRIVE & SUPERDISK LS 240 DRIVE; WINDOWS 2000 MUI GEFSI; POWE
6ES7750-2DA31-3FB4	SIEMENS	PG	SIMATIC POWER PG, PENTIUM 1.26 GHZ, 512 KB 2ND LEVEL CACHE, STEP 7 PROFESSIONAL, STEP 5, STEP 7 MICROWIN , 256 MBYTE RAM (1X256 MB SDRAM), TFT XGA (1024 X 768) + 40 GBYTE HDD EIDE; DVD / CD ROM DRIVE & 1.44 MB FLOPPY DISK DRIVE; WINDOWS 2000 MUI GEFSI; P
6ES7750-2DA51-3FB3	SIEMENS	PG	SIMATIC POWER PG, PENTIUM 1.26 GHZ, 512 KB 2ND LEVEL CACHE, STEP 7 PROFESSIONAL, STEP 5, STEP 7 MICROWIN , 512 MBYTE RAM (2X256 MB SDRAM), TFT XGA (1024 X 768) + 40 GBYTE HDD EIDE; DVD / CD ROM DRIVE & 1.44 MB FLOPPY DISK DRIVE; WINDOWS 2000 MUI GEFSI; P
6ES7791-0AN00-0XA0	SIEMENS	HMI	SIMATIC S7, MEMORY EXPANSION FOR PG 740/760, 8 MBYTES
6ES7791-0DP00-0XA0	SIEMENS	HMI	SIMATIC S7, ACCESS.F.PG 740/760 MEMORY EXPANSION FOR PG 740/760 PENTIUM, 16 MBYTES (2 X 8 MBYTES)
6ES7791-0DQ00-0XA0	SIEMENS	HMI	SIMATIC S7, ACCESS.F.PG 740/760 MEMORY EXPANSION FOR PG 740/760 PENTIUM, 32 MBYTES (2 X 16 MBYTES)
6ES7793-2AA00-0AA0	SIEMENS	HMI	SIMATIC S7, PROGRAMMING DEVICES MPI CARD FOR ONLINE CONNECTION TO S7/M7/C7, SHORT ISA CARD FOR PG/PC W. 386 A. 486 PROCESSORS MPI CABLE 5M, INSTR. IN 5 LANG.
6ES7798-0CA00-0XA0	SIEMENS	HMI	SIMATIC PG, ADAPTER FOR S5 EPROM PROGRAMMING IN THE FIELD PG AND POWER PG
6ES7800-0AC00-7AA0	SIEMENS	Software / Manual	SIMATIC PG, BACKUP SOFTWARE PG-WINDOWS 95 BACKUP OVR2, F. PG720/PG 740/PG 760, CD-ROM (MONO LINGUAL DOC) GERMAN
6ES7810-2AA01-0YX0	SIEMENS	Software / Manual	SIMATIC S7,STEP7-MICRO/WIN V2.1 16BIT, F. WIN3.1X, FOR S7-200, 3.5" DISKETTES, 5 LANGUAGES ONLINE DOCUM., SINGLE LICENSE EAN: 4025515161028
6ES7810-2CC03-0YX3	SIEMENS	Software / Manual	SIMATIC S7, STEP7-MICRO/WIN V4.0 SP4 UPGR., SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, CLASS A, 6 LANG. (G,E,F,I,S,C), EXECUTABLE UNDER WIN2000/XP, REFERENCE-HW-SIMATIC S7-200
6ES7810-2DA10-8CA0	SIEMENS	Software / Manual	SIMATIC S7, MANUAL STEP7 MICRO/DOS, FRENCH EAN: 4025515160687
6ES7810-4CC02-0YX0	SIEMENS	Software / Manual	SIMATIC S7, STEP7,SOFTWARE V3.2 FOR S7-300/400, M7, 5 LANGUAGES CD, W/O DOCUMENTATION FOR WINDOWS 95 AND WINDOWS NT, SINGLE LIC.
6ES7810-4CC05-0YX4	SIEMENS	Software / Manual	SIMATIC S7, STEP7 V5.1 UPGRADE, SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, LICENSE KEY ON FD, CLASS A, 5 LANGUAGES (G,E,F,I,S), EXECUTABLE UNDER WIN95/98/ME/ WINNT/2000PROF, REFERENCE-HW: S7-300/400, C7
6ES7810-5CC08-0YE5	SIEMENS	Simatic S7	SIMATIC S7, STEP7 PROF ED2004, FLOATING LICENSE FOR 1 USER, E-SW, SW AND DOCU. ON CD, LICENSE KEY ON FD, CLASS A, 5 LANGUAGES (G,E,F,I,S), EXECUTABLE UNDER WIN2000PROF/XP/PROF, REFERENCE-HW: S7-300/400, C7
6ES7811-0CA01-0YX0	SIEMENS	Software / Manual	SIMATIC S7, S7-GGRAPH V3.0.1 FOR S7-300/400, 5 LANGUAGES FD, W/O DOCUMENTATION FOR WINDOWS 95, SINGLE LICENSE
6ES7811-1CA01-0YX0	SIEMENS	Software / Manual	SIMATIC S7, S7-PLCSIM V5.2 SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, LICENSE KEY ON FD, CLASS A 5 LANGUAGES (G,E,F,I,S),
6ES7840-0CC03-0YE4	SIEMENS	Software / Manual	SIMATIC S7, S7-PDIAG V5.1 UPGRADE SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD LICENSE KEY ON FD, CLASS A 5 LANGUAGES (G,E,F,I,S) EXECUTABLE UNDER WIN95/98/ME WINNT/2000PROF/XP/PROF REFERENCE-HW-SIMATIC S7-300/400
6ES7841-0CA00-0YE0	SIEMENS	Software / Manual	SIMATIC S7, S7-PLCSIM V5.2 SINGLE LICENSE F.1 INSTALLATION E-SW, SW AND DOCU. ON CD, LICENSE KEY ON FD, CLASS A 5 LANGUAGES (G,E,F,I,S),
6ES7842-0CE00-0YE0	SIEMENS	Software / Manual	SIMATIC S7, TELESERVICE V6.1 FLOATING LICENSE E-SW, SW AND DOCU ON CD LICENSE KEY ON USB-STICK CLASS A 5 LANGUAGES (G,E,F,I,S) EXECUTABLE UNDER WIN2000 WINXP-HOME/XP-PROF. REFERENCE-HW: PG/PC
6ES7901-0BF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MPI CABLE FOR CONNECTING SIMATIC S7 AND PG VIA MPI 5M
6ES7901-1BF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7,CONNECTING CABLE FOR HMI ADAPTER AND PC/TS ADAPTER, (RS232 / ZERO MODEM CABLE), 6 M
6ES7901-2BF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, PC/MPI CABLE FOR CONNECTING PC TO SIMATIC S7 FOR PC W/O FREE SLOT WITH RS232C/RS485 CONVERSION 5M
6ES7901-3BF00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, PC/PPI CABLE W.BUILT-IN RS232/PPI CONVERTER FOR CONNECTING PC TO S7-200 5M EAN: 4025515160823
6ES7901-3BF20-0XA0	SIEMENS	Simatic S7	SIMATIC S7, PC/PPI CABLE W.BUILT-IN RS232/PPI CONVERTER FOR CONNECTING PC TO S7-200 5M
6ES7901-3CB30-0XA0	SIEMENS	Simatic S7	SIMATIC S7-200, PC/PPI CABLE MM MULTIMASTER, FOR CONNECTING S7-200 TO SERIAL PORT OF PC, SUPPORTS FREEPORT AND GSM MODEMS
6ES7921-3AB00-0AA0	SIEMENS	Simatic S7	FRONT CONNECTOR WITH TWISTED RIBBON CABLE CONNECTION FOR 16 DIGITAL I/O MOD. OF THE S7-300, POWER SUPPLY VIA SCREW-TYPE TERMINALS
6ES7921-3AC00-0AA0	SIEMENS	Simatic S7	FRONT CONNECTOR WITH TWISTED RIBBON CABLE CONNECTION FOR 2 A-DIGITAL OUTPUT MODULES, POWER SUPPLY VIA SPRING TERMINALS
6ES7921-3AD00-0AA0	SIEMENS	Simatic S7	FRONT CONNECTOR WITH TWISTED RIBBON CABLE CONNECTION FOR 2 A-DIGITAL OUTPUT MODULES, POWER SUPPLY VIA SCREW-TYPE TERMINALS
6ES7921-3AF00-0AA0	SIEMENS	Simatic S7	FRONTSIDE PLUG-IN MODULE WITH CONNECTION FOR TWISTED RIBBON CABLE FOR ANALOG MODULES OF THE S7-300, POWER SUPPLY VIA SPRING TERMINALS
6ES7921-3AF20-0AA0	SIEMENS	Simatic S7	FRONT CONNECTOR WITH TWISTED RIBBON CABLE CONNECTION FOR ANALOG (40PINS) S7-300 MODULES POWER SUPPLY USING TERMINALS
6ES7921-4AB00-0AA0	SIEMENS	Simatic S7	FRONT CONNECTOR MODULE WITH TWISTED RIBBON CABLE FOR DIGITAL I/O MODULES OF S7-400, POWER SUPPLY VIA SCREW-TYPE TERMINAL

6ES7922-3BC50-0ACO	SIEMENS	Simatic S7	FRONT CONNECTOR FOR S7-300 40-POLE (6ES7392-1AM00-0AA0), WITH 40 SINGLE CORES 0.5 MM2, H05V-K SINGLE CORES, SCREW-TYPE VERSION, PACKING UNIT= 1 PCS, L = 2.5 M
6ES7922-4BC50-0AD0	SIEMENS	Simatic S7	FRONT CONNECTOR FOR S7-400 48-POLE (6ES7492-1AL00-0AA0), WITH 46 SINGLE CORES 0.5 MM2, H05V-K SINGLE CORES, SCREW-TYPE VERSION, PACKING UNIT= 1 PCS., L = 2.5 M
6ES7924-0AA00-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TP1, 1-TIER CONFIGURATION, 8 CHANNELS, CONNECTION VIA TWISTED RIBBON CABLE, SPRING TERMINALS
6ES7924-0BB00-0AA0	SIEMENS	Simatic S7	TERMINAL BLOCK TP2, 2-TIER CONFIGURATION, 8 CHANNELS, FOR 2 A-DIGITAL OUTPUT MODULES, CONNECTION VIA TWISTED RIBBON CABLE, SCREW-TYPE TERMINALS
6ES7924-0BB00-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TP2, 2-TIER CONFIGURATION, 8 CHANNELS, FOR 2 A-DIGITAL OUTPUT MODULES, CONNECTION VIA TWISTED RIBBON CABLE, SPRING TERMINALS
6ES7924-0BD10-0BB0	SIEMENS	Simatic S7	TERMINAL BLOCK TPPO WITH RELAY 24V DC, OUTPUT 8 NO AC 230V/3A 30V/3A DC SORT: SPRING TERMINAL WITH LED, PACK. UNIT=1 PCS 16 POLE IDC CONNECT. FOR CABLE
6ES7924-0CA00-0AA0	SIEMENS	Simatic S7	TERMINAL BLOCK TP3, 3-TIER CONFIGURATION, 8 CHANNELS, CONNECTION VIA TWISTED RIBBON CABLE, SCREW-TYPE TERMINALS
6ES7924-0CA00-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TP3, 3-TIER CONFIGURATION, 8 CHANNELS, CONNECTION VIA TWISTED RIBBON CABLE, SPRING TERMINALS
6ES7924-0CA00-1AA0	SIEMENS	Simatic S7	TERMINAL BLOCK TP3, 3-TIER CONFIGURATION, 8 CHANNELS, CONNECTION VIA TWISTED RIBBON CABLE, SCREW-TYPE TERMINALS, PACK OF 10 PCS
6ES7924-0CA10-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TP3 8 CHANNELS AND 2X10 TERMINALS FOR POTENTIAL SUPPLY SORT: SPRING TERMINAL WITHOUT LED, PACK. UNIT=1 PCS 16 POLE IDC CONNECT. FOR CABLE
6ES7924-0CC00-0AA0	SIEMENS	Simatic S7	TERMINAL BLOCK TPA, 3-TIER FOR ANALOG MODULES OF THE S7, CONN. WITH TWISTED RIBBON CABLE, CONNECTION VIA SCREW TERMINALS, 1 PCK = 1 PIECE
6ES7924-0CC00-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TPA, 3-TIER FOR ANALOG MODULES OF THE S7, CONN. WITH TWISTED RIBBON CABLE, CONNECTION VIA SPRING TERMINALS 1 PCK = 1 PIECE
6ES7924-0CC10-0AB0	SIEMENS	Simatic S7	TERMINAL BLOCK TPA 3-ROW FOR ANALOG SIMATIC S7 MODULES SORT: SPRING TERMINAL WITHOUT LED, PACK. UNIT=1 PCS 16 POLE IDC CONNECT. FOR CABLE
6ES7924-0CD00-0AA0	SIEMENS	Simatic S7	TERMINAL BLOCK TPR, RELAY INPUT: 24 V DC, OUTPUTS 8 NO 230 V AC/2 A, 60 V DC/0.2 A, SCREW TERMINAL, PCK = 1 PIECE
6ES7925-2AA00-0AA0	SIEMENS	Simatic S7	HEAD STATION, PREFABRICATED AS PROFIBUS STANDARD SLAVE, 32 BI- DIRECTIONAL CHANNELS, 24 V, 0.5 A, MAX. 12 MBAUD, L/H/D = 200/120/100 MM
6ES7925-2AB00-0AA0	SIEMENS	Simatic S7	SIEMENS PART
6ES7925-4AF00-0AA0	SIEMENS	Simatic S7	INTERNAL BUS CABLE BETWEEN HEAD/EXTENSION STATION, OR EXTENSION/EXTENSION STATION, 2 X 9-PIN, D-SUB SOCKET, L = 0.5 M
6ES7925-4BB00-0AA0	SIEMENS	Simatic S7	INTERNAL BUS CABLE BETWEEN HEAD/EXTENSION STATION, OR EXTENSION/EXTENSION STATION, 2 X 9-PIN, D-SUB SOCKET, L = 1.0 M
6ES7928-1BA00-0AA0	SIEMENS	Simatic S7	SHIELD SHEET FOR TERMINAL BLOCK ANALOG 1 PACK = SET OF 4
6ES7951-0AG00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-300, SHORT VERSION 128 KBYTES
6ES7951-0FD00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD MC 951, SHORT VERSION FLASH EPROM, 16 KBYTES (8 BITS)
6ES7951-0KD00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD MC 951, F. S7-300, SHORT VERSION 5V FLASH EPROM, 16 KBYTES
6ES7951-0KE00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD MC 951, F. S7-300, SHORT VERSION 5V FLASH EPROM, 32 KBYTES
6ES7951-0KF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD MC 951, F. S7-300, SHORT VERSION 5V FLASH EPROM, 64 KBYTES
6ES7951-0KG00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD MC 951, F. S7-300, SHORT VERSION 5V FLASH EPROM, 128 KBYTES
6ES7951-1AH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-300, SHORT VERSION 256 KBYTES
6ES7951-1AJ00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-300, SHORT VERSION 512 KBYTES
6ES7951-1AL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-300, SHORT VERSION 2 MBYTES
6ES7951-1KH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-300, SHORT VERSION 5V FLASH EPROM, 256 KBYTES
6ES7951-1KM00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, 5V FLASH MEMORY CARD FOR FM357, 4MB, SHORT VERSION
6ES7952-0AF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 64 KBYTES
6ES7952-0KF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 64 KBYTES
6ES7952-0KH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 256 KBYTES
6ES7952-1AH00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 256 KBYTES
6ES7952-1AK00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 1 MBYTE
6ES7952-1AL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 2 MBYTES
6ES7952-1AM00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 4 MBYTES
6ES7952-1AP00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, RAM MEMORY CARD FOR S7-400, LONG VERSION, 8 MBYTES
6ES7952-1KK00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 1 MBYTE
6ES7952-1KL00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 2 MBYTES
6ES7952-1KP00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 8 MBYTES
6ES7952-1KS00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEMORY CARD FOR S7-400, LONG VERSION, 5V FLASH-EPROM, 16 MBYTES
6ES7953-8LF00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU 3.3 V NFLASH, 64 KBYTES
6ES7953-8LF11-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 64 KBYTES
6ES7953-8LF20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200, 3.3 V NFLASH, 64 KBYTES
6ES7953-8LG11-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 128 KBYTES
6ES7953-8LG20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD FOR S7-300/C7/ET 200, 3.3 V NFLASH, 128 KBYTES
6ES7953-8LJ20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 512 KBYTES
6ES7953-8LJ00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU 3.3 V NFLASH, 2 MBYTES
6ES7953-8LL11-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 2 MBYTES
6ES7953-8LJ20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 2 MBYTES
6ES7953-8LM11-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD F. S7-300/C7/ET 200S IM151 CPU, 3.3 V NFLASH, 4 MBYTES
6ES7953-8LM20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 4 MBYTES
6ES7953-8LP20-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MICRO MEMORY CARD P. S7-300/C7/ET 200, 3.3 V NFLASH, 8 MBYTES
6ES7960-1AA04-0XA0	SIEMENS	Simatic S7	SIMATIC S7-400H, SYNC SUBMODULE FOR PATCH CABLES UP TO 10M
6ES7960-1AA04-5AA0	SIEMENS	Simatic S7	SIMATIC S7-400H, PATCH CABLE FO 1M FOR SYNC-MODULE
6ES7961-1AA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF961-DIO INTERFACE MODULE, DIGITAL IN- /OUTPUT, 8 DI / 8 DO
6ES7961-3AA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF961-CT1 INTERFACE MODULE, COUNTER MOD. 1 CHANNEL, 5V SENSOR SUPPLY
6ES7962-1BA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF962-VGA VGA INTERFACE MODULE
6ES7962-1BA01-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF962-VGA VGA INTERFACE MODULE
6ES7962-3AA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF962-COM INTERFACE MODULE FOR 2 RS232 INTERFACES
6ES7962-4AA00-0AC0	SIEMENS	Simatic S7	SIMATIC M7, IF962-LPT INTERFACE MODULE FOR A PRINTER INTERFACE (CENTRONIX)
6ES7963-1AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IF963-RS232 INTERFACE MODULE W. RS232 IF FOR PTP CONNECTION TO CP441
6ES7963-2AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IF963-TTY INTERFACE MODULE W. TTY IF FOR PTP CONNECTION TO CP441
6ES7963-3AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-400, IF963-X27 INTERFACE MODULE W. RS422/RS485 INTERF. FOR PTP CONNECTION TO CP441
6ES7964-2AA00-0AB0	SIEMENS	Simatic S7	SIMATIC M7-400, IF964-DP INTERFACE MODULE FOR THE CONNECTION OF M7-400 MODULES TO SINEC L2 DP
6ES7964-2AA01-0AB0	SIEMENS	Simatic S7	SIMATIC S7, IF964-DP INTERFACE MODULE DP MASTER FOR S7-400
6ES7964-2AA04-0AB0	SIEMENS	Simatic S7	SIMATIC S7, IF964-DP INTERFACE MODULE DP MASTER FOR S7-400
6ES7971-1AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, BACKUP BATTERY (LI) 3.6V/MIN. 0.85AH, FOR FOR S7-300 CPUS AND S5-90U
6ES7971-2BA00-0AA0	SIEMENS	Simatic S7	SIMATIC WINAC, BACKUP BATTERY FOR WINAC PRO/PRO LITE, WINAC SLOT 412/416, 3,6V; SIZE AA, WITH CONNECTING CABLE AND INSTALLATION MATERIAL
6ES7971-5BB00-0AA0	SIEMENS	Simatic S7	SIMATIC S7-300, ACCUMULATOR FOR THE BACKUP OF THE REAL-TIME CLOCK FROM CPU 314 AND UPWARDS
6ES7972-0AA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, RS485 REPEATER FOR THE CONNECTION OF SINEC L2/MPI BUS SYSTEMS WITH MAX. 31 NODES; MAX. 12 MBAUD, DEGREE OF PROTECTION, IP 66/67
6ES7972-0AA01-0XA0	SIEMENS	Simatic S7	SIMATIC DP, RS485 REPEATER FOR THE CONNECTION OF PROFIBUS/MPI BUS SYSTEMS WITH MAX. 31 NODES; MAX. 12 MBIT/S, DEGREE OF PROTECTION IP20
6ES7972-0AA02-0XA0	SIEMENS	Simatic S7	SIMATIC DP, RS485 REPEATER FOR THE CONNECTION OF PROFIBUS/MPI BUS SYSTEMS WITH MAX. 31 NODES; MAX. 12 MBIT/S, DEGREE OF PROTECTION IP20 IMPROVED USABILITY
6ES7972-0AB00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, DIAGNOSIS-REPEATER FOR PROFIBUS

6ES7972-0AB01-0XA0	SIEMENS	Simatic S7	SIMATIC S7, DIAGNOSIS-REPEATER FOR PROFIBUS DP, FOR ONLINE PROFIBUS CABLE DIAGNOSTICS, DP-STANDARD SLAVE TO 12MBIT/S, DEGREE OF PROTECTION IP20, FAST-CONNECT TECHNOLOGY
6ES7972-0AC80-0XA0	SIEMENS	Simatic S7	SIMATIC DP, DISTRIBUTED I/O FIELD DEVICE LINK RS485-IS COUPLER, FIELD BUS COUPLER BETWEEN PROFIBUS DP AND RS485-IS, TO HEADING FOR INTRINSICALLY SAFE PROFBUS PARTICIPANTS, INSTALLATION IN EX-AREA2, FOR EXPANDED TEMPERATURE RANGE PROTECTION CLASS IP20
6ES7972-0BA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, BUS CONNECTOR FOR SINEC L2-DP, FLAT DESIGN ANTHRACITE, W/O PG CONNECTION SOCKET
6ES7972-0BA10-0XA0	SIEMENS	Simatic S7	SIMATIC S7, BUS CONNECTOR FOR PROFIBUS DP, FLAT DESIGN ANTHRACITE, W/O PG CONNECTION SOCKET, FOR APPLICATIONS WITH MAX. 12 MBAUD
6ES7972-0BA11-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITHOUT PG SOCKET
6ES7972-0BA20-0XA0	SIEMENS	Simatic S7	SIMATIC S7, BUS CONNECTOR FOR PROFIBUS, WITH SWIVEL OUTGOING CABLE,W/O PG CONNECTION SOCKET, 12 MBAUD
6ES7972-0BA30-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS CONNECTOR FOR PROFIBUS WITH TILTED CABLE OUTLET, MAX.1.5 MBIT/S, INSUL.PIERCING CONN.DEV., 15 X 57,6 X 39,5 MM (WXHxD), W/O LAN TERMINAT.RESIST. AND.PG CONNECTION SOCKET
6ES7972-0BA40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE, TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITHOUT PG SOCKET
6ES7972-0BA41-0XA0	SIEMENS	Simatic S7	SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE (W X H X D): 16 X 54 X 34 MM TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITHOUT PG SOCKET
6ES7972-0BA50-0XA0	SIEMENS	Simatic S7	SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE (WX H X D): 16 X 72,7 X 34 MM IPCD TECHNOLOGY FAST CONNECT WITHOUT PG SOCKET
6ES7972-0BA51-0XA0	SIEMENS	Simatic S7	SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, 15,8 X 59 X 35,6 MM (WXHxD), IPCD TECHNOLOGY FAST CONNECT, WITHOUT PG SOCKET
6ES7972-0BA60-0XA0	SIEMENS	Simatic S7	SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 35 DEGREE ANGLE CABLE OUTLET, IPCD TECHNOLOGY FAST CONNECT, WITHOUT PG SOCKET 15,8 X 54 X 39,5 MM (WXHxD),
6ES7972-0BB11-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET
6ES7972-0BB12-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE CABLE OUTLET, 15,8 X 64 X 35,6 MM (WXHxD), TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET
6ES7972-0BB20-0XA0	SIEMENS	Simatic S7	SIMATIC S7, BUS CONNECTOR FOR PROFIBUS, WITH SWIVEL OUTGOING CABLE, PG CONNECTION SOCKET, 12 MBAUD
6ES7972-0BB40-0XA0	SIEMENS	Simatic S7	SIMATIC S5/S7,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE, TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET
6ES7972-0BB41-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S WITH TILTED OUTGOING CABLE (W X H X D): 16 X 54 X 34 MM TERMINAT. RESIST. WITH ISOLAT. FUNCTION, WITH PG SOCKET
6ES7972-0BB50-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE (WX H X D): 16 X 72,7 X 34 MM IPCD TECHNOLOGY FAST CONNECT WITH PG SOCKET
6ES7972-0BB50-0XA0-KL	SIEMENS	Simatic S7	PROFIBUSCONNECTOR KLOON MERK HELMHOLZ 700-972-0BB11 OF 700-972-0BB12
6ES7972-0BB51-0XA0	SIEMENS	Simatic S7	SIMATIC DP,BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 90 DEGREE ANGLE OUTGOING CABLE, 15,8 X 59 X 35,6 MM (WXHxD), IPCD TECHNOLOGY FAST CONNECT, WITH PG SOCKET
6ES7972-0BB60-0XA0	SIEMENS	Simatic S7	SIMATIC DP, BUS CONNECTOR FOR PROFIBUS UP TO 12 MBIT/S 35 DEGREE ANGLE CABLE OUTLET, IPCD TECHNOLOGY FAST CONNECT, WITH PG SOCKET 15,8 X 54 X 39,5 MM (WXHxD),
6ES7972-0CA00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, PLUG-IN POWER SUPPLY UNIT SET FOR EXTERNAL POWER SUPPLY OF THE PC ADAPTER USB 00V-240V AC/ 24V DC
6ES7972-0CA11-0XA0	SIEMENS	Simatic S7	SIMATIC S7, HMI ADAPTER V5 FOR CONNECTION OF NON-SIEMENS HMI SYSTEMS TO S7-300/-400 WITH RS 232/RS 485 CONVERSION
6ES7972-0CA21-0XA0	SIEMENS	Simatic S7	SIMATIC S7, PC ADAPTER F. CONNECTION OF PC W. C7, M7, S7-300(W/O FM353/354/357)/-400, FOR PC W/O FREE SLOT WITH RS232/RS485 CONVERSION
6ES7972-0CA32-0XA0	SIEMENS	Simatic S7	SIMATIC S7, TS ADAPTER V5 FOR CONNECTION OF A MODEM TO S7-300/-S7-400, M7, C7 WITH RS 232/RS 485 CONVERSION PRODUCT PACKAGE W/O RS232 CABLE
6ES7972-0CA33-0XA0	SIEMENS	Simatic S7	SIMATIC S7, TS ADAPTER V5.1 FOR SIMATIC TELESERVICE FOR S7-300/-S7-400, M7, C7 WITH RS 232/RS 485 CONVERSION PRODUCT PACKAGE W/O RS232 CABLE
6ES7972-0CA34-0XA0	SIEMENS	Simatic S7	SIMATIC S7, TS ADAPTER 5.2 FOR SIMATIC TELESERVICE FOR S7-399/-400, M7, C7 WITH RS 232/RS 485 CONVERSION PRODUCT PACKAGE W/O RS232 CABLE
6ES7972-0CB35-0XA0	SIEMENS	Simatic S7	SIMATIC S7, TS ADAPTER II FOR SIMATIC TELESERVICE RS232 AND INTEGR. ANALOG MODEM CONNECTION ON MPI/DP POWER SUPPL. MPI OR EXT. 24V PARAMETR. THROUGH USB
6ES7972-0DA00-0AA0	SIEMENS	Simatic S7	SIMATIC DP, RS485 RESISTOR FOR TERMINATING PROFIBUS-/MPI-NETWORKS
6ES7972-0EB00-0XA0	SIEMENS	Simatic S7	SIMATIC S7, TS ADAPTER IE BASIC FOR SIMATIC TELESERVICE, CONNECTION ON ETHERNET, POWER SUPPLY EXT. 24V,
6ES7972-4AA00-0XA0	SIEMENS	Simatic S7	SIMATIC DP, POWER RAIL BOOSTER SIGNAL AMPLIFIER FOR TRANSMITTING THE PROTOCOL OF PROFIBUS-DP USING COLLECTOR WIRES, MAX 500 KBIT/S
6ES7972-4AA02-0XA0	SIEMENS	Simatic S7	SIMATIC DP, POWER RAIL BOOSTER SIGNAL AMPLIFIER FOR TRANSMITTING THE PROTOCOL OF PROFIBUS-DP USING COLLECTOR WIRES, MAX 500 KBIT/S
6ES7973-1HD00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, FUSE SET FOR 6ES7322-1FF01-0AA0 AND 6ES7322-1FH00-0AA0: 10 FUSES 8A RAPID, 2 FUSE HOLDERS
6ES7974-0AA00-0AA0	SIEMENS	Simatic S7	SIMATIC S7, MEAS. RANGE MODULES FOR ANALOG INPUTS, 2 PIECES PER PACKAGING UNIT

Part Number	OEM	Product Group	Description
6EV 6EW Netzteile / Power Supplies			
6EV1320-4AC	SIEMENS	POWER-SUPPLY	POWER SUPPLY 6EV NON-STABILIZED POWER SUPP. UNIT +24V/4.4A 220V 1PH
6EV1322-7AK00	SIEMENS	POWER-SUPPLY	6EV POWER SUPPLY SYSTEM NON-STABIL.POWER SUPPLY UNIT +24V/5A 110/120/220V 1PH
6EV1334-4AK00	SIEMENS	POWER-SUPPLY	
6EV1336-5AK	SIEMENS	POWER-SUPPLY	6EV POWER SUPPLY EXTERNAL POWER SUPPLY 24V DC/10A, THREE-PHASE 380V
6EV1352-5BK00	SIEMENS	POWER-SUPPLY	6EV POWER SUPPLY SYSTEM NON-STABIL.POWER SUPPLY UNIT +24V/20A 220/240/254V, 380/415/440V 3PH
6EV1363-5AK	SIEMENS	POWER-SUPPLY	6EV POWER SUPPLY EXTERNAL POWER SUPPLY 24V DC/40A, THREE-PHASE 380V
6EV2031-4FC00	SIEMENS	POWER-SUPPLY	SIMATIC S5, POWER SUPPLY 220V/5V/10A
6EV3032-0AC00	SIEMENS	POWER-SUPPLY	Power Supply
6EV3034-0BC	SIEMENS	POWER-SUPPLY	SINUMERIK 805, BASIC VERSION 2 POWER SUPPLY UNIT FOR CENTRAL CONTROLLER
6EV3053-0DC	SIEMENS	POWER-SUPPLY	SIMATIC S5, POWER SUPPLY AVAILABLE AS A SPARE PART ONLY! DC 24V/5V 18A
6EV3053-0EC	SIEMENS	POWER-SUPPLY	SIMATIC S5, POWER SUPPLY FOR CC 130/150/210 24V/5V DC, 18A
6EV3054-0CC	SIEMENS	POWER-SUPPLY	SINUMERIK 3 / SIROTEC POWER SUPPLY 24 V DC/5 V, 25 A
6EV3054-0DC	SIEMENS	POWER-SUPPLY	SINUMERIK 3 / SIROTEC POWER SUPPLY 24 V DC/5 V, 25 A
6EV3054-0FC	SIEMENS	POWER-SUPPLY	SINUMERIK 3 / SIROTEC POWER SUPPLY 24 V DC/5 V, 25 A

6EV3054-0GC	SIEMENS	POWER-SUPPLY	SIROTEC RCM,ACR / SIN 3, 805 SM POWER SUPPLY 24 V DC / 5 V, 25
6EV3055-0BC	SIEMENS	POWER-SUPPLY	POWER SUPPLY
6EV3114-0AE00-0AA0	SIEMENS	POWER-SUPPLY	SIEMENS STROMVERSORGUNG F. BILDSCHIRM
6EV5101-0AC	SIEMENS	POWER-SUPPLY	POWER SUPPLY 6EV PRINTED-CIRCUIT BOARD ES 902
6EW1000-4AB	SIEMENS	POWER-SUPPLY	SIMATIC S5, PLUG-IN BACKUP BATTERY W. NICD-ACCUMULATOR W/NICD-ACCUMULATOR
6EW1000-7AA	SIEMENS	POWER-SUPPLY	SIMATIC S5, BACKUP BATTERY LITHIUM SL-770 SNR. 11111, SIZE C, 3.6V/5.2AH FOR S5-110S, -115U, -135U, -150U ATTENTION!
6EW1110-5AA	SIEMENS	POWER-SUPPLY	HAZARDOUS GOODS POWER SUPPLY UNIT
6EW1110-5AB	SIEMENS	POWER-SUPPLY	POWER SUPPLY UNIT
6EW1110-5AC	SIEMENS	POWER-SUPPLY	POWER SUPPLY UNIT
6EW1110-5AE	SIEMENS	POWER-SUPPLY	SIMATIC S5, POWER SUPPLY UNIT FOR CC 150A, DC 24V/5V 18A
6EW1160-6AA	SIEMENS	POWER-SUPPLY	
6EW1380-0AA	SIEMENS	POWER-SUPPLY	6EW POWER SUPPLY EXTERNAL POWER SUPPLY 24V DC/2A, SINGLE-PHASE 220V
6EW1380-1AA	SIEMENS	POWER-SUPPLY	6EW POWER SUPPLY EXTERNAL POWER SUPPLY 24V DC/4A, SINGLE-PHASE 220V
6EW1380-1AB	SIEMENS	POWER-SUPPLY	LOAD POWER UNIT, STABILIZED 24V DC/4 A, 93-264V AC, 1PH (REPLAC. TYPE FOR 6EW1380-1AA)
6EW1811-8AA	SIEMENS	POWER-SUPPLY	MODULAR POWER SUPPLY
6EW1861-2AB	SIEMENS	POWER-SUPPLY	SINUMERIK 800 POWER SUPPLY 230 V/5 V, 40 A
6EW1861-2AD	SIEMENS	POWER-SUPPLY	SINUMERIK 800 POWER SUPPLY 230 V/5 V, 40 A
6EW1861-3AA	SIEMENS	POWER-SUPPLY	SIMADYN D DIGITAL CONTR.SYSTEM POWER SUPPLY UNIT SP3 5V/15A,15V,220V,SINGLE-PHASE
6EW1861-3AD	SIEMENS	POWER-SUPPLY	SINUMERIK 800 POWER SUPPLY 230 V/5 V, 15A FOR OPERATOR PANEL AND EU (P08)
6EW1861-7AB	SIEMENS	POWER-SUPPLY	SINUMERIK PART
6EW1880-1AA	SIEMENS	POWER-SUPPLY	POWER SUPPLY
6EW1890-2AC	SIEMENS	POWER-SUPPLY	MAIN POWER SUPPLY UNIT (MPS) 393769 FOR 6SC36/37, 6SE35/36 AND 6SE51/52 CONVERTERS
6EW1890-6AB	SIEMENS	POWER-SUPPLY	POWER SUPPLY

Part Number	OEM	Product Group	Description
6FC SINUMERIK CNC			
6FC3061-0EA-Z	SIEMENS	Sinumerik	SINUMERIK 8T RACK
6FC3080-2AG00	SIEMENS	Sinumerik	SIEMENS SIMOS IMA 32C-B
6FC3138-3EF	SIEMENS	Sinumerik	SINUMERIK 3T/3TE OPTION SUPPLIED SEPERATELY MACHINE CONTROL PANEL
6FC3157-0FA-Z	SIEMENS	Sinumerik	SINUMERIK 3TE EXPORT VERSION BASIC CONTROL 4B
6FC3198-3EF	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY MACHINE CONTROL PANEL
6FC3251-1AC-Z	SIEMENS	Sinumerik	SINUMERIK 810T BASIC VERSION 3
6FC3351-0FA-Z	SIEMENS	Sinumerik	SINUMERIK 8MC BASIC CONTROL 2
6FC3360-0AB	SIEMENS	Sinumerik	SIEMENS GENERAL NUMERIC PRIMO S
6FC3361-0AV	SIEMENS	Sinumerik	PRIMO S (W. CPU III) LINE MOTION CONTROL SYSTEM
6FC3422-0FA-Z	SIEMENS	Sinumerik	SIEMENS SINUMERIK 3M
6FC3451-0FA-Z	SIEMENS	Sinumerik	SINUMERIK 3M BASIC CONTROL 4B
6FC3451-2FA	SIEMENS	Sinumerik	SINUMERIK 3M BASIC CONTROL 4C
6FC3451-DHA-Z	SIEMENS	Sinumerik	COMPLETE SET IN HET RACK.
6FC3471-0AA-Z	SIEMENS	Sinumerik	SINUMERIK 810M BASIC CONTROL MAINS CONNECTION 24V
6FC3481-0AA-Z	SIEMENS	Sinumerik	SINUMERIK 850M
6FC3481-3EF	SIEMENS	Sinumerik	SIEMENS SINUMERIK MASCHINENSTEUERTAFEL 850M/ME
6FC3491-0DA-Z	SIEMENS	Sinumerik	SINUMERIK 880M DOUBLE TIER VERSION 4 DOUBLE TIER VERSION 4
6FC3491-1AA	SIEMENS	Sinumerik	SINUMERIK 880M SINGLE TIER VERSION 1 SINGLE TIER VERSION 1
6FC3640-0AA	SIEMENS	Sinumerik	PRIMO SG F. GRINDING MACHINES
6FC3641-0AA	SIEMENS	Sinumerik	PRIMO SG (CPU III) W. SW 401 FOR GRINDING MACHINES
6FC3641-0AX	SIEMENS	Sinumerik	PRIMO SG (CPU III) W. SW 402 FOR GRINDING MACHINES
6FC3761-0FA-Z	SIEMENS	Sinumerik	SINUMERIK 3G BASIC CONTROL 4B, 5MHZ
6FC3853-0KA-Z	SIEMENS	Sinumerik	SIEMENS SINUMERIK 3 TT
6FC3881-2FA-Z	SIEMENS	Sinumerik	COOLING FANS 24VDC 100W
6FC3888-5MB	SIEMENS	Sinumerik	SINUMERIK 3T/TT, VERS. 4B/4C OPERATOR PANEL, BLACK , WITH 22 CM (9") MONITOR, W/O C AXIS
6FC3888-5MN	SIEMENS	Sinumerik	SINUMERIK 3M, VERSION 4B/4C OPERATOR PANEL, BLACK, W. 30 CM (12") COLOR MONITOR
6FC3891-0JA-Z	SIEMENS	Sinumerik	SIEMENS SINUMERIK 3 FA
6FC3981-4BQ	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY PLC MEMORY (EPROM) 16K WORDS
6FC3984-3RA	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY, INPUT/OUTPUT SUBMODULE 64 INP./24 OUTP./8 OUTP. BASIC SUBMOD. W. MOUNTING PLATE
6FC3984-3TB	SIEMENS	Sinumerik	SINUMERIK I/O BASIC MODULE WITH MOUNTING PLATE
6FC3984-4FG	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY, PLC MINI EXPANSION UNIT FOR 10 I/O STANDARD SLOTS
6FC3984-4FJ	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY PLC EXPANSION UNIT FOR 20 I/O STANDARD SLOTS
6FC3985-7AG10	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY OPERATOR PANEL 12
6FC3985-7AJ	SIEMENS	Sinumerik	SINUMERIK ...
6FC3986-3AU	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY 12" RGB OPERATOR PANEL COLOUR WITH TERMINAL EMULATION
6FC3986-3EG	SIEMENS	Sinumerik	MASCHINENSTEUERTAFEL M-AUSFG. BRAUN
6FC3986-3JR	SIEMENS	Sinumerik	SINUMERIK HMS MEAS.CIRC.MODULE 3 ACT.VAL./3 SETPOINTS, ABSOL.
6FC3986-7AH	SIEMENS	Sinumerik	SINUMERIK 880 OPTION SUPPLIED SEPERATELY 12" OPERATOR PANEL,COMPLETE COLOUR (CONTAINS J03)
6FC3986-7AJ	SIEMENS	Sinumerik	SINUMERIK 880M/880ME 12
6FC3988-3AH	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPERATELY 2ND (3RD) OPERATOR PANEL 12

6FC3988-3AH20	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPARATELY 2ND (3RD) OPERATOR PANEL 12
6FC3988-7AJ02	SIEMENS	Sinumerik	SINUMERIK 840/880 (C200) 35 CM (14") COLOR MONITOR MAGNETEK, SUBSTITUTE F. SAMPO (DELIVERED SINCE BEGIN. 92)
6FC3988-7B113	SIEMENS	Sinumerik	SINUMERIK 810 FRONT PLATE FOR OPERATOR PANEL W. ACCESSORIES
6FC3988-7CK51	SIEMENS	Sinumerik	SINUMERIK 880 SINGLE-TIER RACK, RV 1, W/O POWER SUPPLY / MODULES (RV 2/3 BY BUS COUPLING)
6FC4100-1AA00	SIEMENS	Sinumerik	SINUMERIK 805, BASIC VERSION CENTRAL CONTROLLER CNC CONT./LINEAR PATH CONTROL FOR 4 AXES + 1 SPINDLE, WITH INTEGRATED PLC, 24 V DC
6FC4100-1AA00-Z	SIEMENS	Sinumerik	SINUMERIK 805, BASIC VERSION CENTRAL CONTROLLER CNC CONT./LINEAR PATH CONTROL FOR 4 AXES + 1 SPINDLE, WITH INTEGRATED PLC, 24 V DC
6FC4101-0MA00-Z	SIEMENS	Sinumerik	SINUMERIK 840M CC BASIC VERSION: MODULAR CNC CONTINUOUS PATH CONTROL FOR MILLING
6FC4101-0TA00	SIEMENS	Sinumerik	SINUMERIK 840T CC BASIC VERSION: MODULAR CNC CONTINUOUS PATH CONTROL FOR TURNING
6FC4401-0AA00-Z	SIEMENS	Sinumerik	SINUMERIK 840 OPERATOR PANEL, SINGLE UNIT
6FC4600-0AR01	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPARATELY 12
6FC4600-1AS01	SIEMENS	Sinumerik	SINUMERIK OPTION SUPPLIED SEPARATELY OPER.KEYB.W.SINGLE-STROKE KEYS AND LED'S F.MOUNTING IN CONSOLE AND 2 KEYB.EXPANSION MODULES (32 INPUTS/32 OUTPUTS)
6FC4700-0BB10	SIEMENS	Sinumerik	SINUMERIK 805 MODULE WITHOUT RACK AND COVER
6FC5012-0CA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE/805SM INTERFACE IM329-N, PROFIBUS DP MASTER AND SLAVE (EN50170 V2)
6FC5100-0AB01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE CENTRAL CONTROLLER 2, 18 SLOTS WITH PS, CSB, PLC CPU 135WD
6FC5101-0AA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE CENTRAL CONTROLLER 1, 12 SLOTS WITHOUT MODULES
6FC5101-0AB01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE CENTRAL CONTROLLER 2, 18 SLOTS WITHOUT MODULES
6FC5103-0AB01-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" COLOR OPERATOR PANEL WITH 10.4" DISPLAY, SPARE PART FOR 19" OPERATOR PANEL RGB MONITOR WITH 14" COLOR SCREEN FIT FOR DISK UNIT FD-E2
6FC5103-0AB03-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" SLIMLINE OPERATOR PANEL 9.5" COLOR DISPLAY, WITH INTEGRATED NC KEYBOARD AND KEYBOARD INTERFACE 115-230 V AC
6FC5103-0AB03-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" SLIMLINE OPER. PANEL, COLOR 10.4" DISPLAY WITH INTEGRATED CNC FULL KEYBOARD AND OPERATOR PANEL INTERFACE 115-230 V AC
6FC5103-0AB03-0AA4	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" SLIMLINE OPER. PANEL, COLOR 10.4" DISPLAY WITH INTEGRATED CNC FULL KEYBOARD AND OPERATOR PANEL INTERFACE 24V DC
6FC5103-0AB03-1AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" SLIMLINE OPER. PANEL, COLOR 10.4" DISPLAY WITH INTEGRATED FULL-KEY CNC KEYBOARD AND OPERATOR PANEL INTERFACE 24V DC
6FC5103-0AB03-1AA3	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 19" SLIMLINE OPER. PANEL, COLOR 10.4" DISPLAY WITH INTEGRATED FULL-KEY CNC KEYBOARD AND OPERATOR PANEL INTERFACE 24V DC
6FC5103-0AC01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE FULL CNC KEYBOARD W/O KEYBOARD INTERFACE
6FC5103-0AC02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE NC KEYPAD WITH KEYBOARD INTERF.
6FC5103-0AC02-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE FULL CNC KEYBOARD W. KEYBOARD INTERFACE 115-230 V AC
6FC5103-0AD01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE MACHINE CONTROL PANEL T W/O KEYBOARD INTERFACE
6FC5103-0AD03-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE MACHINE CONTROL PANEL M W/O KEYBOARD INTERFACE
6FC5103-0AD04-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE MACHINE CONTROL PANEL M W. KEYBOARD INTERFACE 115-230 V AC, WITH CABLE SET 3
6FC5103-0AE01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE KEYBOARD INTERFACE F.CONNECTING CUSTOMER CONTR. PANEL 64 INPUTS 48 OUTPUTS (115-230V AC)
6FC5103-0AE01-1AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE KEYBOARD INTERFACE F.CONNECTING CUSTOMER CONTR.PANEL 64 INPUTS/ 48 OUTPUTS (24V DC)
6FC5103-0CA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE ...
6FC5110-0BA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C NC CPU 386 DX, W/O SYSTEM SW
6FC5110-0BA01-1AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 386DX BOOT VERSION WITH RESTART EPROM
6FC5110-0BB01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 486DX VB 4MB RAM
6FC5110-0BB01-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 486DX 4 MB RAM
6FC5110-0BB02-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 486DX VB, 8 MB RAM
6FC5110-0BB02-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 486DX VB, 8 MB RAM
6FC5110-0BB03-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE NC CPU 486DX2 VB, 8MB RAM
6FC5110-0BB04-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE NC CPU 486DX4, 8MB RAM
6FC5110-0CB01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE PLC CPU 135WD
6FC5110-0DA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C MMC CPU 368 SX, 8 MB RAM AND 387SX
6FC5110-0DB01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC CPU 486SX VB 8MB RAM
6FC5110-0DB02-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC CPU 486DX VB, 8 MB RAM
6FC5110-0DB02-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C / 840CE MMC-CPU 486DX2 66 MHZ 8MB RAM FOR VERSION P AND HIGHER FOLL. UNITS ARE REQUIRED: CENTRAL CONTROLLER W. DAMPERS (6FC5148-0AA20-0AA0) AND IF NECESSARY ALSO SET OF MOUNTING RAILS
6FC5110-0DB02-0AA4	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC-CPU 486DX4/100 MHZ WITH 8 MB RAM AND FLASHDRIVE 2.5"
6FC5110-0DB03-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C / 840CE MMC CPU 486 DX VB, 16 MB RAM
6FC5110-0DB03-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C / 840CE MMC CPU 486DX2 66 MHZ 16MB RAM FOR VERSION P AND HIGHER FOLL. UNITS ARE REQUIRED: CENTRAL CONTROLLER W. DAMPERS (6FC5148-0AA20-0AA0) AND IF NECESSARY ALSO SET OF MOUNTING RAILS
6FC5110-0DB03-0AA3	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC CPU 486DX4 100 MHZ 32MB RAM FOR VERSION P AND HIGHER FOLL. UNITS ARE REQUIRED: CENTRAL CONTROLLER W. DAMPERS (6FC5148-0AA20-0AA0) AND IF NECESSARY ALSO SET OF MOUNTING RAILS
6FC5110-0DB03-0AA4	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC-CPU 486DX4/100 MHZ WITH 32 MB RAM AND FLASHDRIVE 2.5"
6FC5110-0DB04-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C / 840CE MMC CPU 486SX VB 16MB RAM
6FC5111-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C / 840CE MEAS.CIRCUIT MODULE ANALOG 40MM W. 3 MEASURING CIRCUITS PREPARED FOR EXE
6FC5111-0BA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MEAS.CIRCUIT MODULE ANALOG 20MM 3 MEASURING CIRCUITS NOT PREPARED FOR EXE
6FC5111-0BA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE ANALOG MEAS. CIRCUIT MOD. 40 MM WITH 3 MEASURING CIRCUITS W. 3 EXES, EXES CAN BE SWITCHED BETW.5-FOLD A. 10-FOLD
6FC5111-0BA04-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE HMS MEAS. CIRCUIT
6FC5111-0CA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE/840D/840DE ELECTRICAL MODULE FOR CNC DMP COMPACT, 16 INPUTS 24 V, FLOATING
6FC5111-0CA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE DMP COMPACT,16 OUTPUTS 24V/0.5A FLOATING
6FC5111-0CA02-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE COMPACT DMP 16 OUTPUTS 16 OUTPUTS 24 V DC/0.5 A FLOATING, SHORT-CIRCUIT PROOF
6FC5111-0CA02-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE/840D/840DE ELECTRICAL MODULE FOR CNC DMP-COMPACT 16A 16 OUTPUTS 24 V DC/0.5 A FLOATING, SHORT-CIRCUIT-PROOF, W. INTEGR. FREE-WHEELING DIODE
6FC5111-0CA03-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE COMPACT DMP 8 OUTPUTS 8 OUTPUTS 24 V DC/2 A FLOATING, SHORT-CIRCUIT PROOF
6FC5111-0CA03-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE/840D/840DE ELECTRICAL MODULE FOR CNC DMP-COMPACT 8A 8 OUTPUTS 24 V DC/2 A FLOATING, SHORT-CIRCUIT PROOF, W. INTEGR. FREE-WHEELING DIODE
6FC5111-0CA04-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE/840D/840DE ELECTRICAL MODULE FOR CNC DMP COMPACT, 1 ANALOG INPUT
6FC5111-0CA05-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE ELECTRICAL MODULE FOR CNC DMP COMPACT 1 OUTPUT ANALOG
6FC5111-0CA70-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE DMP TERMINATOR
6FC5111-0CA73-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE DMP COMPACT TERMINAL BLOCK (F. COMPACT MODULES)
6FC5111-0CB01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE IN-ANALOG I/O MODULE 8 ANALOG INPUTS +/-10 V
6FC5111-0CB02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MIXED I/O MODULE 16 INPUTS/16 OUTPUTS 0.4 A 4 ANALOG OUTPUTS +/-10 V
6FC5112-0CA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE DMP INTERFACE, CONNECTION F. DMP TERMINAL BLOCKS
6FC5112-0CA03-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE 16 BIT INTERFACE CONNECTION TO SIMATIC EU
6FC5112-0DA01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE MMC INTERFACE WITH 2 X V24 AND FD-E2 CONNECTION A. RECEPTACLE FOR PCMCIA CARD
6FC5112-0EA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE CP 231A TRANSCEIVER CONNECTION TO SINEC H1 W/O SYSTEM SOFTWARE
6FC5112-0EA03-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 4 ACTIVE SERIAL INTERFACES CP 315 / CP 373 W/O SYSTEM SOFTWARE
6FC5114-0AA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 115-230 V AC POWER SUPPLY GWW
6FC5114-0AA01-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE POWER SUPPLY UNIT 115-230V AC GWW FOR CENTRAL CONTROLLER (SAME AS 6FC5114-0AB01-0AA1)
6FC5114-0AA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE CENTRAL SERVICE BOARD W. CENTRAL BACK-UP BATTERY AND CONNECTION OF 2 HANDWHEELS AND 2 PROBES
6FC5114-0AA02-0AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE CENTRAL SERVICE BOARD WITH MAIN BACK-UP BATTERY AND CONN. OF 2 HANDWHEELS 2 PROBES AND UPS

6FC5114-0AB01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/ 840CE 115-230V AC POWER SUPPLY FRACO FOR CENTRAL UNIT
6FC5114-0AB01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE POWER SUPPLY 115-230 V AC FRACO OR GWW FOR CENTRAL UNIT (SAME CONSTRUCTION AS 6FC5114-0AA01-0AA2)
6FC5147-0AA14-1AA2	SIEMENS	Sinumerik	SINUMERIK 840C/840CE 24V DC POWER SUPPLY FOR 19" SLIMLINE OPERATOR PANEL WITH 9.5" OR OR 10.4" DISPLAY
6FC5147-0AA15-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE POWER SUPPLY: 115-230V AC FOR KEYBOARD INTERFACE
6FC5147-0AA20-0AA0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE FLASHDRIVE 2.5", 512 MB FOR MMC-CPU AB (...0AA1)
6FC5147-0AA20-0AA1	SIEMENS	Sinumerik	SINUMERIK 840C/840CE CF - FLASHDRIVE 2,5", 512MB FOR MMC-CPU AB (...0AA1)
6FC5152-2AX01-1AA0	SIEMENS	Sinumerik	SINUMERIK 840C PLC SYSTEM SOFTWARE, VERS. 2 ON EPROM MODULE
6FC5154-0AX02-1AE0	SIEMENS	Sinumerik	SINUMERIK 840C/840CE SYSTEM SW FOR CP 315/CP 373 EPROM
6FC5203-0AB10-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 24 CM/9.5" MONOCHROME FLATSCREEN, STANDARD LAYOUT
6FC5203-0AB10-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 24 CM/9.5" MONOCHROME FLATSCREEN, STANDARD LAYOUT
6FC5203-0AB11-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE FLACHBEDIENTAFEL
6FC5203-0AB11-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 26 CM/10.4" COLOR FLATSCREEN, STANDARD LAYOUT
6FC5203-0AB11-0AA2	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 26 CM/10.4" COLOR FLATSCREEN, STANDARD LAYOUT
6FC5203-0AB12-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 24 CM/9.5" MONOCHROME FLATSCREEN, US LAYOUT
6FC5203-0AB13-0AA2	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 26 CM/10.4" COLOR FLATSCREEN, US LAYOUT
6FC5203-0AB20-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE OPERATOR PANEL OP 032 19" OP W. 33 CM/14" FLATSCREEN, COLOR, STANDARD/US LAYOUT
6FC5203-0AB50-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE SLIMLINE OPERATOR PANEL OP 031 19" OP W. 24 CM/9.5" COLOR FLATSCREEN, STANDARD LAYOUT, BY TRUMPF
6FC5203-0AC00-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE FULL CNC KEYBOARD, QWERTY DESIGN, WITH 1.5 M CONNECTING CABLE, AT COMPATIBLE, STANDARD LAYOUT
6FC5203-0AC00-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE FULL CNC KEYBOARD, QWERTY DESIGN, WITH 1.5 M CONNECTING CABLE, AT COMPATIBLE, STANDARD LAYOUT
6FC5203-0AC00-1AA0	SIEMENS	Sinumerik	SINUMERIK FULL CNC KEYBOARD OP 032S, QWERTY DESIGN AT, WITH 1.5 M CABLE, STANDARD/US LAYOUT, WIDTH 310; FOR MMC 100.2/101/102/103 AND PCU 20/50/70
6FC5203-0AC00-1AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE CNC COMPLETE KEYBOARD OP 032S IN QWERTY VERSION XT INCL. CABLE 1,5 M, STANDARD/US LAYOUT WIDTH 310 MM; FOR MMC 100
6FC5203-0AC51-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/DE 840D/DE FULL CNC KEYBOARD CO.WEILER QWERTY DESIGN 340 MM WIDE
6FC5203-0AD10-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MACHINE CONTROL PANEL FOR MILLING AND TURNING MACHINES STANDARD/US LAYOUT
6FC5203-0AD10-1AA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL OP 032S STANDARD/US LAYOUT, WIDTH 310 MM
6FC5203-0AD22-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE PUSHBUTTON PANEL PP 031/B MOUNTING OPTION B VERSION 2
6FC5203-0AD26-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE PUSHBUTTON PANEL PP 031-MC/S CUSTOMER-SPECIFIC DESIGN BASED ON 6FC5203-0AD24-0AA0 W/O CONNECT. FOR EXTERNAL HAND-HELD UNIT
6FC5203-0AE00-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MPI INTERFACE MODULE WITH 64 DI/64 DO
6FC5203-0AF00-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 010, 10.4" STN (640X480) WITH MEMBRANE KEYS
6FC5203-0AF00-0AA1	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 010, 10.4" TFT (640X480) WITH MEMBRANE KEYS
6FC5203-0AF01-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 010 C. 10.4" TFT (640X480) WITH MECHANICAL KEYS
6FC5203-0AF02-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 012, 12.1" TFT (800X600) WITH MEMBRANE KEYS AND MOUSE
6FC5203-0AF02-0AA1	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 012, 12.1" WITH MEMBRANE KEYS AND MOUSE
6FC5203-0AF03-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 15; 15.0" TFT (1024X768) WITH MEMBRANE KEYS
6FC5203-0AF04-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 010S, 10.4" WITH MECHANICAL KEYS
6FC5203-0AF04-0BA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 08T; 8" TFT (640 X 480) WITH MEMBRANE KEYS AND INTEGRATED TCU
6FC5203-0AF04-1BA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 08T; 8" TFT (640 X 480) WITH MEMBRANE KEYS AND INTEGRATED TCU
6FC5203-0AF05-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 015A; 15.0" TFT (1024X768) MEMBRANE KEYS
6FC5203-0AF05-0AB0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 015A; 15" TFT (1024 X 768) WITH MEMBRANE KEYS AND MOUSE
6FC5203-0AF06-1AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 012T; 12.1" TFT (600X800) WITH MEMBRANE KEYS AND INTEGRATED TCU
6FC5203-0AF08-0AB0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT TP 015A, 15" TFT (1024 X 768) WITH MEMBRANE KEYS AND TOUCH
6FC5203-0AF10-2AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP010FS: 10.4 MEMBRANE KEYBOARD
6FC5203-0AF20-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D CNC FULL KEYBOARD WIDTH 19", USB MECHANICAL KEYS INCL. 1.8 M CABLE STANDARD/US LAYOUT
6FC5203-0AF20-0AA1	SIEMENS	Sinumerik	SINUMERIK CNC FULL KEYBOARD KB 483C; WIDTH 19 MECHANICAL KEYS INCL. 1.5 M CABLE
6FC5203-0AF21-0AA1	SIEMENS	Sinumerik	SINUMERIK CNC FULL KEYBOARD KB 310C; WIDTH 310 MM, USB MECHANICAL KEYS INCL. 1.5 M CABLE
6FC5203-0AF22-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D MACHINE CONTROL PANEL (MCP) MPI, 19" WIDTH, MECHANICAL KEYS STANDARD/US-LAYOUT
6FC5203-0AF22-1AA1	SIEMENS	Sinumerik	SINUMERIK 810D/840D MACHINE CONTROL PANEL (MCP) MPI/PROFIBUS-DP, 19" WIDTH, MEM STANDARD/US-LAYOUT
6FC5203-0AF23-1AA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 310, MPI/PROFIBUS DP, WIDTH 310 MM, MEMBRANE KEYS
6FC5203-0AF24-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/DE PUSHBUTTON PANEL PP012
6FC5203-0AF25-1AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/DE PUSHBUTTON PANEL PP 012H 2-CHANNEL ACKNOWLEDGMENT APPLIC. FOR HT6 NOT COMPATIBLE FOR PHG
6FC5203-0AF26-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/DE PUSHBUTTON PANEL PP 012/S CUSTOMER-SPECIFIC DESIGN BASED ON 6FC5203-0AF24-0AA0 WITHOUT CONNECTION FOR EXTERNAL HAND-HELD UNIT
6FC5203-0AF28-4BD0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE PUSH BUTTON PANEL PP012H-S27 (A5E00000000) BASED ON 6FC5203-0AF25-1AA0 2-CHANNEL ENABLING SUITABLE FOR HT6 NOT COMPATIBLE FOR PHG
6FC5203-0AF50-0CA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL OP015-434C SLIMLINE DMG
6FC5203-0AF50-1AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT 15.1" TFT, 416 MM WIDTH, WITH MECHANICAL KEYS FOR DISTRIBUTED I/O UP TO 10 M
6FC5203-0AF50-2AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT 15.1" TFT, 416 MM WIDTH, WITH MECHANICAL KEYS FOR DISTRIBUTED I/O UP TO 15
6FC5203-0AF50-3CA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 434C-M SLIMLINE DMG WIDTH 434MM MECHANICAL KEYS; RAPID TRAVERSE-/ FEED OVERRIDE
6FC5203-0AF50-4AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D MACHINE CONTROL PANEL 416 MM WIDTH, OPTION T MECHANICAL KEYS; RAPID TRAVERSE OVERRIDE SWITCH; MOUSE
6FC5203-0AF50-4AA1	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 416C-T, 416 MM WIDTH, MECHANICAL KEYS; RAPID TRAVERSE HANDWHEEL AND FEED OVERRIDE
6FC5203-0AF50-4CA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 434C-T SLIMLINE DMG WIDTH 434MM MECHANICAL KEYS HANDWHEEL AND FEED OVERRIDE
6FC5203-0AF50-6AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 015 SLIMLINE T, WITH MECHANICAL KEYS AND INTEGRATED MCP, WITH HANDWHEEL AND FEED OVERRIDE, MOUSE; MPI
6FC5203-0AF52-0AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT 12.1" TFT, 19" WIDTH LAYOUT CO. TRUMPF WITH MECHANICAL KEYS
6FC5203-0AF52-1AA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL 19" WIDTH, LAYOUT LASER TRUMPF CO. WITH MECHANICAL KEYS
6FC5210-0DA00-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 100, WITH SYSTEM SOFTWARE WITH CHIP SET, CHOICE OF GERMAN/ENGLISH DISPLAY
6FC5210-0DA00-1AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 100.2 WITH SYSTEM SOFTWARE WITH INTEL 486, DISPLAY SWITCH. BETWEEN GERMAN/ENGLISH
6FC5210-0DA00-1AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 100.2 WITH SYSTEM SOFTWARE WITH INTEL 486, 12MB DRAM SELECTABLE DISPLAY: GER/ENGL
6FC5210-0DA10-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/DE MMC 101, 120 MB HARD DISK, CPU 486SX/25 MHZ, 4 MB RAM, STANDARD TOOL MAGAZINE OPERAT. WITH INTERACTIVE PROGRAMMING FACILITY
6FC5210-0DA10-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 101 WITH DOS 6.2 540 MB/ CPU 486SX/25 MHZ 4 MB RAM (BESY: SINUMERIK 840D BS001)

6FC5210-0DA20-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 102 WITH SYSTEM SOFTWARE, INTEL 486DX2-66/ 8 MB RAM ON HARD DISK 200MB FREE F. USER STANDARD MACHINE TOOLS OPERAT. WITH INTERACTIVE PROGRAMMING FACILITY (BESY: SINUMERIK 840D BS001)
6FC5210-0DA20-1AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC103 WITH SYSTEM SOFTWARE SW 3.X (UNDER WIN 3.11) PENTIUM 133 MHZ, 16 MB D-RAM DISPLAY: GERMAN/ENGLISH (BESY: SINUMERIK 840D BS001)
6FC5210-0DA20-1AA1	SIEMENS	Sinumerik	MMC 103 SINUMERIK 840D 133MHZ 32MB DRAM 256KB CACHE WFW311
6FC5210-0DA20-2AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC103 WITH SYSTEM SOFTWARE SW 4.2 AND HIGHER (UNDER WIN95) PENTIUM 133 MHZ, 32 MB DRAM DISPLAY: ENGLISH/GERMAN (OP.SYS.: SINUMERIK 840D BS002)
6FC5210-0DA20-2AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC103 WITH SYSTEM SOFTWARE SW 3.7/4.4/5.2 (WFW3.11/WIN95) PENTIUM 133 MHZ, 32 MB D-RAM LANG.: GER, EN, FR, IT, SP (BESY: SINUMERIK 840D BS002)
6FC5210-0DA21-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE MMC 102 WITH SYSTEM SOFTWARE, INTEL 486DX2-66/ 16 MB RAM ON HARD DISK 200MB FREE F. USER FOR STANDARD MACHINE TOOLS OPERATION WITH INTERACTIVE PROGRAMMING FACILITY (BESY: SINUMERIK 840D BS001)
6FC5210-0DA21-2AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D /840D/DE MMC103 WITH SYSTEM SOFTWARE SW 3.7/4.4/5.2 (WFW3.11/WIN95) PENTIUM 200 MHZ, 64 MB D-RAM LANG.: GER, EN, FR, IT, SP (BESY: SINUMERIK 840D BS002)
6FC5210-0DA21-2AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D /840D/DE MMC103 WITH SYSTEM SOFTWARE SW 3.7/4.4/5.2 (WFW3.11/WIN95) PENTIUM 200 MHZ, 64 MB D-RAM LANG.: GER, EN, FR, IT, SP (BESY: SINUMERIK 840D BS002)
6FC5210-0DB21-3AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/840D/DE MMC103 W/O SYSTEM SOFTWARE FOR OPEN ARCHITECTURE PENTIUM 200 MHZ, 64 MB D-RAM (PREINSTALLED WIN NT4.0) (BESY: SINUMERIK 840D BS003)
6FC5210-0DF00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D PCU20: SPC 166 MHZ/16 MB DRAM 8 MB FLASH, 24 V DC WITH CURRENT HMI SOFTWARE
6FC5210-0DF00-0AA2	SIEMENS	Sinumerik	SINUMERIK 810D/840D ELECTRONIC CONTROL DEVICE PCU20: SPC 266MHZ / 32MB 24V DC WITH CURRENT HMI SOFTWARE
6FC5210-0DF01-0AA0	SIEMENS	Sinumerik	SINUMERIK PCU 50 PENTIUM II/333 MHZ/128 MB 24 V DC, WITH WINDOWS NT4.0 (OP.SYS.: SINUMERIK 840D BS003)
6FC5210-0DF02-0AA0	SIEMENS	Sinumerik	SINUMERIK PCU 50 PENTIUM II/333 MHZ/128 MB 24 V DC, WITH WINDOWS NT4.0 AND CURRENT HMI ADVANCED SOFTWARE (OP.SYS.: SINUMERIK 840D BS003)
6FC5210-0DF05-0AA0	SIEMENS	Sinumerik	SINUMERIK PCU 50 PENTIUM III/500 MHZ/128 MB 24 V DC, WITH WINDOWS NT 4.0 (OP.SYS.: SINUMERIK 840D BS003)
6FC5210-0DF53-2AA0	SIEMENS	Sinumerik	SINUMERIK PCU 50.5-P ELECTRONIC CONTROL DEVICE I5-520E; 2,4GHZ; 1 X 2048MB RAM 24 V DC; WINDOWS XP PROFESSIONAL FOR EMBEDDED SYSTEMS (WINXP PRO EMBYS)
6FC5211-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/DE/840D/DE ELECTRICAL MODULE FOR CNC NCU TERMINAL BLOCK FOR 8 DMP COMPACT MODULES, FOR RAPID ANALOG AND DIGITAL NC INPUTS AND OUTPUTS
6FC5211-0BA01-0AA1	SIEMENS	Sinumerik	SINUMERIK PERIPHERALS ANALOG DRIVE INTERFACE FOR 4 AXES VIA PROFIBUS DP WITH MOTION CONTROL FUNCTIONALITY
6FC5211-0BA01-0AA2	SIEMENS	Sinumerik	SINUMERIK PERIPHERIE ANALOG DRIVE INTERFACE (ADI4) FOR 4 AXES OVER PROFIBUS DP WITH MOTION CONTROL FUNCTIONALITY FIRMWARE 01.04.08
6FC5211-0BA01-0AA3	SIEMENS	Sinumerik	SINUMERIK PERIPHERIE ANALOG DRIVE INTERFACE (ADI4) FOR 4 AXES OVER PROFIBUS DP WITH MOTION CONTROL FUNCTIONALITY FIRMWARE 01.04
6FC5211-0BA01-0AA4	SIEMENS	Sinumerik	SINUMERIK PERIPHERIE ANALOG DRIVE INTERFACE (ADI4) FOR 4 AXES OVER PROFIBUS DP WITH MOTION CONTROL FUNCTIONALITY FIRMWARE 01.04.08
6FC5211-0CA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/DE/840D/DE TRUMPF BITBUS ADAPTER
6FC5211-0CA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU BOX FOR INSTALLATION OF CNC NCU TERMINAL BLOCK NCK-OEM PACKAGE REQUIRED
6FC5212-0AA01-1AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE ELECTRICAL MODULE FOR CNC LINK MODULE (PROFIBUS DP) FOR NCU 573.2 PII / 573.3 / 573.4 / 573.5
6FC5222-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 840DI ELECTRICAL MODULE FOR CNC MCI BOARD EXTENSION SLOT OPTION FOR HANDWHEELS WITH DIFFERENTIAL OR TTL OUTPUT
6FC5222-0AA00-1AA0	SIEMENS	Sinumerik	SINUMERIK MCI BOARD (K)
6FC5222-0AA02-1AA0	SIEMENS	Sinumerik	SINUMERIK MC12-BOARD ELECTRICAL MODULE FOR CNC
6FC5222-0AA02-2AA0	SIEMENS	Sinumerik	SINUMERIK MC12-BOARD ELECTRICAL MODULE FOR CNC FOR 840DI SL
6FC5247-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU BOX FOR INSTALLATION OF NCU 571/571.2/572/ 572.2/573 WITH POWER SUPPLY UNIT
6FC5247-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU BOX FOR INSTALLATION OF NCU 571/571.2/572/ 572.2/573 WITH POWER SUPPLY UNIT
6FC5247-0AA00-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU BOX FOR INSTALLATION OF NCU 561.2/561.3/571/571.2/ 571.3/572/572.2/572.3/ 572.4/573.2/573.3/573.4 WITH POWER UNIT, BATTERY AND FAN
6FC5247-0AA00-0AA3	SIEMENS	Sinumerik	SINUMERIK 840D/DE BOX FOR ELECTRONIC CONTROL DEVICE NCU BOX FOR INSTALLATION OF NCU 561.2/ 3./4./5 NCU 571/571.2/ 3./4./5 NCU 572/572.2/ 3./4./5 NCU 573.2/ 3./4./5 WITH POWER UNIT, BATTERY AND FAN
6FC5247-0AA02-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE ISA ADAPTER FOR 2 AT CARTRIDGES 2/3 LENGTH (SPARE PART) FOR MMC 101/102/103
6FC5247-0AA02-1AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE PCI/ISA ADAPTER FOR 2 PCI OR ISA CARTRIDGES (2/3 LENGTH) FOR MMC 103
6FC5247-0AA11-0AA3	SIEMENS	Sinumerik	SINUMERIK 840D PC CARD TO STANDARD PCMCIA, STRATA, 8 MB (BLANK)
6FC5247-0AA11-1AA3	SIEMENS	Sinumerik	SINUMERIK 840D PC CARD TO STANDARD PCMCIA, STRATA, 16 MB (BLANK)
6FC5247-0AA15-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE BACK-LIT 9.5" FLAT LC DISPLAY MONOCHROME, FOR OP031 AND SINUMERIK 840C 19" SLIMLINE OPERATOR PANEL
6FC5247-0AA17-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE POWER SUPPLY UNIT 24 V DC FOR MMC 100/100.2/101/102/103 IN OP0 31 OR OP 032S
6FC5247-0AA30-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE FAN BOX FOR NCU-BOX (REQUIRED FOR: NCU573.2 - ALL ORDER NUMBERS, NCU573.3 - 6FC5357-0BB33-0AE2, NCU573.4 - 6FC5357-0BB34-0AE0)
6FC5247-0AA31-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE ADAPTER FOR MMC103 TO OP032 VOLTAGE AND PLUG TRANSFORMER
6FC5247-0AA36-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE HARD DISK WITH MOUNTING PLATE AND DAMPER, FOR MMC103 6FC5210-0DA20-1AA1 6FC5210-0DA20-2AA1 6FC5210-0DA21-2AA1
6FC5247-0AA36-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE HARD DISK WITH MOUNTING PLATE AND DAMPER, FOR MMC103 6FC5210-0DA20-1AA1 6FC5210-0DA20-2AA1 6FC5210-0DA21-2AA1
6FC5247-0AA42-0AA0	SIEMENS	Sinumerik	SINUMERIK PP012 OPTION EXTENSION CARD (WITHOUT MATRIX) FOR 12 ADDITIONAL INPUTS AND 12 ADDITIONAL OUTPUTS
6FC5247-0AF02-0AA0	SIEMENS	Sinumerik	SINUMERIK KEYLOCK SWITCH WITH KEY FOR SINUMERIK MCP 6FC5203-0AF22-1AA1/2 6FC5203-0AF23-1AA0/1 6FC5303-0AF22-1AA0/1 6FC5303-0AF23-1AA0/1
6FC5247-0AF08-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D HARD DISK WITH SUPPORTING SHEET STEEL AND DAMPER FOR PCU 50/70 WITH 333/500 MHZ
6FC5247-0AF08-0AA1	SIEMENS	Sinumerik	SINUMERIK HARD DISK 10 GB WITH SUPPORTING SHEET STEEL AND DAMPER FOR PCU 50/70 WITH 333/500/566/1200 MHZ
6FC5247-0AF08-2AA0	SIEMENS	Sinumerik	SINUMERIK HARD DISK 40 GB WITH MOUNTING PLATE AND DAMPER FOR PCU 50/70 566/1200 MHZ WIN XP
6FC5247-0AF08-4AA0	SIEMENS	Sinumerik	SINUMERIK HARD DISK WITH MOUNTING PLATE AND DAMPER, FOR PCU 50.3 HDD 40GB
6FC5247-0AF11-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D DIRECT CONTROL KEY MODULE PROFIBUS DP
6FC5247-0AF20-0AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT VIDEOLINK SENDER FOR DISTRIBUTED I/O 1 TO 10 M
6FC5247-0AF21-0AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT VIDEOLINK SENDER FOR DISTRIBUTED I/O 1 TO 20 M
6FC5247-0AF22-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT VIDEOLINK RECEIVER FOR DISTRIBUTED ASSEMBLY
6FC5247-0AF22-1AA0	SIEMENS	Sinumerik	SINUMERIK OPER. PANEL FRONT VIDEOLINK SENDER 1:1 FOR DISTRIBUTED ASSEMBLY
6FC5248-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE DISPLAY SCREEN FOR OP031 WITH FLAT SCREEN 9.5"
6FC5248-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK FM-NC/810D/DE/840D/DE DISPLAY SCREEN FOR OP 031/032 10.4" FLAT SCREEN
6FC5248-0AF20-3AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D MOUNTING BRACKET CENTRAL FOR MOUNTING A PCU OR VIDEO LINK EMITTER BEHIND THE OPERATOR PANEL FRONT 1 SET = 2 BRACKETS
6FC5250-4AX20-4AH0	SIEMENS	Sinumerik	SINUMERIK 840D SYSTEM SOFTWARE NCU 572.2 ON PC CARD; SW VERSION 4.4 SINGLE LICENSE
6FC5250-4BX10-3AH0	SIEMENS	Sinumerik	SINUMERIK 840DE SYSTEM SOFTWARE ON PCMCIA-CARD NCU 571.2 SW VERSION 4.3 SINGLE LICENSE
6FC5250-5PX10-2AH0	SIEMENS	Sinumerik	SINUMERIK 840DE SYSTEM SW,EXPORT V., NCU 561.2 ON PC-CARD, SW VERS. 5.2 SINGLE LICENSE
6FC5250-5PX10-3AH0	SIEMENS	Sinumerik	SINUMERIK 840DE NCU SYSTEM SOFTWARE 2 AXES ON PC CARD, SW VERSION 5.3 SINGLE LICENSE
6FC5250-6BX10-4AH0	SIEMENS	Sinumerik	SINUMERIK 840D NCU SYSTEM SOFTWARE 6 AXES ON PC CARD; EXPORT SW VERSION 6.4; SINGLE LICENSE
6FC5250-6BX30-3AH0	SIEMENS	Sinumerik	SINUMERIK 840D NCU SYSTEM SOFTWARE 12 AXES ON PC CARD; STANDARD SW VERSION 6.3; SINGLE LICENSE
6FC5250-6BY30-3AH0	SIEMENS	Sinumerik	SINUMERIK 840D NCU SYSTEM SOFTWARE 12 AXES ON PC CARD; EXPORT SW VERSION 6.3; SINGLE LICENSE
6FC5250-6BY30-4AH0	SIEMENS	Sinumerik	SINUMERIK 840DE NCU SYSTEM SOFTWARE 12 AXES ON PC CARD; EXPORT SW VERSION 6.4; SINGLE LICENSE
6FC5250-6CY30-5AH0	SIEMENS	Sinumerik	SINUMERIK 840DE CNC-SOFTWARE 6-5 ON PC CARD; EXPORT SW VERSION 6.5; SINGLE LICENSE
6FC5252-2AX20-6AB0	SIEMENS	Sinumerik	SINUMERIK FM-NC PLC BASIC PROGRAM, 3.5" DISK SW VERSION 2.6, SINGLE LICENSE
6FC5263-3PY50-2AG0	SIEMENS	Sinumerik	SINUMERIK TRANSLINE 2000 HMI PRO RT V.3.2 RUNTIME SOFTWARE SINGLE LICENSE
6FC5263-5PY11-0AG0	SIEMENS	Sinumerik	SOLUTIONS FOR POWERTRAIN TRANSLINE HMI-LITE FOR OP/TP177B AND MP277 10" SW-VERSION 5.0 ON CD-ROM, SINGLE LICENSE

6FC5263-7AY00-0A80	SIEMENS	Sinumerik	SINUMERIK 840D/810D/FM-NC EASYMASK; SINGLE MACHINE; CONFIGURING TOOL F. GENERATION OF OPER. MASKS; FOR HMI ADVANCED 7.X, DISK; SINGLE LICENSE
6FC5270-4AX30-4AH3	SIEMENS	Sinumerik	SINUMERIK 840D SYSTEM SOFTWARE NCU 573.2 PLUS SW VERS.: SPECIAL TECHNOLOGICAL FUNCTIONS ON PC CARD; SW VERS. 4.4 UPDATE
6FC5303-0AA01-1AA0	SIEMENS	Sinumerik	TERMINAL MODULE BASIC PN WITHOUT EMERGENCY STOP OVERRIDE WITH SWITCH, PANEL MOUNTING, FOR HT 8 AND HT 2
6FC5303-0AA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL HANDWHEEL CONNECTION MODULE PROFIBUS
6FC5303-0AF13-0AA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 019, 19" TFT (1280X1024) WITH CAPACITIVE KEYS
6FC5303-0AF22-0AA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 483C IE; WIDTH 19", MECHANICAL KEYS, 22 MM EMERGENCY STOP
6FC5303-0AF22-0AA1	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 483C PN PROFINET / INDUSTRIAL ETHERNET, WIDTH 19", MECHANICAL KEYS, 22 MM EMERGENCY STOP
6FC5303-0AF22-1AA0	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 483 IE INDUSTRIAL ETHERNET, WIDTH 19" MEMBRANE-TYPE KEY, 22 MM EMERGENCY STOP
6FC5303-0AF22-1AA1	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 483 PN PROFINET / INDUSTRIAL ETHERNET, WIDTH 19", MEMBRANE-TYPE KEY, 22 MM EMERGENCY STOP
6FC5303-0AF30-1AA0	SIEMENS	Sinumerik	SINUMERIK 802D SL MACHINE CONTROL PANEL VERTICAL INSTALLATION NEXT TO DISPLAY; FLAT RIBBON CABLE CONNECTION ONLY VIA MCPA MODULE 6FC5312-0DA01-0AA0
6FC5303-0AF50-0BA0	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 015-532C 19" TFT, WIDTH 532 MM, WITH MECHANICAL KEYS, AND INTEGRATED TCU
6FC5303-0AF50-0BA1	SIEMENS	Sinumerik	SINUMERIK OPERATOR PANEL FRONT OP 015-532C 19" TFT, WIDTH 532 MM, WITH MECHANICAL KEYS, AND INTEGRATED TCU
6FC5303-0AF50-3BA1	SIEMENS	Sinumerik	SINUMERIK CONTROL PANEL MCP 429C-M IE ERGOLINE, W= 429 MM
6FC5303-0AF50-4BA1	SIEMENS	Sinumerik	SINUMERIK MACHINE CONTROL PANEL MCP 429C-T IE ERGOLINE WIDTH 429 MM WITH MECHANICAL KEYS RAPID TRAVERSE OVERRIDE SWITCH MOUSE
6FC5303-ODM13-1AA0	SIEMENS	Sinumerik	SINUMERIK 802D SL FULL CNC KEYBOARD (NEW LAYOUT) MOUNTABLE UNDER DISPLAY; HORIZONTAL FORMAT, IP65; WITH 1.5 M CABLE
6FC5303-1AF02-8AE0	SIEMENS	Sinumerik	SINUMERIK PUSH BUTTON PANEL MPP 483 HTC-S05 CONNECTION MPI/PROFIBUS DP WITH CONNECTION FOR HT 8 CUSTOMIZED VERSION BASED ON 6FC5303-1AF00-8AA1
6FC5312-0DA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D TCU (THIN CLIENT UNIT)
6FC5312-0DA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D/840D SL TCU (THIN CLIENT UNIT) FOR SINUMERIK/SIMOTION
6FC5312-0DA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 802D SL INTERFACE MODULE ANALOG (1X-10V) INTERFACE AND CONNECTION FOR MACHINE CONTROL PANEL 802D SL 6FC5303-0AF30-1AA0
6FC5312-0FA00-0AA0	SIEMENS	Sinumerik	SINUMERIK / SIMOTION CBE30 PROFINET MODULE TO CONNECT SIMOTION D ON PROFINET IO (CONTROLLER), INTEGRATED 4 PORT SWITCH
6FC5313-5AG00-0AA1	SIEMENS	Sinumerik	SINUMERIK COMPACTFLASH CARD 1GB EMPTY
6FC5348-0AA01-0AA0	SIEMENS	Sinumerik	SIMOTION / SINUMERIK FAN/BATTERY MODULE SMALL FAN EXT. HEAT DISSIPATION INCL. BUFFER BATTERY NCU710 / NCU720 / NCU730 D425/D435 (OPTION) D445 (SPARE PART)
6FC5348-0AA02-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL DUAL FAN/BATTERY MODULE FOR NCU 710.1, NCU 720.1 OR NCU 730.1
6FC5356-0BB11-0AE1	SIEMENS	Sinumerik	SINUMERIK 840DE NCU 561.3 WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS-DP
6FC5356-0BB12-0AE0	SIEMENS	Sinumerik	SINUMERIK 840DE NCU 561.4 WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS-DP
6FC5356-0BB14-0AA0	SIEMENS	Simodrive	SINUMERIK 840DE NCU 561.4, 400 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP
6FC5356-0BB15-0AA0	SIEMENS	Sinumerik	SINUMERIK 840DE CNC-HARDWARE NCU 561.5, 400 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP, ACCORD. TO IEC 61508
6FC5357-0BA11-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D / 840DE NCU 571 (EXPORT VERSION), 5 AXES/SPINDLES, MEMORY: NC 128KB, 64KB PLC (MAX. 192KB) FOR I/O, S7-IM361, PROFIBUS-DP W. SYSTEM SW, CONNECTING CABLE FOR UNIT BUS
6FC5357-0BA20-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D NCU 572 STANDARD VERSION, 5 AXES/SPINDLES (MAX. 8), MEMORIES: NC 256 KB, PLC 64 KB (MAX. 96 KB) FOR I/O: S7-IM361 W. SYSTEM SW, CABLE FOR UNIT BUS
6FC5357-0BA21-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D NCU 572 (STANDARD VERSION), 5 AXES/SPINDLES (MAX. 8), MEMORY NC 256KB, PLC 64KB (MAX. 192KB) FOR I/O: S7-IM361, PROFIBUS-DP W. SYSTEM SW, CONNECTING CABLE FOR UNIT BUS
6FC5357-0BA21-1AE0	SIEMENS	Sinumerik	SINUMERIK 840D NCU 572 STANDARD VERSION; 5 AXES/SPINDLES (MAX. 8); MEMORIES: NC 1.5 MB, PLC 64 KB (MAX. 192 KB) FOR I/O: S7-IM361, PROFIBUS DP W. SYSTEM SW, CABLE FOR UNIT BUS
6FC5357-0BA21-1AE1	SIEMENS	Sinumerik	SINUMERIK 840D NCU 572.2 STANDARD VERSION
6FC5357-0BA32-1AE0	SIEMENS	Sinumerik	SINUMERIK 840D NCU 573.2 STANDARD VERSION 5 AXES/SPINDLES (MAX. 12) MEMORY: NC 1.5 MB, D-RAM 8 MB PLC 64 KB (MAX. 288 KB) I/O: S7-IM361, PREPARED FOR PROFIBUS DP
6FC5357-0BA33-1AE0	SIEMENS	Sinumerik	SINUMERIK 840D NCU 573.2 STANDARD VERSION 5 AXES/SPINDLES (MAX. 31) MEMORY: NC 1.5 MB, D-RAM 32 MB PLC 64 KB (MAX. 288 KB) I/O: S7-IM361, PREPARED FOR PROFIBUS DP
6FC5357-0BB11-0AE0	SIEMENS	Sinumerik	SINUMERIK 840DE NCU 571.2 W/O SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREP. PROFIBUS-DP
6FC5357-0BB11-0AE1	SIEMENS	Sinumerik	SINUMERIK 840DE NCU 571.3 WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS-DP
6FC5357-0BB12-0AE0	SIEMENS	Sinumerik	SINUMERIK 840DE NCU 571.4 WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS-DP
6FC5357-0BB15-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE CNC-HARDWARE NCU 571.5, 400 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP, ACCORD. TO IEC 61508
6FC5357-0BB21-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.2 W/O SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREP. PROFIBUS-DP
6FC5357-0BB22-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.3, AMD K6-2 PROCESSOR W/O SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREP. FOR PROFIBUS-DP FITTING
6FC5357-0BB23-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.3, 400 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP, ACCORD. TO IEC 61508
6FC5357-0BB23-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.4 PROCESSOR AMD K6-2 W/O SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREP. FOR PROFIBUS-DP FITTING
6FC5357-0BB24-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.4, 400 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP,
6FC5357-0BB25-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE CNC-HARDWARE NCU 572.5, 650 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP, ACCORD. TO IEC 61508
6FC5357-0BB25-0AB0	SIEMENS	Sinumerik	SINUMERIK 840D/DE CNC-HARDWARE NCU 572.5B 1.0 GHZ, 128 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP,
6FC5357-0BB33-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.3, 650 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 2.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP, ACCORD. TO IEC 61508
6FC5357-0BB33-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.2 32MB D-RAM W/O SYSTEM SOFTWARE MEMORY: NC 1.5 MB, PLC 64 KB PREP. PROFIBUS-DP
6FC5357-0BB33-0AE1	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.2 PENTIUM II W/O SYSTEM SOFTWARE MEMORY: NC 2.5 MB, PLC 96 KB PROFIBUS-DP PREP.
6FC5357-0BB33-0AE2	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.3 PENTIUM III W/O SYSTEM SOFTWARE MEMORY: NC 2.5 MB, PLC 96 KB PROFIBUS-DP PREP.
6FC5357-0BB33-0AE3	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.3; 650 MHZ (W/O FAN BOX) W/O SYSTEM SOFTWARE MEMORIES: NC 2.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP
6FC5357-0BB34-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.4, 650 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 2.5 MB, PLC 96 KB PREPARED FOR PROFIBUS DP ACCORD. TO IEC 61508
6FC5357-0BB34-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.4 PENTIUM III W/O SYSTEM SOFTWARE MEMORY: NC 2.5 MB, PLC 96 KB PREP. FOR PROFIBUS-DP
6FC5357-0BB34-0AE1	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.4, 650MHZ, 64MB W/O SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 96 KB PREP. PROFIBUS-DP
6FC5357-0BB35-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D/DE CNC-HARDWARE NCU 573.5, 933 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP, IN ACC. W. IEC 61508
6FC5357-0BB35-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 573.5, 933 MHZ, 64 MB WITHOUT SYSTEM SOFTWARE MEMORY: NC 3 MB, PLC 128 KB PREPARED FOR PROFIBUS DP
6FC5357-0BB52-0AE0	SIEMENS	Sinumerik	SINUMERIK 840D/DE NCU 572.2 (TRUMPF) W/O CNC SOFTWARE MEMORY: NC 0.5 MB, PLC 96 KB PREP. PROFIBUS-DP
6FC5370-0AA00-2AA0	SIEMENS	Sinumerik	SINUMERIK 802D SL VERSION T/M PLUS OPERATOR PANEL CNC COMPLETE WITH NC, PLC, HMI PART AND DRIVE CONTROL FOR SINAMICS AXES/SPINDLES (4/1 OR 3/2) INCL.: LOG BOOK AND TOOL BOX
6FC5370-0AA00-3AA0	SIEMENS	Sinumerik	SINUMERIK 802D SL VERSION T/M PRO OPERATOR PANEL CNC COMPLETE WITH NC, PLC, HMI PART AND DRIVE CONTROL FOR SINAMICS AXES/SPINDLES (4/1 OR 3/2) INCL.: LOG BOOK AND TOOL BOX
6FC5370-3AT20-0AA0	SIEMENS	Sinumerik	SINUMERIK 828D BASIC CNC-HARDWARE PPU 241.2 HORIZONTAL

6FC5370-8AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 828D PPU 280.1 VERTICAL WITHOUT CNC-SOFTWARE
6FC5371-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 710.1 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 128 KB INTERNAL HEAT DISSIPATION
6FC5371-0AA10-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 710.1 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 128 KB INTERNAL HEAT DISSIPATION
6FC5371-0AA10-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 710.2 MIT PLC 317-2DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5371-0AA10-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D SL CNC-HARDWARE NCU 710.2 MIT PLC 317-2DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5372-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 720.1 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 128 KB INTERNAL HEAT DISSIPATION
6FC5372-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 720.2 WITH PLC 317-2DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5372-0AA00-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D SL CNC-HARDWARE NCU 720.2 WITH PLC 317-2DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5372-0AA01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 720.2 PN WITH PLC 319-3PN/D USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5372-0AA01-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D SL CNC-HARDWARE NCU 720.2 PN WITH PLC 319-3PN/DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5373-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 730.1 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 128 KB INTERNAL HEAT DISSIPATION
6FC5373-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 730.2 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 128 KB INTERNAL HEAT DISSIPATION
6FC5373-0AA00-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D SL CNC-HARDWARE NCU 730.2 WITH PLC 317-2DP USER MEMORY: CNC: 3 MB; PLC: 512 KB INTERNAL HEAT DISSIPATION
6FC5373-0AA01-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU 730.2 PN WITH PLC 319-3PN/D USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5373-0AA01-0AA2	SIEMENS	Sinumerik	SINUMERIK 840D SL CNC-HARDWARE NCU 730.2 PN WITH PLC 319-3PN/DP USER MEMORY: CNC: 3MB; PLC: 512KB INTERNAL-HEAT-DISSIPATION
6FC5373-0AA30-0AA0	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU730.3PN WITH PLC 317-3PN/DP USER MEMORY: CNC: 3 MB; PLC: 512 KB INTERNAL HEAT DISSIPATION
6FC5373-0AA30-0AA1	SIEMENS	Sinumerik	SINUMERIK 840D SL NCU730.3PN WITH PLC 317-3PN/DP USER MEMORY: CNC: 3 MB; PLC: 512 KB INTERNAL HEAT DISSIPATION
6FC5403-0AA10-0AA1	SIEMENS	Sinumerik	SINUMERIK HANDHELD TERMINAL HT 6, WITH SYSTEM SOFTWARE, FOR SINUMERIK 810D/840D/840DI AND SIMATIC FM 357-2H
6FC5403-0AA20-0AA0	SIEMENS	Sinumerik	SINUMERIK HANDHELD TERMINAL HT 8
6FC5410-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810DE CCU MODULE WITH SYSTEM SOFTWARE (EXPORT V.)
6FC5410-0AA01-0AA0	SIEMENS	Sinodrive	SINUMERIK 810D CCU 2 MODULE WITH SYSTEM SOFTWARE
6FC5410-0AY00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810DE-LIGHT CCU1 MODULE WITH SYSTEM SOFTWARE(EXPORT V.) AVAILABLE AS A PACKAGE WITH SINGLE LICENSE ONLY!
6FC5410-0AY03-0AA0	SIEMENS	Sinumerik	SINUMERIK 810DE MODULE CCU3 WITH SYSTEM SW (EXPORT) 256 KBYTE NC MEMORY (MAX.EXTENSION 1.5 MBYTE) PLC: 96 KB (MAX. 288 KB) PREPARED FOR PROFIBUS-DP
6FC5411-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/840D SINGLE I/O MODULE 64 DI/32 DO ISOLATED, 32 DO WITH 0.5A, SHORT-CIRCUIT PROOF, TOTAL CURRENT FOR THE OUTPUTS = 12 A W. SIMULTANEITY FACTOR 0.75
6FC5412-0FA10-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D AXIS EXTENSION UNIT FOR COMPLETE EXPANSION, UP TO 5 DRIVES CAN BE CONNECTED TO 1 OR 2 AXES -611 POWER MODULES, WITH RIBBON CABLES
6FC5447-0AA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D, CCU-BOX WITH 3 INTEGR. POWER-CIRCUITS 2*6A/12A FOR FEED DRIVES, 1*18/36A FOR FEED DRIVES, OR 24A/32A FOR MAIN SPINDLE DRIVES
6FC5447-0AA00-0AA1	SIEMENS	Sinumerik	SINUMERIK 810D CCU-BOX BOX ELECTRONIC CONTROL DEVICE CCU BOX WITH 3 INTEGR. POWER UNITS: 2*6A/12A FOR FEED DRIVES 1*18/36A FOR FEED DRIVES OR 24A/32A FOR MAIN SPINDLE DR.
6FC5447-0AA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 810D/810 DE BOX FOR ELECTRONIC CONTROL DEVICE CCU BOX EXT./INT. COOLING 2 INTEGR. POWER-CIRCUITS 2 X 9A/18A FOR FEED DRIVES
6FC5447-0AA01-0AA1	SIEMENS	Sinumerik	SINUMERIK 810D/810 DE BOX FOR ELECTRONIC CONTROL DEVICE CCU BOX EXT./INT. COOLING 2 INTEGR. POWER-CIRCUITS 2 X 9A/18A FOR FEED DRIVES
6FC5450-6AY03-4AH3	SIEMENS	Sinumerik	SINUMERIK 810DE SYSTEM SOFTWARE CCU 3 ON PC CARD (EXPORT) SW VERSION 6.4 UPDATE
6FC5500-0AA00-1AA0	SIEMENS	Sinumerik	SINUMERIK 802S BASE LINE BASIC PACKAGE, COMPRISING: OPERATOR PANEL OP020 INCL. PERIPHERIE 48/16 DI/O TOOLBOX LOG BOOK
6FC5503-0AA22-0AA0	SIEMENS	Sinumerik	SIEMENS SINUMERIK OPERATOR PANEL
6FC5510-0BA00-0AA0	SIEMENS	Sinumerik	SINUMERIK 802S NC COMPONENT ECU
6FC5548-0AA00-0AA0	SIEMENS	Sinumerik	STEPDRIVE C CONVERTER FOR STEPPER MOTORS 5-PHASE; SINGLE-AXIS VERSION
6FC5603-0AD00-0AA2	SIEMENS	Sinumerik	SINUMERIK 802DSL MACHINE CONTROL PANEL VERTICAL; MCP INSTALLATION NEXT TO DISPLAY 24V, FLAT RIBBON CABLE CONNECTI SUITABLE FOR 6FC5611-0CA01-0AA1 (PP72/48)
6FC5611-0CA01-0AA0	SIEMENS	Sinumerik	SINUMERIK 802D DIG. I/O MODULE (PROFIBUS) 72 INPUTS 24V 48 OUTPUTS 24V, 0.25 A
6FC5611-0CA01-0AA1	SIEMENS	Sinumerik	SINUMERIK I/O MODULE PP 72/48 72 INPUTS 24 V 48 OUTPUTS 24 V, 0.25 A COATING VERSION PP72/48
6FC5850-1YG23-1YA0	SIEMENS	Sinumerik	SINUMERIK 840DE SL CNC-SOFTWARE 6-3 EXPORT WITH SINUMERIK OPERATE 6-LANGUAGES EN,DE,FR,IT,SP,V-CH SOFTWARE 2.7 SP1 HF3 ON CF-CARD WITH LICENSE CERTIFICATION ACCORDING TO IEC61508 HAS BEEN APPLIED FOR BUT NOT YET GRANTED
6FC5851-1YG40-2YA0	SIEMENS	Sinumerik	SINUMERIK 840DE SL CNC-SOFTWARE 31-3 EXPORT WITH SINUMERIK OPERATE, 6-LANGUAGES, EN,GER,FR,IT,SP,CH-S SOFTWARE 4.4 SP2 ON CF-CARD WITH LICENSE
6FC9320-5DE02	SIEMENS	Sinumerik	SINUMERIK ACCESSORIES ELECTRONIC HANDWHEEL IN HOUSING WITH SPIRAL CABLE 2,5M WITH CONNECTOR 9-POLE UB = 5 V; RS 422
6FC9320-5DM00	SIEMENS	Sinumerik	SINUMERIK ACCESSORIES HANDWHEEL VOLTAGE 5 V DC -5%, 60 MA; INTERFACE RS422(TTL), 100 I/REV
6FC9320-8CC	SIEMENS	Sinumerik	SINUMERIK/SIROTEC OPTION SUPPLIED SEPARATELY PLC MEMORY EPROM 8 KW
6FC9320-8CE	SIEMENS	Sinumerik	SINUMERIK 3/SIROTEC PLC MEMORY 32 KW EPROM
6FC9331-0CA	SIEMENS	Sinumerik	ACCESSORIES FOR SINUMERIK P-PCB TEST RECORD
6FC9331-0JA	SIEMENS	Sinumerik	ACCESSORIES F.SINUMERIK LOGIC MODULE 2 56 INPUTS, 28 OUTPUTS
6FC9340-3RZ	SIEMENS	Sinumerik	SIEMENS KABEL
6FC9340-5QZ	SIEMENS	Sinumerik	SIEMENS KABEL
6FC9340-8WC	SIEMENS	Sinumerik	SINUMERIK 800 (ACCESSORIES) FOR RS 232 C, CABLE 10 M
6FC9343-0AA	SIEMENS	Sinumerik	SINUMERIK (ACCESSORIES) CABLE 8 X 2 X 0.18 SQMM LENGTH (M) = 1
6FC9343-0AN	SIEMENS	Sinumerik	SINUMERIK (ACCESSORIES) CABLE 3 X 2 X 0.18 SQMM
6FC9344-4NC01	SIEMENS	Sinumerik	SINUMERIK (ACCESSORIES) VGA MODULE FOR COLOR MONITOR, CABLE 10 M
6FC9344-4NM01	SIEMENS	Sinumerik	SINUMERIK (ACCESSORIES) VGA MODULE FOR COLOR MONITOR, CABLE 2 M
6FC9348-7HP00	SIEMENS	Sinumerik	SIMODRIVE (ACCESSORIES) SUB-D CONNECTOR SBM HOUSING 25-WAY FEMALE CONTACTS WITH SCREW TYPE LOCKING UNC4-40 QUANTITY OF AN UNIT PACK = 3 CONNECTORS

Part Number	OEM	Product Group	Description
6FM WF			
6FM1420-1CA00	SIEMENS	WS / WS Series	WS 400-20 OPERATOR PANEL WITH 8 FUNCTION KEYS AND 10-KEY BLOCK WITH EL DISPLAY
6FM1420-1CA02	SIEMENS	WS / WS Series	OPERATOR PANEL WS 400-20, 8 FUNCTION KEYS, 10-KEY BLOCK, EL DISPLAY
6FM1450-1B800	SIEMENS	WS / WS Series	OPERATOR PANEL WS 400-50, SERIAL/PARALL. KEYBOARD INTERF. FOR WF 470, 16 FUNCTION KEYS
6FM1463-3SA20	SIEMENS	WS / WS Series	PERIPHERAL MEMORY WF 463S 1 SERIAL INTERFACE
6FM1463-3SA21	SIEMENS	WS / WS Series	PERIPHERAL MEMORY WF 463S 1 SERIAL INTERFACE
6FM1470-3AA20	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470A (COLOR) 1 RECEPTACLE FOR MEMORY MODULE, GER., ENGLISH, FRENCH, RUSSIAN
6FM1470-3AA25	SIEMENS	WS / WS Series	DISP.MODULE WF 470A (COLOR) WITH 1 SLOT FOR MEMORY SUBMOD. GERMAN/ENGLISH/FRENCH/RUSSIAN
6FM1470-3BA20	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470B (COLOR) 3 RECEPTACLES F. MEMORY MODULES 2ND SERIAL INTERFACE, GERMAN, ENGLISH, FRENCH, RUSSIAN

6FM1470-3BA21	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470B (COLOR) 3 SLOTS F. MEMORY MODULES 2ND SERIAL INTERFACE, GERMAN, ENGLISH, FRENCH, RUSSIAN
6FM1470-3BA25	SIEMENS	WS / WS Series	DISP.MODULE WF 470A (COLOR) WITH 3 SLOTS FOR MEMORY SUBMOD. WITH 2ND SERIAL INTERFACE GERMAN/ENGLISH/FRENCH/RUSSIAN
6FM1470-3BE20	SIEMENS	WS / WS Series	WF470 Display Module
6FM1470-3CA25	SIEMENS	WS / WS Series	DISP.MODULE WF 470C (COLOR) WITH 3 SLOTS FOR MEMORY SUBMOD. WITH 2ND SERIAL INTERFACE WITH INTERNAL 64 KBYTE RAM GERMAN/ENGLISH/FRENCH/RUSSIAN
6FM1470-4AA21	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470A (B/W) 1 SLOT F. MEMORY MODULE, GERMAN, ENGLISH, FRENCH, RUSSIAN
6FM1470-4AA25	SIEMENS	WS / WS Series	DISPL.MODULE WF 470A (MONOCHR.) WITH 1 SLOT FOR MEMORY SUBMOD. GERMAN/ENGLISH/FRENCH/RUSSIAN
6FM1470-4BA20	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470B(B/W) 3 SLOTS F. MEMORY MODULES 2ND SERIAL INTERFACE, GERMAN, ENGLISH, FRENCH, RUSSIAN
6FM1470-4BA21	SIEMENS	WS / WS Series	DISPLAY MODULE WF 470B (B/W), 3 SLOTS F. MEMORY MODULES 2ND SERIAL INTERFACE, GERMAN, ENG., FRENCH, RUSSIAN
6FM1470-7AA25	SIEMENS	WS / WS Series	FIRMWARE UPGRADE KIT F. DISPLAY MODULE WF 470
6FM1480-2AB00	SIEMENS	WS / WS Series	GRACIS WF 480A F. S5-115U, BASIC VERSION, CONSISTING OF: GRACIS CPU+VGA GRAPHICS INTERF. 4 INTERFACES
6FM1485-3BC00	SIEMENS	WS / WS Series	GRACIS WF 485B F. S5-135U/155U, BASIC VERSION, MASS DATA STORAGE
6FM1486-2BC00	SIEMENS	WS / WS Series	GRACIS WF 486B F. S5-115U, BASIC VERSION, SINEC H1 INTERFACE, MASS DATA STORAGE
6FM1495-1AB10	SIEMENS	WS / WS Series	WS 495 KEYBOARD W/O ALPHA-BLOCK PARALLEL AND SERIAL INTERFACE, BROWN, DESKTOP VERSION
6FM1496-1AB10	SIEMENS	WS / WS Series	WS 496 KEYBOARD W. ALPHA-BLOCK, PARALLEL AND SERIAL INTERFACE, BROWN DESIGN, DESK-TOP VERSION
6FM1496-1BB00	SIEMENS	WS / WS Series	WS 496 GRACIS KEYBOARD W. ALPHA BLOCK, DESIGN BROWN, BUILT-IN VERSION
6FM1496-1BB10	SIEMENS	WS / WS Series	WS 496 GRACIS KEYBOARD W. ALPHA BLOCK, DESIGN BROWN, PARALLEL AND SERIAL INTERFACE, BROWN D., BUILT-IN VERSION
6FM1496-1BB22	SIEMENS	WS / WS Series	WS 496 KEYBOARD W. ALPHA-BLOCK PARALLEL AND SERIAL INTERFACE, DESIGN CHARCOAL, FOR CONSOLE MOUNTING
6FM1496-2DA22	SIEMENS	WS / WS Series	BUILT-IN MONITOR W/O FRONT COVER, 14", COLOR
6FM1610-2CB00	SIEMENS	WS / WS Series	POSITIONING MODULE WF 625 FOR INCREMENT. POSITION ENCODER
6FM1661-3AA00	SIEMENS	WS / WS Series	FASTENER CONTROL WF 661, BASIC VERSION
6FM1661-3AA10	SIEMENS	WS / WS Series	FASTENER CONTROL WF 661, BASIC VERSION
6FM1680-2FA00	SIEMENS	WS / WS Series	positioning modul WF695
6FM1680-3AA00	SIEMENS	WS / WS Series	OPERATOR PANEL WS 600G FOR WF 625/626/635/655
6FM1705-3AA00	SIEMENS	WS / WS Series	WF 705 POSITION DECODER MODULE F. 12 SER. ABSOLUTE PATH ENCODERS
6FM1706-3AA00	SIEMENS	WS / WS Series	WF 706 POSITIONING MODULE WITH LIMIT SWITCHES FOR 3 AXES
6FM1706-3AB20	SIEMENS	WS / WS Series	WF 706 POSITIONING AND COUNTER MODULE, 6 CHANNELS, EXPANDABLE BY 1 OR 2 ANALOG MODULES
6FM1707-3AA10	SIEMENS	WS / WS Series	CAM CONTROLLER WF 707
6FM1715-3AA00	SIEMENS	WS / WS Series	CAM CONTROLLER WF 715 FOR SHAFT MOVEMENT
6FM1720-3AA10	SIEMENS	WS / WS Series	STAND ALONE SINGLE-AXIS CONTROL WS 720A
6FM1721-3AA00	SIEMENS	WS / WS Series	WF 721 POSITION.MOD.(B.PREP.) F.SERIAL ABSOLUTE AND INCREMEN. POSITION ENCODERS
6FM1721-3AA10	SIEMENS	WS / WS Series	WF 721 POSITION.MOD.(B.PREP.) F.SERIAL ABSOLUTE AND INCREMEN. POSITION ENCODERS
6FM1721-3AA20	SIEMENS	WS / WS Series	POSITIONING MODULE WF 721 1 AXIS, POSSIBLE MODES WITH SERIAL INCREMENTAL POSITION ENCODERS
6FM1723-3AA00	SIEMENS	WS / WS Series	POSITIONING MODULE WF 723 3 AXES SELECTABLE FOR SERIAL ABSOLUTE AND INCREMENTAL POSIT. ENCODERS
6FM1723-3AA10	SIEMENS	WS / WS Series	WF 723 POSITIONING MODULE 3 AXES F.SERIAL-ABSOLUTE AND INCREMEN. POSITION ENCODERS
6FM1723-3CA11	SIEMENS	WS / WS Series	POSITIONING MODULE WF 723C 3 AXES SELECTABLE FOR SERIAL-ABSOLUTE AND INCREMENTAL ENCODER
6FM1725-3AA00	SIEMENS	WS / WS Series	WF 725 A POSITIONING MODULE FOR INCREMENTAL POSITION ENCODER
6FM1726-3AA00	SIEMENS	WS / WS Series	POSITIONING MODULE WF 726A FOR INCREMENTAL POSIT. ENCODERS
6FM1726-3BA00	SIEMENS	WS / WS Series	WF726B
6FM1726-3CA00	SIEMENS	WS / WS Series	POSITIONING MODULE WF 726C V1.5 FOR SERIAL-ABSOLUTE AND INCREM. POSITION ENCODERS
6FM1726-3CA10	SIEMENS	WS / WS Series	WF 726C V1.6 POSITIONING MODULE FOR SERIAL-ABSOLUTE AND INCREM. POSITION ENCODERS, W/O JERK LIMITATION
6FM1726-3CW00	SIEMENS	WS / WS Series	POSITIONING MODULE WF 726 CW
6FM1763-3AB10	SIEMENS	WS / WS Series	FASTENER CONTROL WF 763, TORQUE CONTROL, TURN AND YIELD CONTROL
6FM1771-3AA00	SIEMENS	WS / WS Series	WELDING MODULE WF 771 MODULE FOR RESISTANCE SPOT WELDING
6FM2805-4AS31	SIEMENS	WS / WS Series	SINUMERIK 805SM T/W OPERATOR KEYBOARD WITH SINGLE CONVENTIONAL KEYS; LED AND MEMBRANE
6FM8090-0AS02	SIEMENS	WS / WS Series	WS 8000 COMPLETE EQUIPMENT EXPANSION UNIT G21003-B1300-H110 EXPANSION MODULE FOR THREE WAY COMBINATION
6FM8090-0AS03	SIEMENS	WS / WS Series	WS 8000 COMPLETE EQUIPMENT TIME DELAY MODULE G21003-B1300-H120 U120 TECHNICAL DESCRIPTION SEE 6FM80900AS00

6FM8180-1AA00-0AA0	SIEMENS	WS / WS Series	DISTRIBUTION BOARD F.810D/840D WITH 59 INPUTS 24V DC AND 24 OUTPUTS W. 2 A EACH, AND DIRECT CONNECTION FOR 5 CONSUMER FEEDERS/ADD. DRIVES WITH 400 V AC EACH, 4 KW
--------------------	---------	----------------	--

Part Number	OEM	Product Group	Description
6FX SINUMERIK CNC			
6FX1110-4AA01	SIEMENS	Sinumerik	SINUMERIK PART
6FX1110-7AA01	SIEMENS	Sinumerik	SIROTEC RCM 18/1K/1.28 TO SW 03 MASTER CPU SUBMODULE, 5 MHZ
6FX1110-7AD01	SIEMENS	Sinumerik	SIROTEC RCM 18/1K/1.28 TO SW 03 MASTER CPU SUBMODULE, 8 MHZ
6FX1110-7AG01	SIEMENS	Sinumerik	SIROTEC RCM 3C/3S/1KC FROM SW03 MASTER CPU SUBMODULE, 8 MHZ NEC
6FX1111-0AA02	SIEMENS	Sinumerik	SINUMERIK 3 B.VER.4/SIROTEC RCM SLAVE CPU
6FX1111-0AB02	SIEMENS	Sinumerik	SIROTEC RCM SLAVE CPU, 5MHZ
6FX1111-0AG02	SIEMENS	Sinumerik	SIROTEC RCM 3C/3S FROM SW V. 05 SLAVE CPU (NEC), 8 MHZ
6FX1111-0AH02	SIEMENS	Sinumerik	SIROTEC RCM 2 SLAVE CPU (NEC), WITH RAM
6FX1111-0AJ02	SIEMENS	Sinumerik	SIROTEC RCM 3B/3EXP TO SW V. 03 SLAVE CPU SUBMODULE
6FX1111-0AM02	SIEMENS	Sinumerik	SINUMERIK 3 BASIC V.4A/G,N SLAVE CPU WITH RAM
6FX1111-0AN02	SIEMENS	Sinumerik	SINUMERIK 3 BASIC VERSION 4B SLAVE CPU W/O RAM
6FX1111-0AP02	SIEMENS	Sinumerik	SINUMERIK 3 BAS. VERS. 4C/M,T SLAVE CPU W/O RAM
6FX1111-1AA01	SIEMENS	Sinumerik	SIROTEC RCM 1.1/SINUMERIK 3 SERVO-INTERFACE
6FX1111-4AB00	SIEMENS	Sinumerik	SINUMERIK 3/SIROTEC RCM INPUT/OUTPUT MOD., 32 I/32 O, 0.1 A, 1/3 SLOT BLANKING PLATE NOT FOR RCM 1.2D/3D!
6FX1111-4AC00	SIEMENS	Sinumerik	SIROTEC RCM 3D / 1.2D INPUT/OUTPUT MOD., 32 I/32 O, 0.1 A, 100 MA, 8 MHZ
6FX1111-7AA00	SIEMENS	Sinumerik	RCM-TASTENFELD DEUTSCH
6FX1112-0AA01	SIEMENS	Sinumerik	SINUMERIK 3 OUTPUT MODULE, 16 OUTPUTS, 2 A
6FX1112-0AA02	SIEMENS	Sinumerik	SINUMERIK/SIROTEC RCM 1.2D,3D CARD OUTPUT 16 A, 24 V DC, 2 A
6FX1112-0AB01	SIEMENS	Sinumerik	SIROTEC RCM/ SINUMERIK MODULE 16 OUTPUTS, 24 V/2A
6FX1112-0AC01	SIEMENS	Sinumerik	SIROTEC RCM 1.2D,3D FBG INTERFACE 16 AUSG., 2A NF-6FX1112-0AA02
6FX1112-1AE00	SIEMENS	Sinumerik	SIROTEC MASTER/SLAVE INTERFACE MODULE V.24, 8 MHZ
6FX1113-0AA01	SIEMENS	Sinumerik	SINUMERIK 8 MS101 CPU WITH CABLE, W/O MS810
6FX1113-0AA02	SIEMENS	Sinumerik	SINUMERIK 8 MS102 CPU W/O SOFTWARE MODULE (W/O BATTERY 6EW1000-7AA)
6FX1113-2AA01	SIEMENS	Sinumerik	SINUMERIK 8 CENTRAL POWER SUPPLY (MS140/141)
6FX1113-4AC01	SIEMENS	Sinumerik	SINUMERIK 8 MS301-C, MEAS.CIRC. W/O ADD.PCB FOR 4 AXES
6FX1113-4AD01	SIEMENS	Sinumerik	SINUMERIK 8 MS301-D, MEAS.CIRC. W. ADD. PCB MS340-A, MIN. 5 AXES
6FX1113-6AA00	SIEMENS	Sinumerik	SINUMERIK 8 MS321-A, MEAS.CIRC. 2 AXES DIGITAL
6FX1113-8AA00	SIEMENS	Sinumerik	SINUMERIK 8 MS401-A, BASIC PCB F. OPERATOR PANEL WITH POWER SUPPLY
6FX1114-5AA00	SIEMENS	Sinumerik	SINUMERIK 8 LINK TO EXTERNAL S5 PLC
6FX1115-0AA01	SIEMENS	Sinumerik	SINUMERIK 3 5MHZ VIDEO INTERFACE
6FX1115-0AA02	SIEMENS	Sinumerik	SINUMERIK 3 5/8 MHZ VIDEO INTERFACE
6FX1116-8AA00	SIEMENS	Sinumerik	SINUMERIK 8 MS760, NC TO PLC LINKAGE
6FX1117-8AA01	SIEMENS	Sinumerik	SINUMERIK 3, BASIC VERSION 0-3 CPU
6FX1118-1AA02	SIEMENS	Sinumerik	SINUMERIK 3, BASIC VERSION 2 EPROM MEMORY BOARD, EMPTY
6FX1118-4AA01	SIEMENS	Sinumerik	SINUMERIK 3 IN/OUTPUT MODULE 48 INP/24 OUT
6FX1118-4AB01	SIEMENS	Sinumerik	SINUMERIK 3 (FR. BASIC VERS.2) /SIROTEC, IN/OUTPUT MODULE 48 INP/24 OUT CAUTION NOT WITH BASIC VERS.0/1
6FX1118-6AA01	SIEMENS	Sinumerik	SINUMERIK CARD
6FX1118-6AB01	SIEMENS	Sinumerik	ROBOT CONTROL M MAINTENANCE PANEL (8 MHZ-FIT)
6FX1118-8AC01	SIEMENS	Sinumerik	MASCHINENSTEUERTAFEL 3 G
6FX1118-8AD01	SIEMENS	Sinumerik	MASCHINENSTEUERTAFEL 3 T
6FX1120-1AD01	SIEMENS	Sinumerik	SIROTEC RCM 1/2 SERVO INTERFACE, 2 SETPOINTS
6FX1120-2CA00	SIEMENS	Sinumerik	FBG-EPROM-RAM-SP 32-96 KB
6FX1120-2CA01	SIEMENS	Sinumerik	SIROTEC RCM EPROM/RAM SUBMODULE 32/96 KB, W/O MODULE
6FX1120-2CA02	SIEMENS	Sinumerik	SIROTEC/SINUMERIK 3 EPROM/RAM SUBMODULE 32 TO 96 KB (BASIC MEMORY MODULE)
6FX1120-3BA01	SIEMENS	Sinumerik	SINUMERIK 3 PLC TO PLC LINK
6FX1120-3BB01	SIEMENS	Sinumerik	SINUMERIK 3 PLC CU TO EU LINK
6FX1120-3BC01	SIEMENS	Sinumerik	SINUMERIK 8, 850 PLC CENTRAL UNIT/EXT. UNIT LINK
6FX1120-3CA02	SIEMENS	Sinumerik	SINUMERIK ...
6FX1120-4BA01	SIEMENS	Sinumerik	SINUMERIK 850 COM-CPU
6FX1120-4BA02	SIEMENS	Sinumerik	SINUMERIK 850 COM-CPU
6FX1120-4BB02	SIEMENS	Sinumerik	SINUMERIK 850/880 COM-CPU
6FX1120-4BD03	SIEMENS	Sinumerik	SINUMERIK 850/880 COM-CPU
6FX1120-5BA01	SIEMENS	Sinumerik	SINUMERIK 850 NC CPU W/O SOFTWARE
6FX1120-5BB01	SIEMENS	Sinumerik	SINUMERIK 880 NC-CPU (W/O SOFTWARE)
6FX1120-5CA01	SIEMENS	Sinumerik	SIROTEC RCM 1.2D/3C/3D/3S SERVO CPU MODULE, 2 ACT. VALUES, 2 SETPOINTS, ABSOLUTE
6FX1120-6BA01	SIEMENS	Sinumerik	SINUMERIK 880 PLC-CPU 135W (UP TO SW VERS. 3)
6FX1120-7BA01	SIEMENS	Sinumerik	SINUMERIK 810/820/850 MEMORY PCB W/O RAM
6FX1120-7BB01	SIEMENS	Sinumerik	SINUMERIK 810/820/850 BASIC MEMORY MODULE WITH RAM
6FX1121-2BA02	SIEMENS	Sinumerik	SINUMERIK 800 BGR INTERFACE
6FX1121-2BA03	SIEMENS	Sinumerik	SINUMERIK 800 BGR INTERFACE
6FX1121-2BB02	SIEMENS	Sinumerik	SINUMERIK 810 INTERFACE PCB
6FX1121-3BA01	SIEMENS	Sinumerik	SINUMERIK 880 SERVO-CPU, 16 BIT (W/O SOFTWARE)
6FX1121-4BA01	SIEMENS	Sinumerik	SINUMERIK 800 SERVO INTERFACE 20 MM (SPC)
6FX1121-4BA02	SIEMENS	Sinumerik	SIROTEC/SINUMERIK SERVO INTERFACE, 20 MM, 3 AXES, NO TACHOGENERATOR SIMULATION FOR ACR
6FX1121-4BA03	SIEMENS	Sinumerik	SIROTEC/SINUMERIK SERVO INTERFACE, 20 MM, 3 AXES, NO TACHOGENERATOR SIMULATION FOR ACR
6FX1121-4BB03	SIEMENS	Sinumerik	SINUMERIK 800 SERVO-INTERFACE, 40 MM PREPARED FOR EXE
6FX1121-5AB01	SIEMENS	Sinumerik	SINUMERIK 3 V.24 (RS232C) SWITCHOVER W/O HOUSING
6FX1121-5CA01	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT SERVOMODULE, 8 ABSOLUTE AXES, OR 8 ANALOG OUTPUTS
6FX1121-8BA03	SIEMENS	Sinumerik	SINUMERIK 850 MULTIPOINT RAM
6FX1121-8BB02	SIEMENS	Sinumerik	SINUMERIK 850 MULTIPOINT RAM
6FX1121-8BC02	SIEMENS	Sinumerik	SINUMERIK 800 MULTIPOINT PCB, DOUBLE TIER RACK
6FX1122-1AA01	SIEMENS	Sinumerik	PLC-NC KOPPLUNG
6FX1122-1AA02	SIEMENS	Sinumerik	SINUMERIK 3 PLC TO NC LINK
6FX1122-1AC02	SIEMENS	Sinumerik	SIROTEC RCM / SINUMERIK 3 PLC-NC LINK REPLACES: 6FX1122-1AA02
6FX1122-2AA01	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK
6FX1122-2AA02	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK, 5 MHZ
6FX1122-2AB02	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK, 8 MHZ
6FX1122-2AC02	SIEMENS	Sinumerik	SINUMERIK 3 / SIROTEC RCM NC-PLC LINK, 8 MHZ
6FX1122-2AD02	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK, 8 MHZ
6FX1122-2AL02	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK 8 MHZ, EXPORT
6FX1122-2AM02	SIEMENS	Sinumerik	SINUMERIK 3 NC TO PLC LINK 8 MHZ, EXPORT
6FX1122-3CA00	SIEMENS	Sinumerik	SINUMERIK CARD
6FX1122-3CA01	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT DIGITAL I/O MODULE, 32 I/O (0.1 A)
6FX1122-5CC00	SIEMENS	Sinumerik	SIROTEC RCM 1.2D/3D CPU SLAVE, 16 MHZ, C186
6FX1122-5CC01	SIEMENS	Sinumerik	SIROTEC RCM 1.2D/3D CPU SLAVE MODULE, 16 MHZ, C186 SUCCESSOR FOR: 6FX1122-5CC00
6FX1122-5CD00	SIEMENS	Sinumerik	SIROTEC RCM 1D/1.2D/3D CPU MASTER MODULE, 16MHZ, C186
6FX1122-8BA01	SIEMENS	Sinumerik	SINUMERIK/SIROTEC DIGITAL OUTPUT PCB 32 OUTPUTS, 0.5 A
6FX1122-8BB01	SIEMENS	Sinumerik	SINUMERIK/SIROTEC DIGITAL OUTPUT MODULE, 32 OUTPUTS, 2.0 A

6FX1122-8BC01	SIEMENS	Sinumerik	Sinumerik PC Board
6FX1122-8BC04	SIEMENS	Sinumerik	SINUMERIK/SIROTEC DIGITAL OUTPUT MODULE 32 OUTPUTS, 0.5 A
6FX1122-8BD04	SIEMENS	Sinumerik	SINUMERIK/SIROTEC DIGITAL OUTPUT PCB 32 OUTPUTS, 2.0 A
6FX1123-2AB01	SIEMENS	Sinumerik	SINUMERIK 3 VIDEO GRAPHIC INTERFACE 8 MHZ
6FX1123-3CA00	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT INTERFACE CPU W/O L2
6FX1123-6AB00	SIEMENS	Sinumerik	SINUMERIK 8 EPROM MODULE 01 210-B,W/O EPROM (8K X 8), FOR 130 WB PLC
6FX1123-6AL00	SIEMENS	Sinumerik	SINUMERIK 3 PLC MEMORY MODULE, 32 KB RAM
6FX1123-6AL01	SIEMENS	Sinumerik	SINUMERIK 3, 8, 850 PLC MEMORY, 32 KB RAM
6FX1123-7AA00	SIEMENS	Sinumerik	SINUMERIK 3 MEASURING CIRCUIT MODULE 1 ACTUAL-VALUE 6 SETPOINTS
6FX1123-7AA01	SIEMENS	Sinumerik	SINUMERIK 3 MEASURING CIRCUIT MODULE 1 ACTUAL VAL. 6 SET VALUES
6FX1123-7AA02	SIEMENS	Sinumerik	SIROTEC RCM 1.2D/3B, C, S, D SINUMERIK 3 MEASURING CIRCUIT 1 ACTUAL + 6 SETPOINT
6FX1123-7AB02	SIEMENS	Sinumerik	SIPOTEC RCM 1.2D/3B,C,S,D/1K,KC SETPOINT OUTPUT MODULE,6 CHANN. (W/O CONVEYOR)
6FX1123-8CA04	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT SAFETY BOARD
6FX1124-0BA03	SIEMENS	Sinumerik	SINUMERIK 880 DUALPORT MODULE W. CLOCK
6FX1124-0BB02	SIEMENS	Sinumerik	SINUMERIK 880 DUALPORT PCB W/O CLOCK
6FX1124-1CC00	SIEMENS	Sinumerik	SINUMERIK 880 MEMORY/EPROM, 32 BIT
6FX1124-2CA02	SIEMENS	Sinumerik	SINUMERIK ...
6FX1124-5CA01	SIEMENS	Sinumerik	SIEMENS
6FX1124-6AA02	SIEMENS	Sinumerik	FBG.EIN-AUSGABE 64E 32A
6FX1124-6AD02	SIEMENS	Sinumerik	SINUMERIK SYSTEM 3, 800 IN-/OUTPUT MODULE 64 I/32 O
6FX1125-0CB01	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT DIGITAL SERVOMODULE, 3 AXES ABSOLUTE
6FX1125-1AA00	SIEMENS	Sinumerik	SINUMERIK 3 MEASURING CIRCUIT MODULE 4 ACTUAL-VALUES
6FX1125-1AA01	SIEMENS	Sinumerik	SINUMERIK 3 MEASURING CIRCUIT MODULE 4 ACTUAL-VALUES
6FX1125-1CA01	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT MODULE F. INTERFACING OF HAND- HELD PROGRAMMER AND CUSTOMER- SPECIFIC CONTROL PANEL
6FX1125-5AA01	SIEMENS	Sinumerik	
6FX1125-5AB01	SIEMENS	Sinumerik	SINUMERIK 3 VIDEO INTERFACE, COLOR, 8 MHZ
6FX1125-7BA00	SIEMENS	Sinumerik	SINUMERIK PART
6FX1125-7BA01	SIEMENS	Sinumerik	SINUMERIK 800/ ACR20 DIGITAL INPUT PCB, 64 INPUTS
6FX1125-8AA04	SIEMENS	Sinumerik	SINUMERIK 810, BASIC VERSION 1, CPU SMD, 128 KB W/O INITIAL PROGRAM LOADER
6FX1125-8AB01	SIEMENS	Sinumerik	SINUMERIK 810, BASIC VERSION 1 CPU SMD, 48 KB W/O INITIAL PROGRAM LOADER
6FX1125-8AB04	SIEMENS	Sinumerik	SINUMERIK 810, BASIC VERSION 1 CPU SMD, 64 KB W/O INITIAL PROGRAM LOADER
6FX1125-8AC01	SIEMENS	Sinumerik	SINUMERIK 3 CPU F. ELECTRONIC GEARBOX
6FX1126-0BC00	SIEMENS	Sinumerik	EPROM
6FX1126-0BD00	SIEMENS	Sinumerik	SINUMERIK 3 EPROM-MODUL OHNE EPROM
6FX1126-0BD01	SIEMENS	Sinumerik	SINUMERIK 3 EPROM-MODUL OHNE EPROM
6FX1126-0BF12	SIEMENS	Sinumerik	SINUMERIK 800 EPROM MODULE, 64 KB, SOLDERED
6FX1126-0BL00	SIEMENS	Sinumerik	EPROM
6FX1126-0BL01	SIEMENS	Sinumerik	SINUMERIK 880 MEMORY MODULE, 32 KB RAM
6FX1126-0BN00	SIEMENS	Sinumerik	SINUMERIK 805/840/880 PLC EPROM MODULE (LONG), 64 KB
6FX1126-1AA00	SIEMENS	Sinumerik	SINUMERIK 810 VIDEO GRAPHICS, MONOCHROME
6FX1126-1AA01	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO-GRAFIK, MONOCHROME
6FX1126-1AA03	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO-GRAPHICS, MONOCHROME
6FX1126-2BA00	SIEMENS	Sinumerik	SINUMERIK 810, BASIC VERSION 1 MEMORY MODULE, 16 KB RAM, WITH BATTERY (6ZY1072-0AA00)
6FX1126-4AA00	SIEMENS	Sinumerik	SINUMERIK 820/850/880 MEMORY/COLOR GRAPHICS MODULE
6FX1126-4BE00	SIEMENS	Sinumerik	SINUMERIK WS 510P, 80SSM-P REDUCTION STEP MODULE 3 X ACT. VALUE, 3 X 4 REDUCTION STEPS
6FX1126-5AA01	SIEMENS	Sinumerik	SINUMERIK 800 INTERFACE MODULE FOR THREE HANDWHEELS
6FX1126-6AB00	SIEMENS	Sinumerik	SINUMERIK 800 KEYBOARD F. SOFTKEYS
6FX1126-6BA00	SIEMENS	Sinumerik	SINUMERIK 800, 8/MS102 MEMORY MODULE 128 KB RAM
6FX1126-6BB00	SIEMENS	Sinumerik	SINUMERIK 800 MEMORY MODULE 64 KB RAM
6FX1126-7BA01	SIEMENS	Sinumerik	SINUMERIK 800 MEMORY BOARD, PAGING
6FX1126-8AA00	SIEMENS	Sinumerik	IS MOUNTED ON 6FX1118AC01 (= OPERATER PANEL SINUMERIK M3)
6FX1126-8BA00	SIEMENS	Sinumerik	SINUMERIK 810 BAS. VERS.1,850, UP TO SW VERS. 2.X (INCLUDED) SERVO INTERFACE 40 MM (ULA) PREPARED FOR EXE
6FX1126-8BB00	SIEMENS	Sinumerik	SINUMERIK 810 BAS. VERS.1,850, UP TO SW VERS. 2.X (INCLUDED) SERVO INTERFACE 20 MM (ULA) WITHOUT EXE
6FX1127-3AA00	SIEMENS	Sinumerik	SIROTEC MEMORY SUBMODULE 192 KB
6FX1127-3AB00	SIEMENS	Sinumerik	SIROTEC RCM 1/1.1/2/3C FBG RAM, 64 KB-8X
6FX1127-4AD01	SIEMENS	Sinumerik	SIROTEC RCM 1.2/1.2D/3D/3S SERVO CPU, 2 ACTUAL VALUES + 2 SETPOINTS 20 MM
6FX1128-1BA00	SIEMENS	Sinumerik	SINUMERIK 800 BASIC MEMORY MODULE W/O RAM
6FX1128-1BB00	SIEMENS	Sinumerik	SINUMERIK 800 MEMORY PCB W. RAM
6FX1128-1BF00	SIEMENS	Sinumerik	SINUMERIK 810 MEMORY PCB WITH RAM EXPORT VERSION 1.0
6FX1128-4BC00	SIEMENS	Sinumerik	SINUMERIK 800 EPROM MODULE 256 KB W. 4X27512 UNPROGRAMMED
6FX1128-4BD00	SIEMENS	Sinumerik	FBG. EPROM MODULE 128KB
6FX1130-5BA10	SIEMENS	Sinumerik	SINUMERIK 800 PLC EPROM MODULE, 128 KB SOLDERED
6FX1130-5BB00	SIEMENS	Sinumerik	SINUMERIK 880 EPROM MODULE, 64 KB
6FX1130-5BB10	SIEMENS	Sinumerik	SINUMERIK 800 PLC EPROM MODULE, 64 KB SOLDERED
6FX1130-6BA00	SIEMENS	Sinumerik	SINUMERIK 3 OUTPUT MODULE, 48 O/ 0.5 A
6FX1131-5BA01	SIEMENS	Sinumerik	SINUMERIK 880 ANSCHALTUNG AKTIV SER. CP315
6FX1132-0BA01	SIEMENS	Sinumerik	SINUMERIK 880 INTERFACE/EXT. UNIT MPC
6FX1132-1BB01	SIEMENS	Sinumerik	SINUMERIK 880 INTERFACE/CENTRAL UNIT MPC
6FX1132-5BA02	SIEMENS	Sinumerik	SINUMERIK 800 HMS COMMAND MODULE 3 COMMAND CHANNELS
6FX1132-8BB01	SIEMENS	Sinumerik	SINUMERIK 810/820,BASIC VERS. 2 CPU W. COPROCESSOR (COP)
6FX1134-2BC01	SIEMENS	Sinumerik	SINUMERIK 800, 8/MS102 RAM MODULE 128 KB W/O BATTERY
6FX1135-3BC00	SIEMENS	Sinumerik	SINUMERIK 3/RCM MEMORY MODULE, 128 KB RAM
6FX1135-6BA01	SIEMENS	Sinumerik	SINUMERIK 810/820, SIROTEC RCM LINK PCB TO MASTER PLC
6FX1136-3BA01	SIEMENS	Sinumerik	SINUMERIK 880 SERVO CPU 32 BIT W. CO-PROCESSOR
6FX1136-3BB01	SIEMENS	Sinumerik	SINUMERIK 880 SERVO CPU 32 BIT W/O COPROCESSOR
6FX1136-8BA00	SIEMENS	Sinumerik	SINUMERIK 880 MULTIPOINT PCB W. CLOCK
6FX1137-3BA00	SIEMENS	Sinumerik	SINUMERIK 800 EXTENDER FOR ACTIVE SERIAL INTERFACE CP373 (4 OFF)
6FX1137-4BA01	SIEMENS	Sinumerik	SINUMERIK 820 BUS MODULE
6FX1137-8BB02	SIEMENS	Sinumerik	SINUMERIK 880 INTERFACE/EXTENSION UNIT INTER. 16 BIT
6FX1138-4BA01	SIEMENS	Sinumerik	SINUMERIK 800 PLC I/O MODULE, MIXED I/O
6FX1138-5BA01	SIEMENS	Sinumerik	SINUMERIK 810/820 B.VER.3,80SSM CPU, 16 MHZ, W. COPROCESSOR
6FX1138-5BA03	SIEMENS	Sinumerik	SINUMERIK 810/820, BASIC VERS.3 80SSM,CPU,16 MHZ,W. COPROCESSOR UP TO SW VERSION 2.1
6FX1138-5BB03	SIEMENS	Sinumerik	SINUMERIK 810/820, BASIC VERS.3 80SSM,CPU, 16 MHZ, ACOP, FROM SW VERSION 2.X
6FX1138-5BB04	SIEMENS	Sinumerik	SINUMERIK 810/820, BASIC VERS.3 80SSM,CPU, 16 MHZ, ACOP, FROM SW VERSION 2.X
6FX1138-6BB01	SIEMENS	Sinumerik	SINUMERIK 880 PLC-CPU 135WB/COP, 128 KB RAM FOR SW VERS. 4.X
6FX1138-6BL01	SIEMENS	Sinumerik	SINUMERIK 840/880 PLC 135WB/ACOP, 256KB
6FX1138-8BC01	SIEMENS	Sinumerik	SINUMERIK 840 OPERATOR PANEL INTERFACE
6FX1138-8BC02	SIEMENS	Sinumerik	SINUMERIK 840 OPERATOR PANEL INTERFACE (OPI) FIRMWARE: 6FX1856-1BX84-1A
6FX1142-2BA02	SIEMENS	Sinumerik	SINUMERIK 800 DMP, I/O MODULE 32I
6FX1142-4BA02	SIEMENS	Sinumerik	DMP I/O MODULE 16i+16O (NOT ISOLATED)
6FX1142-7BA01	SIEMENS	Sinumerik	SINUMERIK 840 DMP SUBMODULE 16IN/16OUT FOR MACHINE CONTROL PANEL
6FX1143-2BA00	SIEMENS	Sinumerik	SINUMERIK 850/880 MONITOR-ENCODER FOR 2.(3.) OPERATOR PANEL
6FX1143-3BA01	SIEMENS	Sinumerik	SINUMERIK 850/880 KEY REQUEST UNIT (KYRU) FOR 2ND OPERATOR PANEL

6FX1144-2BA00	SIEMENS	Sinumerik	SINUMERIK 800 INTERFACE INT/DMP
6FX1145-3BA00	SIEMENS	Sinumerik	SINUMERIK 805 MEASURING CIRCUIT MODULE, W/O INTEGRATED EXE
6FX1145-4BA00	SIEMENS	Sinumerik	SINUMERIK 805 MEASURING CIRCUIT MODULE,5-FOLD EXE
6FX1145-6BA00	SIEMENS	Sinumerik	SINUMERIK 800 SERVO-INTERFACE HMS, 40 MM, W. 3 X ACTUAL VALUES, PREPARED FOR COMMAND MODULE
6FX1145-6BB00	SIEMENS	Sinumerik	SINUMERIK 800 SERVO INTERFACE HMS, 20 MM, FOR 3 X ACTUAL VALUE
6FX1145-6BG00	SIEMENS	Sinumerik	SINUMERIK 800
6FX1145-7BA01	SIEMENS	Sinumerik	
6FX1147-1BA01	SIEMENS	Sinumerik	SINUMERIK 805SM/SMP OPI VGA MODULE
6FX1147-4BA00	SIEMENS	Sinumerik	SINUMERIK PART
6FX1147-4BB00	SIEMENS	Sinumerik	SINUMERIK 880, BASIC VERSION 2 NC /COM CPU 32 BIT, W/O COPROCESSOR
6FX1147-5BA01	SIEMENS	Sinumerik	SINUMERIK 880, BASIC VERSION 2 EXPANSION BOARD FOR COM CPU 6FX1147-4BB00
6FX1147-5BA02	SIEMENS	Sinumerik	SINUMERIK 880-GA2 EXPANSION BOARD FOR COM CPU 6FX1147-4BB00
6FX1151-1BA01	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO MODULE, WITH COLOR MEMORY
6FX1151-1BB01	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO-GRAPHICS, MONOCHROME
6FX1151-1BC01	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO MODULE, W. COLOR MEMORY
6FX1151-1CX10-2A00	SIEMENS	Sinumerik	SIMODRIVE
6FX1152-4BA01	SIEMENS	Sinumerik	
6FX1153-5BA00	SIEMENS	Sinumerik	NC TASTATUR 6FX1153-5BA00
6FX1154-2BA00	SIEMENS	Sinumerik	
6FX1154-8BB01	SIEMENS	Sinumerik	SINUMERIK 800 VIDEO-ANSCHALTUNG TTL/VGA
6FX1156-6BA01	SIEMENS	Sinumerik	SINUMERIK 3M/T VIDEO INTERFACE F. NOKIA CRT
6FX1190-1AA00	SIEMENS	Sinumerik	SINUMERIK 3 PROGRAM MEMORY, 64 KB RAM
6FX1190-1AE00	SIEMENS	Sinumerik	SINUMERIK 3, BASIC V. 0-3, 4A PROGRAM MEMORY 8 KB RAM
6FX1190-1AG00	SIEMENS	Sinumerik	SINUMERIK 3 BACIS VERS. 0-3, 4A PROGRAM MEMORY, 32
6FX1190-3AD00	SIEMENS	Sinumerik	SINUMERIK 8 MEAS. CIRCUIT 4 AXES DIGITAL + SPINDLE MS250
6FX1190-3AF00	SIEMENS	Sinumerik	SYSTEM 8 MS250 F 4 AXIS
6FX1190-7AA00	SIEMENS	Sinumerik	SINUMERIK 8 MS230-A, MEAS.CIRC. 4 AXES ANALOG + SPINDLE
6FX1190-7AC00	SIEMENS	Sinumerik	SINUMERIK 8 MS230-C, MEAS.CIRC. 2 AXES ANALOG + SPINDLE
6FX1192-3AA00	SIEMENS	Sinumerik	SINUMERIK 8 MS122-A, CMOS RAM MEMORY 256KB
6FX1192-3AB00	SIEMENS	Sinumerik	SINUMERIK 8 MS122-B, CMOS RAM MEMORY 128 KB
6FX1192-3AC00	SIEMENS	Sinumerik	SINUMERIK 8 MS122-C, CMOS RAM MEMORY 64KB
6FX1192-4AA00	SIEMENS	Sinumerik	SINUMERIK 3 / SIROTEC RCM INPUT MODULE 96I
6FX1192-4AB00	SIEMENS	Sinumerik	SINUMERIK 3/SIROTEC RCM INPUT MODULE 96 I
6FX1400-2BC05	SIEMENS	Sinumerik	ACCESSORIES FOR SINUMERIK F. CC - OPERATOR PANEL CABLE 5M PLASTICS
6FX1404-0CC20	SIEMENS	Sinumerik	SIROTEC ACR, SINGLE COMPONENT (HAND-HELD PROGRAMMER), CONNEC. CABLE L = 20 M
6FX1805-1BX01	SIEMENS	Sinumerik	SINUMERIK 810M, VERSION A1 BASIC SOFTWARE 06, MODULE 1
6FX1805-1BX02	SIEMENS	Sinumerik	SINUMERIK 810M, VERSION A1 BASIC SOFTWARE 06, MODULE 2
6FX1805-1BX03	SIEMENS	Sinumerik	SINUMERIK 810M, VERSION A1 SOFTWARE 06, MODULE 3 ENGLISH
6FX1805-1BX13	SIEMENS	Sinumerik	SINUMERIK 810M, VERSION A1 SOFTWARE 06, MODULE 3 GERMAN
6FX1805-1BX33	SIEMENS	Sinumerik	SINUMERIK 810M, VERSION A1 SOFTWARE 06, MODULE 3 ITALIAN
6FX1806-0BX02	SIEMENS	Sinumerik	SINUMERIK 850 NC SOFTWARE, MODULE 2, SOFTWARE VERSION 2.79
6FX1808-1BX01	SIEMENS	Sinumerik	SINUMERIK 850M/ME COM SOFTWARE, MODULE 1, SW 2.7
6FX1810-0BX01	SIEMENS	Sinumerik	SINUMERIK 800 MEMORY MODULE 64 KB RAM
6FX1815-0CX01-6A	SIEMENS	Sinumerik	SIROTEC RCM 3C/3S, BASIC SW MASTER, CARD 1, SW VERSION 6.1
6FX1815-0CX01-8B	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-0CX01-8C	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-0CX02-6A	SIEMENS	Sinumerik	SIROTEC RCM 3C/3S, BASIC SW MASTER, CARD 2, SW VERSION 6.1
6FX1815-0CX02-8B	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-0CX04-8A	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-1CX03-8A	SIEMENS	Sinumerik	SIROTEC 3C (VERSION:18-38) SOFTWARE, CARD 3, GERMAN
6FX1815-2CX65-8B	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-2CX65-8C	SIEMENS	Sinumerik	SINUMERIK PART
6FX1815-5CJ05-6A	SIEMENS	Sinumerik	MEMORY SUB MODULE
6FX1817-0AX15	SIEMENS	Sinumerik	SINUMERIK 3 BASIC VERSION 4A/B WITH SINGLE PLC PLC BASIC SOFTWARE VERSION 09 2 EPROM 2764-4 ON 6FX1 123-6A800 MODULE
6FX1817-0AX16	SIEMENS	Sinumerik	SINUMERIK 3 BASIC VERSION 4B W. DUO PLC PLC BASIC SOFTWARE F. PLC 1 2 EPROM 2764-4 ON 6FX1 123-6A800 MODULE
6FX1817-0AX17	SIEMENS	Sinumerik	SINUMERIK 3 BASIC VERSION 4B W. DUO PLC PLC BASIC SOFTWARE F. PLC 2 2 EPROM 2764-4 ON 6FX1123-6A800 MODULE
6FX1820-0AX01	SIEMENS	Sinumerik	SINUMERIK 3T, VERS. 4B BASIC SOFTWARE 4 EPROM 27256 ON 6FX1 126-0BD00 MODULE
6FX1820-0AX12	SIEMENS	Sinumerik	SINUMERIK 3T, VERS. 4B DISPLAY TEXT IN GERMAN
6FX1820-0AX32	SIEMENS	Sinumerik	SINUMERIK 3T, VERS. 4B DISPLAY TEXT IN ITALIAN
6FX1821-0AX02	SIEMENS	Sinumerik	SINUMERIK 3T/M/TT, VERS. 4C BASIC SOFTWARE
6FX1821-0AX13	SIEMENS	Sinumerik	SINUMERIK 3T/M/TT, VERS. 4C DISPLAY TEXT IN GERMAN
6FX1821-0AX33	SIEMENS	Sinumerik	SINUMERIK 3T/M/TT, VERS. 4C DISPLAY TEXT IN ITALIAN
6FX1822-0AX15	SIEMENS	Sinumerik	SINUMERIK 3 PLC BASIC SOFTWARE SINGLE PLC
6FX1822-0AX15-2A	SIEMENS	Sinumerik	SINUMERIK EPROM MODULE 64 KBYTE
6FX1822-0AX16-3A	SIEMENS	Sinumerik	SINUMERIK EPROM MODULE 16 KBYTE
6FX1822-0AX17-3A	SIEMENS	Sinumerik	EPROM
6FX1822-0BX01-2B	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC V.3 BASIC SOFTWARE 2.1, MODULE 1
6FX1822-0BX01-2D	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC V.3 BASIC SOFTWARE 2.3, MODULE 1
6FX1822-0BX02-2D	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC V.3 COM SOFTWARE 2.3, MODULE 2 ENGLISH
6FX1822-0BX03-4D	SIEMENS	Sinumerik	SINUMERIK 810/820T,BASIC VERS.3 OPTION SUPPLIED SEPARATELY CRT DISPLAY TEXT, SUBMODULE 3 IN ENGLISH
6FX1822-0BX04-2C	SIEMENS	Sinumerik	SINUMERIK 810/820 T/M-BASIC V.3 BASIC SOFTWARE 2.2, MODULE 1
6FX1822-0BX04-2D	SIEMENS	Sinumerik	SINUMERIK 810/820 T/M-BASIC V.3 BASIC SOFTWARE 2.3, MODULE 1
6FX1822-0BX12-2B	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC VER.3 COM SOFTWARE 2.1, MODULE 2 GERMAN
6FX1822-0BX33-4H	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC VER.3 STAND. CYCLES UMS 4.7, MODULE 3 ITALIAN
6FX1822-6BX03-3E	SIEMENS	Sinumerik	SINUMERIK 810T/820T-BASIC VER.3 SYSTEM SOFTWARE 3 ITALIAN, GERMAN
6FX1841-0BX01-3B	SIEMENS	Sinumerik	SINUMERIK 880 COM FIRMWARE, FOR CP315A
6FX1853-0BX01-4B	SIEMENS	Sinumerik	SINUMERIK 850 SOFTWARE F. OPERATOR PANEL, MODULE 1, SOFTWARE VERS. 4.1
6FX1853-0BX02-4B	SIEMENS	Sinumerik	SINUMERIK 850 OPERATOR PANEL SW, MODULE 2, SW 4.1
6FX1853-0BX03-4B	SIEMENS	Sinumerik	SINUMERIK 850 OPER.PANEL SW, MODULE 3, SW 4.1
6FX1860-0BX01-6G	SIEMENS	Sinumerik	SINUMERIK 880M/T NC SOFTWARE, MODULE 1, SOFTWARE VERSION 6.6
6FX1860-0BX01-7B	SIEMENS	Sinumerik	SINUMERIK 880M/T NC SOFTWARE, MODULE 1, SW 7.1
6FX1860-0BX02-6G	SIEMENS	Sinumerik	SINUMERIK 880M/T NC SOFTWARE, MODULE 2, SOFTWARE VERSION 6.6
6FX1860-0BX02-7B	SIEMENS	Sinumerik	SINUMERIK 880M/T NC SOFTWARE, MODULE 2, SOFTWARE VERSION 7.1
6FX1861-2BX03-6H	SIEMENS	Sinumerik	SINUMERIK 880M/T PLC SOFTWARE, MODULE 3, SOFTW. VERSION 6.7
6FX1861-2BX03-6HB7	SIEMENS	Sinumerik	SINUMERIK 880M/T PLC SOFTWARE, MODULE 3, SOFTW. VERSION 6.7
6FX1862-0BX01-7B	SIEMENS	Sinumerik	SINUMERIK 880T COM SOFTWARE, MODULE 1, SW 7.1
6FX1862-0BX02-7B	SIEMENS	Sinumerik	SINUMERIK 880T/TE COM SOFTWARE, MODULE 2, SOFTW. VERSION 7.1, CRT DISPLAY TEXT IN ENGLISH
6FX1862-1BX01-6H	SIEMENS	Sinumerik	SINUMERIK 880M COM SOFTWARE, MODULE 1, SOFTW. VERSION 6.7
6FX1863-0BX01-6H	SIEMENS	Sinumerik	SINUMERIK 880M/T SERVO SOFTWARE, 16 BIT, SOFTWARE VERSION 6.7
6FX1863-0BX01-7B	SIEMENS	Sinumerik	SINUMERIK 880M/T SERVO SOFTWARE, 16 BIT, SOFTWARE VERSION 7.1
6FX1864-0BX01-6G	SIEMENS	Sinumerik	SINUMERIK 880M/T/N OPERATOR PANEL SOFTWARE 6.6, MODULE 1
6FX1864-0BX02-6G	SIEMENS	Sinumerik	SINUMERIK 880M/T/N OPERATOR PANEL SOFTWARE 6.6, MODULE 2
6FX1866-0BX03-4B	SIEMENS	Sinumerik	SINUMERIK 805, BASIC VERSION 2 BASIC SOFTWARE VERSION 4.1 GERMAN/ENGLISH

6FX1866-0BX03-4E	SIEMENS	Sinumerik	SINUMERIK 805 ERGAENZUNG GETRENNT DELIEFERT BILDSCHIRMANZEIGETEXT
6FX1866-0BX03-4G	SIEMENS	Sinumerik	SINUMERIK 805 (RETROFIT) CRT TEXT IN GERMAN/ENGLISH
6FX1866-0BX03-5C	SIEMENS	Sinumerik	SINUMERIK 805, BASIC VERSION 2 BASIC SOFTWARE
6FX1866-0BX03-5D	SIEMENS	Sinumerik	SINUMERIK 805-BASIC VERSION 2 BASIC SOFTWARE ENGLISH/GERMAN
6FX1890-0BX73-1C	SIEMENS	Sinumerik	SINUMERIK 880M/T, BASIC VERS. 2 PLC SOFTWARE, MODULE 3, SOFTW. VERSION 1.2
6FX2001-2CC04	SIEMENS	Sinumerik	SIMODRIVE (ACCESSORIES) INCR. ROTARY ENCODER W. RS 422 (TTL), 2048 PULSES, SYNCHROFLANGE, 6 MM SHAFT, OPERATING VOLTAGE 5 V
6FX2001-2CC50	SIEMENS	Sinumerik	LINE OUTLET UNIVERSAL AXIAL/RADIAL WITH CONNECTOR SINUMERIK (ACCESSORIES) INCR. POSITION ENCODER 2500 PULSES/REV WITH LED, UNIVERSAL CABLE OUTLET AXIAL/RADIAL WITH CONNECTOR
6FX2001-2MC50	SIEMENS	Sinumerik	SIMODRIVE (ACCESSORIES) INCR. ROTARY ENCODER W. RS 422 (TTL), 2500 PULSES, CLAMP FLANGE, 10 MM SHAFT, OPERATING VOLTAGE 5 V
6FX2001-2NF00	SIEMENS	Sinumerik	AXIAL/RADIAL UNIVERSAL CABLE OUTLET WITH CONNECTOR SIMODRIVE (ACCESSORIES) INCR. ROTARY ENCODER W. RS 422 (TTL), 5000 PULSES, CLAMP FLANGE 10 MM SHAFT, OPERATING VOLTAGE 10-30 V
6FX2001-2UK00	SIEMENS	Sinumerik	UNIVERSAL CABLE OUTGOING AXIAL/RADIAL WITH CONNECTOR
6FX2001-3CB02	SIEMENS	Sinumerik	SINUMERIK (ACCESSORIES) DOUBLE TRACK ENCODER 9000/1024 PULSES/REV WITH RS422 AXIAL CABLE, 1M, WITH CONNECTOR
6FX2001-5FD13-0AA0	SIEMENS	Sinumerik	SIMODRIVE (ACCESSORIES) INCR. ROTARY ENCODER WITH 1-V SINUS 1024 PULSES, SYNCHROFLANGE, 6 MM SHAFT, OPERAT. VOLTAGE 5 V
6FX2001-5FD25-0AA0	SIEMENS	Sinumerik	UNIVERSAL CABLE OUTLET AXIAL/RADIAL WITH CONNECTOR
6FX2001-5FP12	SIEMENS	Sinumerik	ABSOLUTE ENCODER SINGLETURN 22 BIT WITH DRIVE-CLIQ; SYNCHR. FLANGE; SHAFT 6MM ABSOLUTE ENCODER MULTITURN 34 BIT WITH DRIVE-CLIQ; SYNCHR. FLANGE; SHAFT 6MM ABS. VALUE ENCODER ST 13 BIT SYNCHRON WITH PROFIBUS DP OPERATING VOLTAGE 10-30 V SYNCHROFLANGE WITH HOOD AND PG RADIAL
6FX2001-5FP24	SIEMENS	Sinumerik	ABSOLUTE VALUE ENCODER 25 BIT SYNCHRON WITH PROFIBUS DP OPERATING VOLTAGE 10-30 V SYNCHROFLANGE WITH HOOD AND PG RADIAL
6FX2001-5QD13-0AA0	SIEMENS	Sinumerik	ABSOLUTE ENCODER SINGLETURN 22 BIT WITH DRIVE-CLIQ; CLAMP FLANGE; SHAFT 10MM
6FX2001-5QD25-0AA0	SIEMENS	Sinumerik	ABSOLUTE ENCODER MULTITURN 34 BIT WITH DRIVE-CLIQ; CLAMP FLANGE; SHAFT 10MM
6FX2001-5QP12	SIEMENS	Sinumerik	ABS. VALUE ENCODER ST 13 BIT SYNCHRON WITH PROFIBUS DP OPERATING VOLTAGE 10-30 V STRIP FLANGE WITH HOOD AND RADIAL PG
6FX2001-5QP24	SIEMENS	Sinumerik	ABS. VALUE ENCODER MT 27 BIT SYNCHRON WITH PROFIBUS DP OPERATING VOLTAGE 10-30 V CLAMP FLANGE WITH HOOD AND RADIAL PG
6FX2001-5SS12	SIEMENS	Sinumerik	ABSOLUTE VALUE ENCODER RESOLUTION 13 BIT WITH SSI, OPERAT. VOLT. 10-30 V STRIP FLANGE AXIAL FLANGE SOCKET
6FX2001-5VD13-0AA0	SIEMENS	Sinumerik	ABSOLUTE ENCODER SINGLETURN 22 BIT WITH DRIVE-CLIQ; HOLLOW SHAFT 10MM
6FX2001-5VD25-0AA0	SIEMENS	Sinumerik	ABSOLUTWERTGEBER MULTITURN 34 BIT WITH DRIVE-CLIQ; HOLLOW SHAFT 10MM
6FX2001-8AE05	SIEMENS	Sinumerik	SIZAG 2 TOOTHED-WHEEL ENCODER SENSOR HEAD 1V SINUS SUBMODULE M=0.5
6FX2001-8BE03	SIEMENS	Sinumerik	GEAR WHEEL ENCODER SIZAG 2 1V SINUS SAMPLER MODULE M = 0.5
6FX2002-1AA83-1BA0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED (HT6 DISTRIBUTOR) 3-WIRE, JUMPER PIN 4 AND PIN 3 LENGTH (M) = 10
6FX2002-1AB04-1BA0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED, EXTENSION (HANDHELD UNIT-NC) 11X0.14 + 6X0.5 C LENGTH (M) = 10
6FX2002-1AB84-1BA0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED EXTENSION (BHG-NC) 11X0.14 6X0.5 C 4-WIRE ENABLING, 45 DEGREE CODED STRAIGHT CONNECTOR NC SIDE LENGTH (M) = 10
6FX2002-1CA01-1AD0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED, (810D/840D/840C/611D TO NCU) DRIVE BUS WITHOUT TERMINATOR CONNECTOR WITH 1 CLAMP LENGTH (M) = 3 SPECIAL LENGTH
6FX2002-2CA11-1AJ0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED (ENCOD. SINUS 1 VPP AND TTL) 3X2X0.14+4X0.14+2X0.5 C, TRAILING TYPE, PERFORMANCE TYPE DMAX = 9.5 MM, LENGTH (M) = 8 MTR
6FX2002-2CA11-1BA0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED (ENCOD. SINUS 1 VPP AND TTL) 3X2X0.14+4X0.14+2X0.5 C, TRAILING TYPE, PERFORMANCE TYPE DMAX = 9.5 MM, LENGTH (M) = 10 MTR
6FX2002-3AC02-1AA5	SIEMENS	Sinumerik	CHECK IS 3AC02 : SIGNAL CABLE, PREASSEMBLED (FM353 TO STEPDRIVE) 8 X 2 X 0.18 C, OPEN CABLE END TRAILING TYPE, PERFORMANCE TYPE, D. MAX = 8.9 MM, L = 0.5 M
6FX2002-4AA21-1AD0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED (840C/CSB I/O UNIT), TRAILING TYPE, PERFORMANCE TYPE, D. MAX = 6.8, LENGTH (M)=
6FX2002-4AA21-1BA0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED (840C/CSB I/O UNIT), TRAILING TYPE, PERFORMANCE TYPE, D. MAX = 6.8, LENGTH (M)=
6FX2003-0AA03	SIEMENS	Sinumerik	SIGNAL CONNECTOR, MPI CABLE 2 X 9-WAY SOCKET, W. PG CONNECTION
6FX2003-0CB10	SIEMENS	Sinumerik	POWER CONNECTOR SIZE 1.5 6-WAY SOCKET, UNION NUT CABLE CLAMPING 9 - 24 MM CROSS SECTIONS 1.5 - 4 MM2
6FX2003-0DA00	SIEMENS	Sinumerik	TERMINATING CONNECTOR (FOR DRIVE BUS SIMODRIVE 611D)
6FX2003-0DM67	SIEMENS	CONNECTORS	SIGNAL CONNECTOR, RJ45 DRIVE-CLIQ IP67 METALL DESIGN
6FX2003-0SU10	SIEMENS	Sinumerik	SIGNAL CONNECTOR, 12 AND 17 PINS, UNION NUT 1 12-POLE INSULATOR 1 17-POLE INSULATOR 17 PIN CONTACTS (0.08-0.22MM2) 17 PIN CONTACTS (0.20-0.56MM2) 17 SOCKET CONTACTS 17 PIN CONTACTS 2 CABLE CLAMPINGS PACK=1 UNIT
6FX2007-1AB03	SIEMENS	Sinumerik	SINUMERIK 840C/840CE A-MPC HAND-HELD PROGRAMMER 3.5 M CABLE (2 EMERGENCY-OFF CHANNELS, 2 CHANN. FOR SAFETY SWITCH)
6FX2007-1AC02	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/ACCESSOR. B-MPI HAND-HELD CONTROLLER COILED CABLE 3.5 M (2 CHANNELS EMERGENCY OFF, 2 CHANNELS SAFETY SWITCH)
6FX2007-1AC03	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/ACCESS. HAND-HELD UNIT B-MPI COILED CABLE 3.5 M (2 EMERGENCY-OFF CHANNELS 2 CHAN.SAFETY SWITCH)
6FX2007-1AC04	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D HAND-HELD UNIT B-MPI COILED CABLE 3.5 M, 2 EMERGENCY-STOP CHANNELS, 2 PERMISSIVE SWITCH CHANNELS, 3 STEPS
6FX2007-1AC12	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/810D BEDIENHANDGERAET B-MPI LEITUNG 10 M, 2KAN.-NOT AUS, 2 KAN. ZUSTIMMTASTER, 3-STUFIG
6FX2007-1AD03	SIEMENS	Sinumerik	MINI HANDHELD UNIT FOR SINUMERIK WITH COILED CABLE 3.5 M, 2 CHAN. EMERGENCY STOP, 2 CHAN. ENABLING BUTTON 3-STEP WITH METAL CONNECTOR HANDWHEEL W. MAGNETIC LATCHING
6FX2007-1AD13	SIEMENS	Sinumerik	MINI HANDHELD UNIT FOR SINUMERIK WITH STRAIGHT CABLE 5 M, 2 CHAN. EMERGENCY STOP, 2 CHAN. ENABLING BUTTON 3-STEP WITH METAL CONNECTOR HANDWHEEL W. MAGNETIC LATCHING
6FX2007-1AE03	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/ACCESSOR. HAND-HELD UNIT B-MPI 3.5 M COILED CABLE (2 "EMERGENCY-OFF" CHANNELS 2 CHANN. F. SAFETY SWITCH WITH 4-CORE CONNECTION)
6FX2007-1AE04	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D HAND-HELD CONTROLLER B-MPI COILED CABLE 3.5 M, 2 CHANNELS EMERGENCY OFF, 2 CHANNELS SAFETY SWITCH, 3 STAGES, WITH 4-WIRE CONNECTION
6FX2007-1AE13	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/810D HAND-HELD UNIT B-MPI 10 M CABLE (2 "EMERGENCY-OFF" CHANNELS, 2 CHANN. FOR SAFETY SWITCH, WITH 4-CORE CONNECTION)
6FX2007-1AE14	SIEMENS	Sinumerik	SINUMERIK FM-NC/840D/810D HAND-HELD UNIT B-MPI CABLE 10 M, 2 EMERGENCY-STOP CHANNELS, 2 PERMISSIVE SWITCH CHANNELS, 3 STEPS WITH 4-CORE CONNECTION
6FX5002-2CA31-1BF0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED, (VOLTAGE SIGNAL ENCODER) 3X2X0.14+4X0.14+2X0.5+4X0.22 C UL/CSA, DESINA MOTION CONNECT 500 DMAX = 9.9 MM, LENGTH (M) = 0 + 10 + 5 + 0
6FX5002-2CA31-1FA0	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED 4X10 (2X1.5) C, SPEED CONNECT CONNECTOR GR. 1.5 (SIMODRIVE) UL/CSA, DESINA MOTION-CONNECT 500 DMAX=20.6 MM,
6FX5002-2CA31-1HA0	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED 4X10 (2X1.5) C, SPEED CONNECT CONNECTOR GR. 1,5 (SIMODRIVE) UL/CSA, DESINA MOTION-CONNECT 500 DMAX=20.6 MM,
6FX5002-2CF02-1AG0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (RESOLVER IN THE MOTOR) 3X2X0.14 + 4X0.14 + 2X0.5 C UL/CSA, DESINA, MOTION CONNECT 500, DMAX = 9.3 MM, LENGTH (M)= LENGTH (M) = 0 + 0 + 6 + 0
6FX5002-2CF02-1AJ0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (RESOLVER IN THE MOTOR) 3X2X0.14 + 4X0.14 + 2X0.5 C UL/CSA, DESINA, MOTION CONNECT 500, DMAX = 9.3 MM, LENGTH (M)= LENGTH (M) = 0 + 0 + 8 + 0
6FX5002-2CF02-1BA0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (RESOLVER IN THE MOTOR) 3X2X0.14 + 4X0.14 + 2X0.5 C UL/CSA, DESINA, MOTION CONNECT 500, DMAX = 9.3 MM, LENGTH (M)= LENGTH (M) = 0 + 10 + 0 + 0
6FX5002-2CF02-1BB0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (RESOLVER IN THE MOTOR) 3X2X0.14 + 4X0.14 + 2X0.5 C UL/CSA, DESINA, MOTION CONNECT 500, DMAX = 9.3 MM, LENGTH (M)= LENGTH (M) = 0 + 10 + 1 + 0
6FX5002-2DC10-1AF0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (SINAMICS DRIVE CLIQ) CONNECTOR IP20/IP67, WITH 24 V MOTION-CONNECT 500 LENGTH (M) =0050
6FX5002-2DC10-1BA0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED (SINAMICS DRIVE CLIQ) CONNECTOR IP20/IP67, WITH 24 V MOTION-CONNECT 500 LENGTH (M) =

6FX5002-5CA05-1BF0	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED,EXT. 4X1.5 C, CONNECTOR SIZE 1 (1FT/1FK TO 611/810D/SIMOVERT) UL/CSA, DESINA, MOTION CONNECT 500, DMAX = 11.5 MM, LENGTH (M) = 0 + 10 + 5 + 0
6FX5002-5CS01-1FA0	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED 4X10 (2X1.5) C, SPEED CONNECT CONNECTOR GR. 1,5 (SIMODRIVE) UL/CSA, DESINA MOTION-CONNECT 500 DMAX=20.6 MM,
6FX5002-5CS01-1HA0	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED 4X10 (2X1.5) C, SPEED CONNECT CONNECTOR GR. 1,5 (SIMODRIVE) UL/CSA, DESINA MOTION-CONNECT 500 DMAX=20.6 MM,
6FX8002-2CA51-1AG0	SIEMENS	Motor and accessories	SIGNAL CABLE, PREASSEMBLED, FOR 1PH ENCODER/SIMAG H TO 611A 3X(2X0.14)C + 4X0.14 + 2X0.5 C CONNECTOR FULL THREAD M23 MOTION CONNECT 800PLUS TRAILING TYPE UL/CSA DESINA DMAX = 9.2 MM, LENGTH (M) = LENGTH (M) = + 0 + 0 + 6 + 0
6FX8002-2CF02-1BF0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED FOR RESOLVER 3X(2X0.14)C + 4X0.14 + 2X0.5 C CONNECTOR FULL THREAD M23 MOTION CONNECT 800PLUS TRAILING TYPE, UL/CSA DESINA DMAX = 9.2 MM LENGTH (M) = LENGTH (M) = 0 + 10 + 5 + 0
6FX8002-2CH00-1AG0	SIEMENS	CABLE	SIGNAL CABLE, PREASSEMBLED, FOR ABSOLUTE ENCODER ENDAT 6FX2001-5 3X(2X0.14)C + 4X0.14 + 2X0.5 C CONNECTOR FULL THREAD M23 MOTION CONNECT 800PLUS TRAILING TYPE UL/CSA DESINA DMAX = 9.2 MM LENGTH (M) = LENGTH (M) = 0 + 0 + 6 + 0
6FX8002-4AA21-1AJ0	SIEMENS	Sinumerik	SIGNAL CABLE, PREASSEMBLED, 840C/CSB-I/O UNIT 4X(2X0.18) C MOTION CONNECT 800PLUS TRAILING TYPE, UL/CSA DESINA DMAX = 6.7 MM LENGTH (M) = LENGTH (M) = + 0 + 0 + 8 + 0
6FX8002-5CA28-1BA7	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED, EXTENSION 4X1.5 C, CONNECTOR SIZE 1.5 (1FT/1FK TO 611/810D/SIMOVERT) UL/CSA, DESINA MOTION-CONNECT 800 DMAX=10.1 MM, LENGTH (M) =10.7M
6FX8002-5YT04-1BF5	SIEMENS	Sinumerik	POWER CABLE, PREASSEMBLED TRUMPF CO. LENGTH (M) = 15.5

Part Number	OEM	Product Group	Description
6GK			
6GK1100-0AA00	SIEMENS	Simatic Net	SIMATIC NET, SIBUKO PACKAGE 1 FOR INDUSTRIAL ETHERNET CONTAINS TAPPING MECHANISM WITH N-TYPE COAXIAL SOCKET, INSTALL. INSTRUCTIONS (GER./ENGL./FR.)
6GK1100-0AB00	SIEMENS	Simatic Net	SIMATIC NET, SIBUKO PACKAGE 2 FOR INDUSTRIAL ETHERNET CONTAINS TAPPING MECHANISM WITH N-TYPE COAXIAL SOCKET, TRANSCEIVER, INSTALLATION KIT, (GERMAN, ENGLISH, FRENCH)
6GK1100-0AF00	SIEMENS	Simatic Net	SINEC H1FO TRANSCEIVER COMPACT CASING, WITH MOUNTING PLATE, FOR CONNECTING NET COMPONENTS TO SINEC H1FO WITH F-SMA INTERFACE
6GK1100-0BA00	SIEMENS	Simatic Net	SIMATIC NET, TPTR FOR INDUSTRIAL ETHERNET ITP PLUG-IN TRANSCEIVER FOR THE CONNECT. OF A DTE W/O INTEGRAT. TP TRANSCEIV. TO IND.TWIST.PAIR OF THE DTE
6GK1100-2AB00	SIEMENS	Simatic Net	SIMATIC NET, IE OMC TP11 OPTICAL MEDIA CONVERTER RJ45 ON MULTIMODE FOC (BFOC) WITH 100MBIT UP TO 3 KM, REDUNDANT 24V DC SUPPLY, SIGNAL CONTACT
6GK1102-0AA00	SIEMENS	Simatic Net	SINEC H1 SSV 102 A (FAN-OUT UNIT) W. 5 INTERFACES
6GK1102-0AB00	SIEMENS	Simatic Net	SINEC H1 SSV 102 B FAN-OUT UNIT WITH 5 INTERFACES 19" MOUNTING RACK
6GK1102-0AC00	SIEMENS	Simatic Net	SIMATIC NET, SSV 102 FOR INDUSTRIAL ETHERNET FAN-OUT UNIT WITH 5 INTERFACES DESK-TOP VERSION W.INSTALL. KIT FOR 19" INSTALLATION, GERMAN, ENGLISH, FRENCH
6GK1102-4AA00	SIEMENS	Simatic Net	SIMATIC NET, OLM F. INDUSTRIAL ETHERNET,OPTICAL LINK MODULE WITH 3 ITP PORTS AND 2 FIBER OPTIC PORTS, RED. POWER SUPPLY AND SIGNALLING CONTACT
6GK1102-5AA00	SIEMENS	Simatic Net	SIMATIC NET, ELM F. INDUSTRIAL ETHERNET,ELECTRICAL LINK MODULE WITH 3 ITP PORTS AND 1 AUI PORT REDUNDANT POWER SUPPLY AND SIGNALLING CONTACT
6GK1102-6AA00	SIEMENS	Simatic Net	SIMATIC NET, ELS TP40 ELECTRICAL LEAN SWITCH W. TWO 10/100MBIT/S INSUL. DISPLACEM. CONNECT. FOR CONFIGURING A LINE TOPOGRAPHY AND TWO 10/100 MBIT/S RJ45 PORTS 24V DC SUPPLY
6GK1102-6AB00	SIEMENS	Simatic Net	SIMATIC NET, ELS TP40M ELECTRICAL LEAN SWITCH W. TWO 10/100MBIT/S INSUL. DISPLACEM. CONNECT. FOR CONFIGURING A LINE TOPOGRAPHY AND TWO 10/100 MBIT/S RJ45 PORTS ADDIT. MANAGEMENT FUNCTIONALITY TROUGH SNMP AND WEB SERVER 24V DC SUPPLY
6GK1105-0AA00	SIEMENS	Simatic Net	SIMATIC NET, IND.ETHERNET OSM OPTICAL SWITCH MODULE W. 2 FO PORTS 100MBIT/S AND 4 ITP PORTS 10MBIT/S, REDUNDANT 24V DC SUPPLY, SIGNALLING CONTACT
6GK1105-2AA00	SIEMENS	Simatic Net	SIMATIC NET, OSM ITP62 OPTICAL SWITCH MODULE W. 2 FO PORTS 100MBIT/S AND 6 ITP PORTS 10/100MBIT/S, REDUNDANT 24V DC SUPPLY, SIGNALLING CONTACT INTEGRATED REDUNDANCY MANAGER WITH NETWORK MANAGEMENT
6GK1105-2AA10	SIEMENS	Simatic Net	SIMATIC NET, OSM ITP62 OPTICAL SWITCH MODULE W. 2 FOC PORTS 100 MBIT/S, 6 ITP-PORTS 10/100 MBIT/S AND 8 DIGITAL INPUTS; REDUNDANT 24V DC SUPPLY, SIGNAL CONTACT, INTEGRATED REDUNDANCY MANAGER WITH NETWORK MANAGEMENT
6GK1105-2AD00	SIEMENS	Simatic Net	OPTICAL SWITCH MODULE OSM ITP53 MIT 3 LWL PORTS 100MBIT/S AND 5 ITP-PORTS 10/100MBIT/S, REDUNDANT 24V DC SUPPLY, SIGNALLING CONTACT, INTEGRATED REDUNDANCY MANAGER WITH NETWORK MANAGEMENT
6GK1105-2AE00	SIEMENS	Simatic Net	SIMATIC NET, OSM TP22 OPTICAL SWITCH MODULE W. 2 FO CABLE PORTS 100MBIT/S, 2 RJ45 PORTS, 10/100MBIT/S AND 4 DIGITAL INPUTS, RED. 24V DC SUPPLY, SIGNALLING CONTACT, INTEGRATED REDUNDANCY MANAGER W. NETWORK MANAGEMENT
6GK1105-3AA00	SIEMENS	Simatic Net	SIMATIC NET, ESM ITP80 ELECTRICAL SWITCH MODULE WITH 8 ITP-PORTS 10/100MBIT/S, REDUNDANT 24V DC SUPPLY, SIGNALLING CONTACT, INTEGRATED REDUNDANCY MANAGER WITH NETWORK MANAGEMENT
6GK1105-3AB10	SIEMENS	Simatic Net	SIMATIC NET, ESM TP80 ELECTRICAL SWITCH MODULE W. 8 RJ45 PORTS 10/100MBIT/S AND 8 DIGITAL INPUTS, REDUNDANT 24V DC SUPPLY, SIGNAL CONTACT, INTEGRATED REDUNDANCY MANAGER W. NETWORK MANAGEMENT
6GK1110-0AA00	SIEMENS	Simatic Net	SIMATIC NET, REPEATER FOR INDUSTRIAL ETHERNET
6GK1110-1AA00	SIEMENS	Simatic Net	SIMATIC NET, IE RADIO LINK MODULE (RLM) WIRELESS LAN ACCESS POINT IEEE 802.11B (11MBIT/S, 2.4GHZ) W. CONFIGURING SW ON CD; E-SW, SINGLE LICENSE FOR SEVERAL INSTALLATIONS CLASS B 1 LANG. (EN); EXECUT. UNDER MS WINDOWS (32BIT) 98, ME NT4.0 WS,SERVER; 2000PR
6GK1140-1AA00	SIEMENS	Simatic Net	SINEC H1 CP FOR SIMATIC M7
6GK1141-0AA00	SIEMENS	Simatic Net	SINEC CP 141 COMMUNICATIONS,PROCESSOR W/O SW SINEC AP/FTS
6GK1141-1AA00	SIEMENS	Simatic Net	SIMATIC NET, CP 1411 ISA CARD FOR CONNECTING A PG/PC TO INDUSTRIAL ETHERNET
6GK1143-0AA00	SIEMENS	Simatic Net	COMM. PROCESSOR
6GK1143-0AA01	SIEMENS	Simatic Net	SINEC H1 CP143 TF INTERF. MODULE SINEC COMMUNICATIONS PROCESSOR F. CONNECTING SIMATIC S5 PLC TO ETHERNET W. AP/TF PROTOCOL, W/O 15V VOLTAGE MODULE,
6GK1143-0AB00	SIEMENS	Simatic Net	CP143 COMM.PROC.
6GK1143-0AB01	SIEMENS	Simatic Net	SINEC H1 CP143 TF INTERF. MODULE SINEC COMMUNICATIONS PROCESSOR F. CONNECTING SIMATIC S5 PLC TO ETHERNET WITH AP/TF COMM. PROTOCOL W. 15V MODULE
6GK1143-0TA00	SIEMENS	Simatic Net	SINEC CP 1430 TF COMMUNICATION PROCESSOR FOR CONNECTION OF SIMATIC S5 TO AN INDUSTRIAL ETHERNET BASIC VERSION
6GK1143-0TA01	SIEMENS	Simatic Net	SINEC CP 1430 TF (A1) COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S5 TO INDUSTRIAL ETHERNET BASIC VERSION
6GK1143-0TA02	SIEMENS	Simatic Net	SINEC CP 1430 TF COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S5 TO INDUSTRIAL ETHERNET BASIC VERSION
6GK1143-0TB00	SIEMENS	Simatic Net	SINEC CP 1430 TF COMMUNICATIONS PROCESSOR CONNECTION OF SIMATIC S5 TO INDUSTRIAL ETHERNET EXTENDED VERSION 1 MS CLOCK PRECISION
6GK1143-0TB01	SIEMENS	Simatic Net	SINEC CP 1430 TF COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S5 TO INDUSTRIAL ETHERNET EXTENDED VERSION
6GK1147-3MA00	SIEMENS	Simatic Net	SINEC CP 1473 MAP COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S5 TO INDUSTRIAL ETHERNET WITH MAP 3.0 PROTOCOL
6GK1147-6MA01	SIEMENS	Simatic Net	SINEC CP 1476 MAP COMMUNICATIONS PROCESSOR FOR CONNECTING SINUMERIK 840C TO INDUSTRIAL ETHERNET WITH MAP 3.0 PROTOCOL
6GK1151-2AA00	SIEMENS	Simatic Net	SIMATIC NET, IE, CP 1512 PC CARD (CARDBUS 32 BITS) FOR CONNECT. OF A PG/NOTEBOOK TO IND. ETHERNET (10/100MBIT/S) W. RJ 45 PORT VIA SOFTNET S7 AND SOFTNET PG, WITH DRIVER FOR MS WIN (32BIT) 98, ME NT4.0 WS/SERVER (SYSTEM REQ.: CARDWIZARD SYSTEMSOFT V5.2) 2
6GK1151-5AA00	SIEMENS	Simatic Net	SIMATIC NET, IE CP 1515 PCMCIA CARD (16BIT) WIRELESS LAN FOR MOBILE STATIONS AND RLM IEEE802.11B(11MBIT/S, 2.4GHZ)W. DRIVER PARAM. ASSIGN.SW ON CD E-SW, SINGLE LICENSE F. SEVERAL INSTALLATIONS, CLASS B, 1 LANG. (EN); EXECUT. UNDER MS WINDOWS (32BIT) 98,ME
6GK1161-3AA00	SIEMENS	Simatic Net	SIMATIC NET, IE CP1613 PCI CARD FOR CONNECTION OF PC/PG W. INDUSTRIAL ETHERNET (10/100 MBIT/S), WITH AUI/TP AND RJ-45 INTERFACE

6GK1161-6AA00	SIEMENS	Simatic Net	SIMATIC NET, IE, CP 1616 PCI-CARD (32 BIT; 33/66MHZ; 3.3/5V) WITH ASIC ERTEC 400 FOR CONN. TO PROFINET IO WITH 4-PORT-REAL-TIME-SWITCH (RJ45) VIA DEVELOPMENT KIT DK-16XX PN IO; NCM PC
6GK1241-3SA00	SIEMENS	Simatic Net	SIMATIC NET, CP 2413 COMMUNICATIONS PROCESSOR FOR CONNECTING AT-PC TO AN ASI- INTERFACE, (W. CONNECTOR) (INCLUDING CONNECTOR)
6GK1243-0SA00	SIEMENS	Simatic Net	SINEC CP 2430 COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S5-115U/- 135U/-155U TO AS INTERFACE (S1) (INCLUDING CONNECTOR)
6GK1243-3SA00	SIEMENS	Simatic Net	SINEC CP 2433 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S5-90U/-95U/ -100U AND ET200U TO AS INTERFACE
6GK1411-5AB00	SIEMENS	Simatic Net	IE/PB LINK PN IO NETWORK TRANSITION BETWEEN IND. ETHERNET AND PROFIBUS WITH PROFINET IO FUNCTIONALITY, S7-ROUTING AND DATA BLOCK ROUTING, 10/100 MBIT FAST ETHERNET, 9.6 KBIT/S TO 12 MBITS PROFIBUS
6GK1415-2AA01	SIEMENS	Simatic Net	SIMATIC NET, DP/AS-INTERFACE LINK 20 E, NETWORK TRANSITION F. PROFIBUS DP/AS-INTERFACE W. MASTER PROFILE M0E/M1E ACC. TO EXTENDED AS-I SPECIFICATION V2.11 DEGREE OF PROTECTION IP20
6GK1415-2AA10	SIEMENS	Simatic Net	SIMATIC NET, DP/AS-INTERFACE LINK 20 E ; NETWORK TRANSITION PROFIBUS-DP / AS-INTERFACE ACC. TO AS-INTERFACE SPECIFIC. V3.0 IN PROTECTION MODE IP20.
6GK1415-2BA10	SIEMENS	Simatic Net	SIMATIC NET, DP/AS-INTERFACE LINK ADVANCED;NETWORK TRANSITION PROFIBUS DP/AS-INTERFACE WITH MASTER PROFILE M3,M4 ACC. TO EXTENDED AS-I SPECIFICATION V3.0 FOR INTEGRATION IN PROFIBUS DP; SINGLE MASTER WITH DISPLAY; PROTECTION MODE IP20
6GK1415-2BA20	SIEMENS	Simatic Net	SIMATIC NET, DP/AS-INTERFACE LINK ADVANCED; NETWORK TRANSITION PROFIBUS DP/AS-INTERFACE TO MASTER PROFILE M3,M4 ACC. TO EXTENDED AS-I SPECIFICATION V3.0 FOR INTEGRATION IN PROFIBUS DP; DOUBLE MASTER WITH DISPLAY; DEGREE OF PROTECTION IP20
6GK1500-0AA00	SIEMENS	Simatic Net	SIMATIC NET,RS 485 BUS TERMINAL FOR PROFIBUS TRANSMISSION RATE 9.6 KBIT/S TO 1500 KBIT/S WITH CONNECTING CABLE 1.5 M
6GK1500-0AA10	SIEMENS	Simatic Net	12M BUS TERMINAL FOR PROFIBUS, TRANSMISSION RATE 9.6 KBIT/S TO 12 MBIT/S, CONNECTING CABLE 1.5 M
6GK1500-0AB00	SIEMENS	Simatic Net	RS 485 BUS TERMINAL FOR PROFIBUS TRANSMISSION RATE 9.6 KBIT/S TO 1500 KBIT/S WITH CONNECTING CABLE 3.0 M
6GK1500-0DA00	SIEMENS	Simatic Net	RS 485 BUS TERMINAL FOR PROFIBUS WITH FITTED PG INTERFACE AND CONNECTING CABLE 1.5 M
6GK1500-0EA00	SIEMENS	Simatic Net	SIMATIC NET, LAN CONNECTOR FOR PROFIBUS FOR INDUSTRIAL PC, SIMATIC OP, OLM, WITH AXIAL CABLE OUTLET DEGREE OF PROTECTION IP 20
6GK1500-0EA01	SIEMENS	Simatic Net	SIMATIC NET, PB BUS CONNECTOR WITH AXIAL CABLE OUTLET F.INDUSTR. PC, SIMATIC OP, OLM
6GK1500-0EA02	SIEMENS	Simatic Net	PB BUS CONNECTOR WITH AXIAL CABLE OUTLET F.INDUSTR. PC, SIMATIC OP, OLM; TRANSMISSION RATE 12 MBIT/S; TERMINATING RESISTOR WITH SEPAR. FUNCTION, METAL HOUSING
6GK1500-0FC00	SIEMENS	Simatic Net	SIMATIC NET, PB FC RS 485 PLUG 180,PB CONNECTOR W. FASTCONNECT CONNECTOR A. AXIAL CABLE OUTLET FOR INDUSTRIAL PC'S, SIMATIC OP, OLM,TRANSFER RATE 12 MBIT/S TERMINATING RESISTOR WITH SEPARAT. FUNCTION
6GK1500-0FC10	SIEMENS	Simatic Net	PB FC RS 485 PLUG 180, PB-PLUG WITH FASTCONNECT CONNECTOR AND AXIAL CABLE- OUTLET F. INDUSTRY PC, SIMATIC OP, OLM, TRANSMISSION RATE: 12 MBIT/S, TERMINATING RESISTOR WITH SERAR. FUNCTION, PLASTIC HOUSING
6GK1500-3AA00	SIEMENS	Simatic Net	PROFIBUS OBT OPT. BUS TERMINAL FOR CONNECT. OF A PROFIBUS STATION W/O INTEGR. OPT. INTERFACE TO THE OPT. PROFIBUS DP, W/O SIMPLEX CONNECTORS
6GK1501-1AB00	SIEMENS	Simatic Net	SIMATIC NET,OSM ONE-PORT MODULE FOR PROFIBUS (L2) OPTICAL SILICA FIBER ONE-PORT MOD.F.GLASS FIBER OPTIC CABLE
6GK1502-2CA00	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/P11 V3 OPTICAL LINK MODULE W. 1 RS485 AND 1 PLASTIC FO-INTERFACE (2 BFOC SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT, WITHOUT BFOC CONNECTOR
6GK1502-2CA10	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/P11 V3.1 OPTICAL LINK MODULE W. 1 RS485 IF A. 1 IF F. PLASTIC FO CABLE (2 BFOC SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT WITH 2 BFOC CONNECTORS
6GK1502-2CB00	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/G11 V3 OPTICAL LINK MODULE W. 1 RS485 AND 1 GLASS FO INTERFACE (2 BFOC SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT
6GK1502-2CB10	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/G11 V3.1 OPTICAL LINK MODULE W. 1 RS485 IF AND 1 IF F. GLASS FO CABLE (2 BFOC SOCKETS) WITH SIGNAL. CONTACT AND MEASURING OUTPUT
6GK1502-3AB00	SIEMENS	Simatic Net	SINEC L2 OLM/S3 OPTICAL LINK MODULE FOR GLASS FIBER OPTIC CABLE 3-CHANNEL VERSION
6GK1502-3AB10	SIEMENS	Simatic Net	SIMATIC NET, OLM/S3 (A2) FOR PROFIBUS OPTICAL LINK MODULE FOR GLASS FIBER OPTIC CABLE 3-CHANNEL VERSION
6GK1502-3AC10	SIEMENS	Simatic Net	SIMATIC NET, OLM/S3-1300 FOR PROFIBUS OPTICAL LINK MODULE FOR GLASS FIBER OPTIC CABLE 3-CHANNEL VERSION WAVELENGTH 1300 NM
6GK1502-3BA00	SIEMENS	Simatic Net	SIMATIC NET, OLM12M F. PROFIBUS OPT. LINK MODULE FOR ASSEMBLY OF OPT. 12MBIT/S-PROFIBUS NETW. (LINE-STAR-OR SING. RING-STRUC-TURE) WITH 8 SIMPLEX CONNECT.
6GK1502-3CA10	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/P12 V3.1 OPTICAL LINK MODULE W. 1 RS485 IF A. 2 IF F. PLASTIC FO CABLES (4 BFOC SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT WITH 4 BFOC CONNECTORS
6GK1502-3CB10	SIEMENS	Simatic Net	SIMATIC NET, PROFIBUS OLM/G12 V3.1 OPTICAL LINK MODULE W. 1 RS485 IF. AND 2 IF F. GLASS FO CABLES (4 BFOC SOCKETS) FOR STANDARD RANGES UP TO 2850 M, WITH SIGNAL. CONTACT A. MEAS. OUTPUT
6GK1502-3CC10	SIEMENS	Simatic Net	SIMATIC NET, PB OLM/G12-1300 V3.1 OPTICAL LINK MODULE W. 1 RS485 IF. AND 2 IF F. GLASS FO CABLES (4 BFOC SOCKETS), 1300NM WAVE LENGTH FOR LONG DISTANCES W. SIGNAL. CONTACT A. MEAS. OUTPUT
6GK1502-4AA10	SIEMENS	Simatic Net	SIMATIC NET, OLM/P4 (A2) FOR PROFIBUS W. 4 BFOC CONN., OPTICAL LINK MODULE, FOR PLASTIC FIBER OPTIC CABLE, 4-CHANNEL VERSION, HIGH CASCADING DEPTH
6GK1502-4AB10	SIEMENS	Simatic Net	SIMATIC NET, OLM/S4 (A2) FOR PROFIBUS OPTICAL LINK MODULE FOR GLASS FIBER OPTIC CABLE 4-CHANNEL VERSION HIGH CASCADING DEPTH
6GK1503-2CA00	SIEMENS	Simatic Net	PB OLM/P11 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 1 PLASTIC-FOC-INTERFACE (2 BFOC-SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT, 2 BFOC-CONNECTORS INCLUDED
6GK1503-2CB00	SIEMENS	Simatic Net	PB OLM/G11 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 1 GLASS-FOC-INTERFACE (2 BFOC-SOCKETS); WITH SIGNAL. CONTACT AND MEASURING OUTPUT,
6GK1503-2CC00	SIEMENS	Simatic Net	PB OLM/G11-1300V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 1 GLASS-FOC-INTERFACE (2 BFOC-SOCKETS),1300NM WAVE LENGTH FOR GREAT DISTANCES WITH SIGNAL. CONTACT AND MEASURING OUTPUT
6GK1503-3CA00	SIEMENS	Simatic Net	PB OLM/P12 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 2 PLASTIC-FOC-INTERFACE (4 BFOC-SOCKETS), WITH SIGNAL. CONTACT AND MEASURING OUTPUT, 4 BFOC-CONNECTORS INCLUDED
6GK1503-3CB00	SIEMENS	Simatic Net	PROFIBUS OLM/G12 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 2 GLASS-FOC-INTERFACES (4 BFOC-SOCKETS) FOR STANDARD DISTANCES UP TO 2850 M, WITH WITH SIGNAL. CONTACT AND MEASURING OUTPUT
6GK1503-3CC00	SIEMENS	Simatic Net	PB OLM/G12-1300 V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 2 GLASS-FOC-INTERFACES (4 BFOC-SOCKETS),1300NM WAVE LENGTH FOR GREAT DISTANCES WITH SIGNAL. CONTACT AND MEASURING OUTPUT
6GK1503-3CD00	SIEMENS	Simatic Net	PB OLM/G12-EEC V4.0 OPTICAL LINK MODULE W. 1 RS485 AND 2 GLASS-FOC-INTERFACES (4 BFOC-SOCKETS) FOR EXTENDED TEMPERATURE RANGE -20. 60 DGR.
6GK1503-4CB00	SIEMENS	Simatic Net	PROFIBUS OLM/G22 V4.0; OPTICAL LINK MODULE WITH 2 RS485 AND 2 GLASS-FOC-INTERF. (4 BFOC-SOCKETS) FOR STANDARD- DISTANCES UP TO 2850 M; WITH SIGNAL. CONTACT AND MEASURING OUTPUT;
6GK1510-0AC00	SIEMENS	Simatic Net	SIMATIC NET,RS485 REPEATER IP20 FOR PROFIBUS 24 V DC, IP 20 HOUSING, FOR 24 V DC RATED OPERATING VOLTAGE
6GK1510-1AA00	SIEMENS	CABLE	SINEC L2 SF REPEATER ADAPTER FOR GLASS FIBER OPTIC CABLE
6GK1541-2BA00	SIEMENS	Simatic Net	SIMATIC NET, CP 5412 (A2) COMMUNICATIONS PROCESSOR FOR CONNECTING A PG/PC TO PROFIBUS
6GK1543-0AA00	SIEMENS	Simatic Net	SINEC CP5430 SINEC L2 INTERFACE FOR SIMATIC S5
6GK1543-0AA01	SIEMENS	Simatic Net	COMMUNICATIONS PROCESSOR CP5430 SINEC L2 INTERFACE FOR CONNECT. SIMATIC S5 PROGR. CONTROLLERS 115U; 135U, 155U HARDWARE CP5430 (A1) ATTENTION: CONFIGURATION ONLY WITH SYSTEM SOFTWARE COM5430 TF (6GK1745-1AA0...)
6GK1543-0AA02	SIEMENS	Simatic Net	SINEC CP5430 TF (A2) SINEC L2 INTERFACE FOR 115U/135U/155U SIMATIC S5 PLC (WITH PROFIBUS DP)
6GK1543-1AA01	SIEMENS	Simatic Net	SINEC CP5431 FMS / DP COMMUNICATIONS PROCESSOR FOR CONNECT. SIMATIC S5 PLC 115U/H, 135U, 155U/H TO PROFIBUS
6GK1548-0AA00	SIEMENS	Simatic Net	SINEC CP5480 (A0) INTERFACE SUBMODULE F.TD/OP (SINEC L2)
6GK1548-0BA00	SIEMENS	Simatic Net	SIMATIC NET, CP 5480 FDL MODULE ONLY FOR LICENSEES MODULE IN CREDITCARD SIZE FORM FOR CONNECTING NON-SIEMENS SYSTEMS TO PROFIBUS
6GK1548-0DA10	SIEMENS	Simatic Net	CP 5480-DP MASTER CHEQUE CARD FORMAT IF MODULE FOR INTEGR.A PROFIBUS DP MASTER INTO NON-SIEMENS SYSTEMS
6GK1551-2AA00	SIEMENS	Simatic Net	COMMUNICATION PROCESSOR CP 5512 PC CARD (CARDBUS, 32 BITS) FOR CONNECTION OF A PG OR NOTEBOOK TO PROFIBUS OR MPI
6GK1561-3AA00	SIEMENS	Simatic Net	SIMATIC NET, CP 5613, PCI CARD (32BIT) F. CONNECTION TO PB INCL. DP BASE SW WITH NCM PC: DP RAM INTERF. FOR DP MASTER W. PG AND FDL PROTOCOL, SINGLE LICENSE F.1 INSTALLATION, R SW SW ELECTR. MAN. ON CD, CLASS A 2 LANG. (GER, EN),EXEC. UNDER MS WIN (32BIT)

6GK1561-3AA01	SIEMENS	Simatic Net	COMMUNICATION PROCESSOR CP 5613 A2 PCI CARD (32 BIT; 3.3/5 V; 33/66 MHZ); FOR CONNECTION TO PROFIBUS; INCL.DP-BASE SW, NCM PC; DP RAM INTERF.F.DP MASTER INCL. PG AND FDL PROTOCOL, SINGLE LICENSE F.1 INSTALLATION,R-SW, CLASS A;SW ELECTR. MANUAL ON CD 2 LAN
6GK1571-1AA00	SIEMENS	Simatic Net	COMMUNICATIONS PROCESSOR CP5711 USB-ADAPTOR (USB V2.0) FOR CONNECTING A PG OR NOTEBOOK TO PROFIBUS OR MPI; CONTAINS 2M USB CABLE
6GK1610-0TA01	SIEMENS	HMI	SIMATIC HMI, MOBIC T8, ENGLISH BASIC PACKAGE CANNOT BE ORDERED SEPARATELY; EMITTED INTERFER. CLASS A; WINDOWS CE ENGLISH
6GK1611-0TA00	SIEMENS	Simatic Net	SIMATIC NET, MOBIC T8 ENGLISH BASIC PACKAGE << PART OF THE PACKAGE >> << CANNOT BE ORDERED SEPARAT.>> NOISE EMISSION FCC CLASS A
6GK1611-0TA00-0AA1	SIEMENS	Simatic Net	SIMATIC NET, MOBIC T8 EN/EU RUGGED MOBILE INTERNET PAD, OPERATOR-CONTROLLABLE THROUGH TOUCH PANEL W. CONNECTION TO ETHERNET (INTEGR.) A. RADIO (OPT. USING PCMCIA), W. WIN CE (EN / INTEGRATED); R-SW, SINGLE LICENSE, CLASS B; F. IND. APPL. W. BATTERY, POWER
6GK1611-0TA01-0AX0	SIEMENS	Simatic Net	SIMATIC HMI, MOBIC T8 G,E,F,S,I RUGGED MOBILE INTERNET PAD, CONTROLLABLE VIA TOUCH PANEL W. CONN. TO ETHERNET (INT.) AND RADIO (OPT. VIA PCMCIA), W.INT. WIN CE.NET (G,E,F,S,I); R SW, SINGLE LICENSE, CLASS B; FOR IND. APPLICATION, W. BATTERY, POWER UNIT AN
6GK1611-0TA01-0BX0	SIEMENS	Simatic Net	SIMATIC HMI,MOBIC T8 G,E,F,S,I V1.1C RUGGED MOBILE INTERNET PAD, W. CHARG. CONTACTS,CONTROL USING TOUCH PANEL,WITH CONNECT. TO ETHERNET (INTEGR.) AND RADIO (OPTIONAL VIA PCMCIA) W. INT. WIN CE.NET (G,E,F,S,I), R-SW, SINGLE LICENSE,CLASS B; F.Industr. APP
6GK1611-0TA01-0DX0	SIEMENS	HMI	SIMATIC HMI,MOBIC T8 G,E,F,S,I V1.2 RUGGED MOBILE INTERNET PAD W. CHARG. CONTACTS, BRIGHT DISPLAY,CONT.USING GLASS TOUCH; PORT FOR ETHERNET (INTEGR.) AND RADIO (OPTIONAL USING PCMCIA), WIN CE.NET (G,E,F,S,I) R-SW, SINGLE LICENSE, CLASS B; F.Industr. APPL
6GK1611-0TA01-1BV0	SIEMENS	Simatic Net	SIMATIC NET,MOBIC T8 CHIN.V1.1C RUGGED MOBILE INTERNET PAD WITH CHARG. CONTACTS, CONTROL. USING TOUCH PANEL,WITH CONNECT. TO ETHERNET (INTEGR.) AND RADIO (OPTIONAL VIA PCMCIA) W. INTEGR. WIN CE.NET (CHIN.); R-SW, SINGLE LICENSE,CLASS B; F.Industr. APPLIC
6GK1611-0TA01-1BX0	SIEMENS	Simatic Net	SIMATIC NET,MOBIC T8 G,E,F,S,I V1.1C RUGGED MOBILE INTERNET PAD, W. CHARG. CONTACTS,CONTROL USING TOUCH PANEL,WITH CONNECT. TO ETHERNET (INTEGR.) AND RADIO (OPTIONAL VIA PCMCIA) W. INT. WIN CE.NET (G,E,F,S,I) R-SW, SINGLE LICENSE,CLASS B; F.Industr. APPL
6GK1702-5FA41-0EA0	SIEMENS	Simatic Net	SIMATIC NET PB FMS-5412/MS-DOS, WINDOWS 3.11/ VERSION 4.1 SOFTWARE FOR PROFIBUS-FMS RUNS ON CP 5412 (A2) UNDER DOS V6.X AND WINDOWS 3.11
6GK1711-0TA01-0DX0	SIEMENS	HMI	SIMATIC HMI,MOBIC T8 G,E,F,S,I V1.2 RUGGED MOBILE INTERNET PAD W. CHARG. CONTACTS, BRIGHT DISPLAY,CONT.USING GLASS TOUCH; PORT FOR ETHERNET (INTEGR.) AND RADIO (OPTIONAL USING PCMCIA), WIN CE.NET (G,E,F,S,I) R-SW, SINGLE LICENSE, CLASS B; F.Industr. APPL
6GK1713-5CB64-3AA0	SIEMENS	Simatic Net	SIMATIC NET PB S7-5613/2006 SW FOR S7-KOMM., INCL. PG, FDL OPC-SERVER AND NCM PC; SINGLE LICENSE F.1 INSTALLATION R-SW, SW ELECTR. MAN. ON CD LICENSE KEY ON FD,CLASS A 2-LANGUAGE (D,E), FOR 32BIT WINDOWS XP PRO, 2000PRO/SV; WIN 2003 SERVER; FOR CP5613/
6GK1900-0AB00	SIEMENS	Simatic Net	C- PLUG REPLACEABLE , FOR SIMPLE DEVICE EXCHANGE IN CASE OF FAILURE, FOR STORAGE OF CONFIGURATION OR USER DATA, APPLICATION IN SIMATIC NET PRODUCTS WITH C-PLUG SLOT
6GK1900-0KB00-0ACO	SIEMENS	Simatic Net	SIMPLEX PLUG PCF ON-SITE MOUNTING ON PCF FO CABLES; PACK OF 50 CLEANING T.
6GK1901-0AA00-0AA0	SIEMENS	Simatic Net	SIMATIC NET, TRANSCEIVER FOR INDUSTRIAL ETHERNET W. MOUNTING PLATE, INSTALL. KIT AND INSTALLATION GUIDE (GERMAN/ENGLISH/FRENCH) TO INDUSTRIAL ETHERNET
6GK1901-0AA00-0ACO	SIEMENS	Simatic Net	SIMATIC NET,TRANSCEIVER W.2 SER INTERFACES,F. IND.ETHERNET WITH MOUNTING PLATE,COVER PLATE WITH TERMINATOR, 2 INSTALL.KITS KITS AND INSTALL. GUIDE THE CONNECTION OF TWO TERMINALS
6GK1901-0CA01-0AA0	SIEMENS	Simatic Net	ITP CONNECTOR, F. INDUSTRIAL ETHERNET 15-PIN FOR CONNECTION WITH DTE WITH INTEGRATED ITP INTERFACE
6GK1901-0CC01-0AA0	SIEMENS	Simatic Net	SIMATIC NET, IND. TWISTED PAIR OUTLET BOX F. IND.ETHERNET FOR TWO IND. TWISTED PAIR CONNECTIONS IN 9-PIN SUB D DESIGN, SURFACE-MOUNT TYPE
6GK1901-1BB10-2AA0	SIEMENS	Simatic Net	IE FC RJ45 PLUG 180 2X2, RJ45 PLUG CONNECTOR (10/100MBIT/S) W. RUGGED METAL HOUSING AND FC CONNECTING METHOD, FOR IE FC CABLE 2X2 180 DGR CABLE OUTLET 1 PACK = 1 PCS
6GK1901-1BE00-0AA0	SIEMENS	Simatic Net	INDUSTRIAL ETHERNET FASTCONNECT RJ45 MODULAR OUTLET BASE MODULE, CAT6, WITHOUT INSERT, PACK = 1 PC
6GK1901-1FC00-0AA0	SIEMENS	Simatic Net	IE FC OUTLET RJ45 INDUSTRIAL ETHERNET FASTCONNECT OUTLET RJ45 F. TRANSITION FROM IE FC CABLES AND TP CORD PATCH CABLES
6GK1905-0AE00	SIEMENS	Simatic Net	PROFIBUS PA SPLITCONNECT TERMINATOR, FOR TERMINATING OF PROFIBUS PA SEGMENTS, NOT SUITABLE FOR APPLICATION IN EX-AREA, PACK. UNIT: 5 PIECES PER PACK
6GK1906-1JB01	SIEMENS	Simatic Net	SIMATIC NET, MOBIC CHARGING STATION FOR MOBIC T8 V1.1C HOLDER FOR LOADING THE MOBIC WITH FASTENING PART FOR THE MOBIC, WITH LOCK WITH VESA V100 PORT ON THE REAR, WITHOUT SEPARATE POWER SUPPLY UNIT, FOR USE WITH EXTERNAL POWER SUPPLY UNIT (6GK1906-1CB00) O
6GK1921-0AB01-0AA0	SIEMENS	Simatic Net	SIMATIC NET,REAL-TIME TRANSMIT. FOR INDUSTRIAL ETHERNET WITH ENGLISH INSTRUCTION MANUAL
6GKS004-1BD00-1AB2	SIEMENS	Simatic Net	SCALANCE XB004-1 UNMANAGED INDUSTRIAL ETHERNET SWITCH FOR 10/100MBIT/S; WITH 4 X 10/100MBIT/S TWISTED PAIR- PORTS WITH RJ45-SOCKETS; 1 X100MBIT/S MULTIMODE GLASS LWL-PORT WITH SC-SOCKET; FOR CONFIGURING SMALL STAR- AND LINE TOPOGRAPHIES; LED-DIAGNOSIS, 1 ETHERNET PORT INDUSTRIAL AUTOCORRECTION 1 TP
6GKS004-1BF00-1AB2	SIEMENS	Simatic Net	SCALANCE XB004-1LD UNMANAGED INDUSTRIAL ETHERNET SWITCH FOR 10/100MBIT/S; WITH 4 X 10/100MBIT/S TWISTED PAIR- PORTS WITH RJ45-SOCKETS; 1 X100MBIT/S SINGLEMODE GLASS LWL-PORT WITH SC-SOCKET; FOR CONFIGURING SMALL STAR- AND LINE TOPOGRAPHIES; LED-DIAGNOSIS
6GKS005-0BA00-1AA3	SIEMENS	Simatic Net	SCALANCE X005, IE ENTRY LEVEL SWITCH UNMANAGED 5 X 10/100MBIT/S RJ45 PORTS, LED DIAGNOSTICS, IP30, 24 V DC POWER SUPPLY, PROFINET COMPLIANT SLEEVE, WITH MANUAL
6GKS005-0BA00-1AB2	SIEMENS	Simatic Net	SCALANCE XB005 UNMANAGED INDUSTRIAL ETHERNET SWITCH FOR 10/100MBIT/S; WITH 5 X 10/100MBIT/S TWISTED PAIR- PORTS WITH RJ45-SOCKETS; FOR CONFIGURING SMALL STAR- AND LINE TOPOGRAPHIES; LED-DIAGNOSIS, IP20, 24 V DC POWER SUPPLY, INCL. MANUAL
6GKS008-0BA00-1AB2	SIEMENS	Simatic Net	SCALANCE XB008 UNMANAGED INDUSTRIAL ETHERNET SWITCH FOR 10/100MBIT/S; WITH 8 X 10/100MBIT/S TWISTED PAIR- PORTS WITH RJ45-SOCKETS; FOR CONFIGURING SMALL STAR- AND LINE TOPOGRAPHIES; LED-DIAGNOSIS, IP20, 24 V DC POWER SUPPLY, INCL. MANUAL
6GKS008-0GA00-1AB2	SIEMENS	Simatic Net	SCALANCE XB008G UNMANAGED INDUSTRIAL ETHERNET SWITCH FOR 10/100/1000MBIT/S; W. 8 X 10/100/1000MBIT/S RJ45- ELECTRICAL PORTS FOR ESTABLISHING SMALL STAR- AND LINE TOPOGRAPHIES; LED-DIAGNOSTICS, IP20, 24 V DC POWER SUPPLY, INCL. MANUAL
6GKS101-1BB00-2AA3	SIEMENS	Simatic Net	SCALANCE X101-1, IE MEDIA CONVERTER UNMANAGED 1 X 10/100MBIT/S RJ45 PORT, 1 X 100MBIT/S MULTIMODE BF0C, LED DIAGNOSIS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET COMPLIANT SLEEVE, INCL. ELECTRONIC MANUAL ON CD
6GKS101-1BH00-2AA3	SIEMENS	Simatic Net	SCALANCE X101-1POF IE MEDIA CONVERTER UNMANAGED 1 X 10/100MBIT/S RJ45 PORT, 1 X 100MBIT/S POF SC RJ, LED DIAGNOSIS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET COMPLIANT SLEEVE, INCL. ELECTRONIC MANUAL ON CD
6GKS101-1BX00-2AA3	SIEMENS	Simatic Net	SCALANCE X101-1AUI IE MEDIA CONVERTER UNMANAGED 1 X 10/100MBIT/S RJ45 PORT, 1 X 10MBIT/S AUI SEGMENT PORT, LED DIAGNOSIS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET COMPLIANT SLEEVE INCL. ELECTRONIC MANUAL ON CD
6GKS112-2BB00-2AA3	SIEMENS	Simatic Net	SCALANCE X112-2, UNMANAGED IE SWITCH, 12 X 10/100MBIT/S RJ45 PORTS, 2 X 100MBIT/S MULTIMODE BF0C, LED-DIAGNOSIS, FAULT SIGNAL CONTACT WITH SET BUTTON, REDUNDAND POWER SUPPLY, INCL. ELECTRON. MANUAL ON CD
6GKS116-0BA00-2AA3	SIEMENS	Simatic Net	SCALANCE X116, UNMANAGED IE SWITCH, 16 X 10/100MBIT/S RJ45 PORTS, LED DIAGNOSIS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, INCL. ELECTRON. MANUAL ON CD
6GKS200-4AH00-2BA3	SIEMENS	Simatic Net	SCALANCE X200-4PIRT MANAGED IE IRT SWITCH, 4 X 100MBIT/S POF SC RJ PORTS, FAULT SIGNAL CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE, NETWORK MANAGEMENT, RED.- MANAGER INTEGRATED, INCL. ELECTRON. MANUAL ON CD, C-PLUG OPTIONAL
6GKS201-3BH00-2BA3	SIEMENS	Simatic Net	SCALANCE X201-3PIRT MANAGED IE IRT SWITCH, 1 X 10/100MBIT/S RJ45 PORTS, 3 X 100MBIT/S POF SC RJ PORTS, FAULT SIGNAL CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE, NETWORK MANAGEMENT, RED.- MANAGER INTEGRATED, INCL. ELECTRON. MANUAL O

6GKS202-28B00-2BA3	SIEMENS	Simatic Net	SCALANCE X202-2IRT MANAGED IE IRT SWITCH, 2 X 10/100MBIT/S RJ45 PORTS, 2 X 100MBIT/S MULTIMODE BFOC, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT VOLTAGE SUPPLY, PROFINET IO DEVICE, NETWORK MANAGEMENT, RED. MANAGER INTEGRATED, WITH ELECTRONIC MANUALS
6GKS204-0BA00-2AF2	SIEMENS	Simatic Net	SCALANCE XF204, FLAT, MANAGED IE SWITCH, 4 X 10/100MBIT/S RJ45 PORTS, FAULT SIGNAL CONTACT WITH SET- BUTTON,REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE NETWORKMANAGEMENT, RED.- MANAGER INTEGRATED, INCL. MANUAL ON CD, C-PLUG OPTIONAL
6GKS204-0BA00-2BA3	SIEMENS	Simatic Net	SCALANCE X204IRT, MANAGED IE IRT SWITCH, 4 X 10/100MBIT/S RJ45 PORTS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT VOLTAGE SUPPLY, PROFINET IO DEVICE, NETWORK MANAGEMENT, RED. MANAGER INTEGRATED, WITH ELECTRONIC MANUALS ON CD, OPTIONAL C-PLUG
6GKS204-28B00-2AA3	SIEMENS	Simatic Net	SCALANCE X204-2, MANAGED IE SWITCH, 4 X 10/100MBIT/S RJ45 PORTS, 2 X 100 MBIT/S MULTIMODE BFOC, LED DIAGNOSTICS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT
6GKS204-28B10-2AA3	SIEMENS	Simatic Net	SCALANCE X204-2, MANAGED IE SWITCH, 4 X 10/100MBIT/S RJ45 PORTS, 2 X 100MBIT/S MULTIMODE BFOC, LED DIAGNOSTICS, ERROR SIGNAL CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE, NETWORK MANAGEMENT,INTEGRATED REDUNDANCY MANAGER, INCL. ELECT
6GKS206-18B10-2AA3	SIEMENS	Simatic Net	SCALANCE X206-1, MANAGED IE SWITCH, 6 X 10/100MBIT/S RJ45 PORTS, 1 X 100MBIT/S MULTIMODE BFOC, LED DIAGNOSTICS, ERROR SIGNAL CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE, NETWORK MANAGEMENT,INTEGRATED REDUNDANCY MANAGER, INCL. ELECT
6GKS208-0BA00-2AA3	SIEMENS	Simatic Net	SCALANCE X208, MANAGED IE SWITCH, 8 X 10/100MBIT/S RJ45 PORTS, LED DIAGNOSTICS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT VOLTAGE SUPPLY, PROFINET IO DEVICE, NETWORK MANAGEMENT, OPERAT. IN RED. RING, W. ELECTRONIC MANUALS ON CD, OPTIONAL C-PLUG
6GKS208-0BA10-2AA3	SIEMENS	Simatic Net	SCALANCE X208, MANAGED IE SWITCH, 8 X 10/100MBIT/S RJ45 PORTS, LED DIAGNOSTICS, ERROR SIGNAL CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY, PROFINET-IO DEVICE, NETWORK MANAGEMENT, INTEGRATED REDUNDANCY MANAGER, INCL. ELECTRONIC MANUAL ON CD, C-PLUG OPTI
6GKS208-0HA00-2AA6	SIEMENS	Simatic Net	SCALANCE X208PRO, MANAGED IE SWITCH, 8 X 10/100MBIT/S M12-PORTS, IP65, LED DIAGNOSTICS, FAULT SIGNAL CONTACT, REDUNDANT POWER SUPPLY, PROFINET- IO DEVICE, NETWORK MANAGEMENT, OPERAT.IN RED. RING, INCL. DUST COVERS, INCL. ELECTRON. MANUAL ON CD, C-PLUG OPT
6GKS212-28B00-2AA3	SIEMENS	Simatic Net	SCALANCE X212-2, MANAGED IE SWITCH, 12 X 10/100MBIT/S RJ45 PORTS, 2 X 100MBIT/S MULTIMODE BFOC, LED-DIAGNOSTICS, FAULT SIGNAL. CONTACT WITH SET BUTTON, REDUNDANT POWER SUPPLY PROFINET-IO DEVICE, NETWORK- MANAGEMENT, INTEGRATED REDUNDANCY MANAGER, INCL. EL
6GKS302-7GD00-4EA3	SIEMENS	Simatic Net	SCALANCE X302-7EEC; MANAGED IE SWITCH, COMPACT; 2 X 10/100/1000MBIT/S RJ45; 7 X 100MBIT/S LC FO PORTS; 100 - 240V AC/DC REDUNDANT POWER SUPPLY; LED-DIAGNOSTICS, FAULT SIGNAL CONTACT WITH SELECT/SET-BUTTON; PROFINET-IO DEVICE, NETWORK-MANAGEMENT, INTEGRAT
6GKS307-2FD00-4EA3	SIEMENS	Simatic Net	SCALANCE X307-2EEC, MANAGED IE SWITCH, COMPACT; 5 X 10/100MBIT/S RJ45; 2 X 10/100/1000MBIT/S RJ45; 2 X 100MBIT/S LC FO PORTS; 100- 240V AC/DC RED. POWER SUPPLY; LED-DIAGNOSTICS, FAULT SIGNAL CONTACT WITH SELECT/SET-BUTTON; PROFINET-IO DEVICE, NETWORK- MAN
6GKS307-38L00-2AA3	SIEMENS	Simatic Net	SCALANCE X307-3, MANAGED PLUS IE SWITCH, 3 X 1000MBIT/S MM SC AND 7 X 10/100MBIT/S RJ45 PORTS, LED DIAGNOSTICS, FAULT SIGNAL. CONTACT WITH SELECT/SET BUTTON, PROFINET-IO DEVICE, NETWORK MANAGEMENT, INTEGRATED REDUNDANCY MANAGER, OFFICE FEATURES (RSTP, VLA
6GKS308-2FL00-2AA3	SIEMENS	Simatic Net	SCALANCE X308-2, MANAGED PLUS IE SWITCH, 2 X 1000MBIT/S MM SC 1 X 10/100/1000MBIT/S AND 7 X 10/100MBIT/S RJ45 PORTS, LED-DIAGNOSTICS, FAULT SIGNAL CONTACT WITH SELECT/SET-BUTTON, PROFINET-IO DEVICE, NETWORK- MANAGEMENT, INTEGRATED REDUNDANCY-MANAGER, OFFI
6GKS320-38F00-2AA3	SIEMENS	Simatic Net	SCALANCE X320-3LDFE MANAGED IE SWITCH, 20 X 10/100 MBIT/S RJ45 PORTS, 1 X 100MBIT/S SC PORT MM 2 X 100MBIT/S SC PORT SM LED-DIAGNOSTICS, FAULT SIGNAL CONTACT WITH SELECT/ SET BUTTON, PROFINET-IO DEVICE, NETWORK- MANAGEMENT, INTEGRATED REDUNDANCY MANAGER
6GKS491-2AB00-8AA2	SIEMENS	Simatic Net	SCALANCE X-400 ACCESSORIES, MEDIA MODULE MM491-2, 2 X 100 MBIT/S MULTIMODE BFOC, HOT SWAPABLE, INSCRIPTION FIELD
6GKS492-2AL00-8AA2	SIEMENS	Simatic Net	SCALANCE X-400 ACCESSORIES, MEDIA MODULE MM492-2, 2 X 1 GBIT/S MULTIMODE SC, HOT SWAPABLE, INSCRIPTION FIELD
6GKS496-4MA00-8AA2	SIEMENS	Simatic Net	SCALANCE X-400 ACCESSORIES, EXTENDER MODULE EM496-4, 4 X MEDIA MODULE SLOTS 100 MBIT/S, WITH PROT. COVERS CV490
6GKS612-0BA00-2AA3	SIEMENS	Simatic Net	SCALANCE S 612 MODULE, F. PROTECTION OF DEVICES AND NETWORKS IN AUTOMATION AND PROTECTION OF INDUSTRIAL COMMUNICATION VIA VPN (MAX. 32 UNITS)AND FIREWALL
6GKS744-1AA60-2AA0	SIEMENS	Simatic Net	IWLAN ETHERNET CLIENT MODULE SCALANCE W744-1PRO, 1 RADIO INTERFACE, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN (IWLAN), 2.4/5GHZ, UP TO 54 MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65 (-20+60 DGR C), EN50155, SCOPE OF SUPPLY:2XANT 795-4M
6GKS744-1ST00-2AA6	SIEMENS	Simatic Net	IWLAN ETHERNET CLIENT MODULE SCALANCE W744-1PRO, FOR USE OUTSIDE OF USA 1 RADIO INTERFACE
6GKS744-1ST00-2AB6	SIEMENS	Simatic Net	IWLAN ETHERNET CLIENT MODULE SCALANCE W744-1PRO, ONLY FOR USE IN USA, 1 RADIO INTERFACE, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN (IWLAN), 2.4/5 GHZ, UP TO 54 MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65 (-20- 60 DGR C), EN50155, SCOPE
6GKS747-1SR00-2AA6	SIEMENS	Simatic Net	IWLAN RR ETHERNET CLIENT MODULE SCALANCE W747-1RR, FOR USE OUTSIDE OF USA, 1 RADIO INTERFACE,
6GKS784-1AA30-6AA0	SIEMENS	Simatic Net	IWLAN RR ACCESS SCALANCE W784-1RR, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN MIT RAPID ROAMING (IWLAN RR) 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, 24VDC, IP30(-20+60 DGR C) 2XEXT. ANTENNA CONNECTIONS 1 RADIO INTERFACE, POE,
6GKS786-2AA60-6AA0	SIEMENS	Simatic Net	IWLAN ACCESS POINT SCALANCE W786-2RR, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN WITH RAPID ROAMING (IWLAN RR) 2.4/5 GHZ, BIS 54MBIT/S, WPA2/802.11i/11E, NATIONAL APPROVALS REQUIRED, 48VDC, IP65(-40- 70 DGR C) 4XEXT. ANTENNA CONNECT., 2 RADIO NTERFACES,
6GKS786-2BA60-2AA0	SIEMENS	Simatic Net	IWLAN ACCESS POINT SCALANCE W786-2PRO, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN (IWLAN) 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, 48VDC, IP65(-40+70 DGR C) 4XINTERNAL ANTENNAS 2 RADIO INTERFACES, POE, RJ45 (TWISTED PAIR) SO
6GKS788-1AA60-2AA0	SIEMENS	Simatic Net	IWLAN ACCESS POINT SCALANCE W788-1PRO, 1 RADIO INTERFACE, IEEE 802.11B/G/A/H, INDUSTRIAL WIRELESS LAN (IWLAN) 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65(-20+60 DGR C), EN50155, SCOPE OF SUPPLY:2XANT 795-4MR, IP67 HYBR
6GKS788-1AA60-6AA0	SIEMENS	Simatic Net	IWLAN ACCESS POINT SCALANCE W788-1RR, 1 RADIO INTERFACE, IEEE 802.11 B/G/A/H, INDUSTRIAL WIRELESS LAN WITH RAPID ROAMING (IWLAN RR), 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65(-20+60 DGR C), EN50155, SCOPE OF SUPPLY:2
6GKS788-1SR00-2AA6	SIEMENS	Simatic Net	IWLAN ACCESS POINT POINT SCALANCE W788-1RR, FOR USE OUTSIDE OF USA, 1 RADIO INTERFACE, IEEE 802.11 B/G/A/H, INDUSTRIAL WIRELESS LAN WITH RAPID ROAMING (IWLAN RR), 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65 (-20+60 D
6GKS788-1SR00-2AB6	SIEMENS	Simatic Net	IWLAN ACCESS POINT POINT SCALANCE W788-1RR, ONLY FOR USE IN USA, 1 RADIO INTERFACE, IEEE 802.11 B/G/A/H, INDUSTRIAL WIRELESS LAN WITH RAPID ROAMING (IWLAN RR), 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65 (-20- 60 DGR C)
6GKS788-1ST00-2AA6	SIEMENS	Simatic Net	IWLAN ACCESS POINT POINT SCALANCE W788-1PRO, 1 RADIO INTERFACE, IEEE 802.11 B/G/A/H, INDUSTRIAL WIRELESS LAN (IWLAN) 2.4/5 GHZ, UP TO 54MBIT/S, WPA2/802.11i/11E, NATIONAL APPROVALS, POE, IP65 (-20- 60 DGR C), EN50155, SCOPE OF SUPPLY:2X ANT 795-4MR, IP67
6GKS788-2ST00-2AA6	SIEMENS	Simatic Net	IWLAN DUAL ACCESS POINT SCALANCE W788-2PRO, 2 RADIO INTERFACES, IEEE 802.11B/G/A/H INDUSTRIAL WIRELESS LAN (IWLAN) 2.4/5 GHZ, UP TO 54 MBIT/S, WPA2/802.11i/11E, NOTE NATIONAL APPROVALS, POE, IP65 (-20- 60 DGR C), EN50155, SCOPE OF SUPPLY:2X ANT 795-4MR, I
6GKS791-2DC00-0AA0	SIEMENS	Simatic Net	POWER SUPPLY PS791-2DC (DC/DC POWER SUPPLY), 10W, IP65 (-40- 70 DGR C), INPUT: 12-24 V DC, OUTPUT: 18 V DC CAN BE USED ONLY IN COMBINATION WITH SCALANCE W-786 SCOPE OF SUPPLY: MANUAL GERMAN/ENGLISH
6GKS792-6MN00-0AA6	SIEMENS	Simatic Net	IWLAN ANTENNA ANT 792-6MN WITH OMNIDIRECTIONAL CHARACTERISTIC INCL. N-FEMALE CONNECTOR: 6 DBI IP65 (-40- 70 DGR C), 2.4 GHZ WI-FI COMPLIANCE AND NATIONAL APPROVALS WALL OR MAST MOUNTING, COMPACT MANUAL ON PAPER GERMAN/ENGLISH SCOPE OF SUPPLY: 1X ANT792-6M
6GKS793-4MN00-0AA6	SIEMENS	Simatic Net	IWLAN RCOAX N-CONNECT FEMALE ANTENNA ANT793-4MN 5GHZ ANTENNA ANTENNA FOR RCOAX SYSTEME LAMDA/4 OMNI-DIRECTIONAL ANTENNA, IP67; AMBIENT TEMPERATURE -40 BIS 70 DGR CELSIUS

6GK5793-6MN00-0AA6	SIEMENS	Simatic Net	IWLAN ANTENNA ANT 793-6MN WITH OMNIDIRECTIONAL CHARACTERISTIC INCL. N-FEMALE CONNECTOR: 5 DBI IP65 (-40- 70 DGR C), 5GHZ NOTE WI-FI COMPLIANCE AND NATIONAL APPROVALS WALL OR MAST MOUNTING, COMPACT MANUAL ON PAPER GERMAN/ENGLISH SCOPE OF SUPPLY: 1X ANT793-
6GK5795-6DN00-0AA6	SIEMENS	Simatic Net	IWLAN ANTENNA ANT 795-6DN WITH WEAK DIRECTIONAL EFFICIENCY INCL. N-FEMALE CONNECTOR: 9 DBI IP55 (-40- 70 DGR C), 2.4GHZ/ 5GHZ WI-FI COMPLIANCE AND NATIONAL APPROVALS WALL OR MAST MOUNTING, COMPACT MANUAL ON PAPER GERMAN/ENGLISH SCOPE OF SUPPLY: 1X ANT795-
6GK5992-2AL00-8AA0	SIEMENS	Simatic Net	SCALANCE X ACCESSORY, MEDIA MODULE MM992-2, 2 X 1000MBIT/S SC-PORTS, OPTICAL; MULTIMODE GLASS UP TO MAX. 750 M
6GK5992-2SA00-8AA0	SIEMENS	Simatic Net	SCALANCE X ACCESSORY, MEDIA MODULE MM992-2CU, 2 X 1000MBIT/S RJ45-PORTS, ELECTRICAL; WITHOUT SLEEVE
6GK7242-2AX00-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 242-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-200 TO AN ASI-INTERFACE
6GK7243-1EX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 243-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-22X TO INDUSTRIAL ETHERNET
6GK7243-1EX01-0XE0	SIEMENS	Simatic Net	COMMUNICATIONSPROCESSOR CP243-1 FOR CONNECTING OF SIMATIC S7-22X TO INDUSTRIAL ETHERNET; FTP CLIENT COMMUNICATION; HTTP SERVER; FTP SERVER; E-MAIL CLIENT
6GK7243-1GX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 243-1IT COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-22X TO INDUSTRIAL ETHERNET FTP CLIENT COMMUNICATION HTTP SERVER, FTP SERVER 8 MB FLASH FILE SYSTEM E-MAIL CLIENT
6GK7243-2AX00-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 243-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-22X TO AN ASI-INTERFACE
6GK7243-2AX01-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 243-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-22X TO AN ASI-INTERFACE WITH MASTER PROFILE M0E/M1E ACC. EXTENDED ASI-SPECIFICATION V2.11
6GK7277-1AA00-0AA0	SIEMENS	Simatic Net	COMPACT SWITCH MODULE CSM 1277 CONNECTION SIMATIC S7-1200 AND UP TO 3 ADDIT. DEVICES TO IND. ETHERNET W. 10/100 MBIT/S UNMANAGED SWITCH, 4 RJ45 PORTS, EXT. 24V DC POWER SUPPLY LED DIAGNOS., S7-1200 MODULE INCL. MANUAL ON CD
6GK7277-1AA10-0AA0	SIEMENS	Simatic Net	COMPACT SWITCH MODULE CSM 1277 CONNECTION SIMATIC S7-1200 AND UP TO 3 FURTHER IND. ETHERNET USERS WITH 10/100 MBIT/S UNMANAGED SWITCH, 4 RJ45 PORTS, EXT. 24V DC POWER SUPPLY, LED DIAGNOSTICS, S7-1200 MODULE INCL. ELECTRONIC MANUAL ON CD
6GK7342-2AH00-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 342-2 COMMUNICATION PROCESSOR FOR CONNECTION OF SIMATIC S7-300 TO AS-INTERFACE (W/O FRONT CONNECTOR)
6GK7342-5DA00-0XE0	SIEMENS	Simatic Net	COMMUNICATIONS PROCESSOR CP342-5 FOR CONNECTING SIMATIC S7-300 TO PROFIBUS
6GK7342-5DA01-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 342-5 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, DP MASTER OR DP SLAVE,SEND/RECEIVE INTERFACE
6GK7342-5DA02-0XE0	SIEMENS	Simatic Net	COMMUNICATIONSPROCESSOR CP342-5 FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION
6GK7342-5DA03-0XE0	SIEMENS	Simatic Net	COMMUNICATIONPROCESSOR CP342-5 FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, DP, S5-COMPATIBLE-, PG/OP- AND S7- COMMUNICATION
6GK7343-1CX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 LEAN COMMUNICATIONS PROCESSOR F. CONNECTION OF SIMATIC S7-300 W. IND. ETHERNET USING TCP/IP AND UDP, SEND/RECEIVE WITH AND W/O RFC1006, S7 COMMUN., MULTICAST, FETCH/WRITE, DIAGNOSTIC EXPANSIONS, LOADABLE COMMUNICATION BLOCKS, SNMP DI
6GK7343-1EX10-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 W. IND. ETHERNET USING ISO AND TCP/IP, S7 COMM., FETCH/WRITE, SEND/RECEIVE, WITH AND W/O RFC, 10/100 MBIT
6GK7343-1EX11-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 W. IND. ETHERNET USING ISO, TCP/IP AND UDP, S7 COMM., FETCH/WRITE SEND/RECEIVE, WITH AND W/O RFC 1006, DIAGN. EXPANSIONS MULTICAST, PBK, COMMISSIONING THROUGH LAN, 10/100 MBIT
6GK7343-1EX20-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 W. IND. ETHERNET USING TCP/IP AND UDP, S7 COMM., FETCH/WRITE SEND/RECEIVE, WITH AND W/O RFC 1006, DIAGN. EXPANS., MULTICAST LOADABLE COMMUNICATION BLOCs SNMP DIAGNOSIS, COMMIS
6GK7343-1EX21-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 COMMUNICATIONS PROCESSOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA PROFINET IO, CONTROLLER,ISO, TCP/IP AND UDP, AND WITHOUT RFC, 1006 DIAGNOSTIC EXPANSIONS, MULTICAST, LOADABLE COMMUNICATION BLOCKS SNMP DIAGNOSIS, INITIALIZATION
6GK7343-1EX30-0XE0	SIEMENS	Simatic Net	COMMUNIKATIONSPROCESSOR CP343-1 FOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA ISO AND TCP/IP, PROFINET IO-CONTROLLER OR PROFINET IO-DEVICE, INTEGR. 2-PORT SWITCH ERTEC200 S7-COMM., FETCH/WRITE, SEND/RCV W. AND W/O RFC1006,MULTICAST DHCP, NTC-CPU SYN
6GK7343-1GX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 IT COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 W. INDUSTR. ETHERNET VIA ISO AND TCP/IP, S7 COMM., FETCH/WRITE, SEND/RECEIVE, E-MAIL AND WWW 10/100 MBIT
6GK7343-1GX21-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-1 ADVANCED COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 TO IND. ETHERNET VIA PROFINET-IO CONTROLLER, PROFINET CBA,ISO, TCP/IP AND UDP, S7-KOMM., FETCH/WRITE, SEND/RECEIVE, WITH AND W/O RFC1006, HTTP W JAVA, MULTICAST, LOAD. CO
6GK7343-1GX30-0XE0	SIEMENS	Simatic Net	COMMUNICATIONSPROCESSOR CP343-1 ADVANCED FOR CONNECTING SIMATIC S7-300CPU TO IND.ETHERNET: PROFINET IO- CONTROLLER OR/AND IO-DEVICE RT AND IRT, MRP, PROFINET CBA TCP/IP,ISO,UDP,S7-COM,S5-COMP. COM.(SEND/RECEIVE)W.FETCH/WRITE WIT AND W/O RFC 1006,MULTICAST
6GK7343-2AH00-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-2 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 AND ET200M TO AS-INTERFACE ACC. TO EXTENDED AS-INTERFACE MASTER PROFILE M0E/M1E. (W/O FRONT CONNECTOR)
6GK7343-2AH01-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-2 COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 AND ET200M TO AS-INTERFACE ACCOR. AS- INTERFACE SPEC. V3.0
6GK7343-2AH10-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-2 P COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-300 AND ET200M TO AS-INTERFACE CONFIGURABLE WITH STEP 7 MASTER PROFILE M0E/M1E. (W/O FRONT CONNECTOR)
6GK7343-2AH11-0XA0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-2P COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-300 AND ET200M TO AS-INTERFACE CONFIGURABLE WITH STEP 7 ACCOR. AS-INTERFACE SPEC. V3.0
6GK7343-5FA00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 343-5 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-300 TO PROFIBUS, FMS, SEND/RECEIVE INTERFACE AND S7 FUNCTIONS
6GK7377-1AA00-0AA0	SIEMENS	Simatic Net	COMPACT SWITCH MODULE CSM 377 CONNECTING SIMATIC S7-300 AND UP TO 3 ADDITIONAL DEVICES WITH IND. ETHERNET W. 10/100 MBIT/S UNMANAGED SWITCH, 4 RJ45 PORTS, EXT. 24V DC POWER SUPPLY LED DIAGNOSTICS, S7-300 MODULE, INCL. ELEKTRONIC MANUAL ON CD
6GK7443-1BX01-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 W. IND.ETHERNET F. SEND/RECEIVE AND S7 COMMUNICATION
6GK7443-1EX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 TCP COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO INDUSTRIAL ETHERNET WITH TCP/IP AND S7 FUNCTIONS
6GK7443-1EX02-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF A SIMATIC S7-400 W. IND.ETHERNET VIA TCP/IP AND ISO, S7 COMM., FETCH / WRITE, SEND/RECEIVE W. OR WITHOUT RFC
6GK7443-1EX11-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-400 W. IND. ETHERN.,ISO/TCP/IP AND UDP S7 COMM.,FETCH/WRITE, DIAGNOST. EXPANSIONS, SEND/RECEIVE, WITH AND W/O RFC 1006, MULTICAST NTP, COMMISSIONING THROUGH LAN ACCESS PROTECTION
6GK7443-1EX20-0XE0	SIEMENS	Simatic Net	COMMUNICATIONSPROCESSOR CP443-1 FOR CONNECTING SIMATIC S7-400 TO INDUSTR. ETHERN. VIA ISO, TCP/IP AND UDP, S7-COMM., FETCH/WRITE, SEND/RCV WITH AND W/O RFC1006, MULTICAST, PROFINET IO- CONTROLLER, DHCP, SNMP V2, WEB-, DIAGNOS., INITIALISATION VIA LAN, ACCE
6GK7443-1EX41-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 ADVANCED COMMUNICATION PROCESSOR FOR CONNECTING SIMATIC S7-400 CPU UP TO V5.0 TO IND. ETHERNET VIA PROFINET IO-CONTROLLER AND PROFINET CBA, ISO,TCP/IP SEND/RECEIVE A. FETCH/WRITE, UDP, TCP, S7-COMMUNICATION, W. AND W/O RFC1006, MULT
6GK7443-1GX11-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-1 IT COMMUNICATIONS PROCESSOR FOR CONNECTION OF SIMATIC S7-400 W. IND. ETHERN. ISO/TCP/IP,S7 COMM FETCH/WRITE, DIAG. EXPANSIONS SEND/RECEIVE, WITH AND W/O RFC MULTICAST, NTP, COMMISSIONING THROUGH LAN, FTP CLIENT WWW, E- MAIL, 10/100 MB
6GK7443-1GX20-0XE0	SIEMENS	Simatic Net	COMMUNICATION PROCESSOR CP 443-1 ADVANCED FOR CONNECTING SIMATIC S7-400CPU TO INDUSTRIAL ETHERNET: PROFINET IO- CONTROLLER WITH RT AND IRT, MRP, PROFINET CBA TCP/IP,ISO,UDP,S7-COM,S5-COMP. COM.(SEND/RECEIVE)W.FETCH/WRITE WITH AND W/O RFC 1006,MULTICAST DIA
6GK7443-5DX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-5 EXTENDED COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION

6GK7443-5DX02-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-5 EXTENDED COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION
6GK7443-5DX03-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-5 EXTENDED COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, DP, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION
6GK7443-5DX04-0XE0	SIEMENS	Simatic Net	COMMUNICATION PROCESSOR CP443-5 EXTENDED FOR CONNECTION OF SIMATIC S7-400 TO PROFIBUS, DP, S5 COMPATIBLE PG/OP AND S7 COMMUNICATION
6GK7443-5FX00-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-5 COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, BASIC VERSION: FMS INTERFACE, SEND/RECEIVE
6GK7443-5FX01-0XE0	SIEMENS	Simatic Net	SIMATIC NET, CP 443-5 BASIC COMMUNICATIONS PROCESSOR FOR CONNECTING SIMATIC S7-400 TO PROFIBUS, FMS, S5-COMPATIBLE PG/OP AND S7 COMMUNICATION
6GK7443-5FX02-0XE0	SIEMENS	Simatic Net	COMMUNICATIONPROCESSOR CP 443-5 BASIC FOR CONNECTION OF SIMATIC S7-400 TO PROFIBUS, FMS, S5 COMPATIBLE PG/OP AND S7 COMMUNICATION

Part Number	OEM	Product Group	Description
-------------	-----	---------------	-------------

6RA SIMOREG

6RA2113-0BD20-0	SIEMENS	Simoreg	SIMOREG K CONVERTER UNIT F.SINGLE-QUADRANT DRIVES BRIDGE CONNECTION B2HZ, 1-PHASE, AC 220V E170/15 MRE-GCE 0D20
6RA2113-6DK26-0	SIEMENS	Simoreg	SIMOREG K CONVERTER UNIT F.FOUR-QUADRANT DRIVES BRIDGE CONNECTION (B2)A(B2)C, 1-PHASE AC 380V E260/15 MREQ-GCG 6K26
6RA2116-6DD20-0A	SIEMENS	Simoreg	SIMOREG K 6RA21 SIEMENS SIMOREG DRIVE SIMOREG K CONVERTER UNIT F.FOUR-QUADRANT DRIVES BRIDGE CONNECTION (B6)A(B6)C, 3-PHASE, AC 380V D400/24 MREQ-GCG 6V66
6RA2116-6DD20-1A	SIEMENS	Simoreg	
6RA2116-6DS20-0B	SIEMENS	Simoreg	
6RA2116-6DV66-0	SIEMENS	Simoreg	
6RA2120-6DS20-0	SIEMENS	Simoreg	SIMOREG K CONVERTER UNIT F.SINGLE-QUADRANT DRIVES BRIDGE CONNECTION B6C 3-PHASE, AC 380V D460/35 MRE-GCE 6S20
6RA2121-6DK26-0	SIEMENS	Simoreg	SIMOREG K CONVERTER UNIT F.FOUR-QUADRANT DRIVES BRIDGE CONNECTION (B2)A(B2)C 1-PHASE AC 380V E260/40 MREQ-GCG 6K26
6RA2126-6DV60-1A	SIEMENS	Simoreg	SIMOREG K 6RA21 SIMOREG K CONVERTER UNIT F.SINGLE-QUADRANT DRIVES BRIDGE CONNECTION B6C, 3-PHASE, AC 380V D460/85 MRE-GCE 6S20 SIMOREG K CONVERTER UNIT F.SINGLE-QUADRANT DRIVES BRIDGE CONN.B6C,3 PHASE 500V BASIC VERSION D600/85 MRE-GCE 6S20
6RA2127-6DS20-0	SIEMENS	Simoreg	
6RA2127-6GS20-0	SIEMENS	Simoreg	
6RA2203-8DD20-0	SIEMENS	Simoreg	
6RA2211-8DD20-0	SIEMENS	Simoreg	SIMOREG K CONVERTER F.SINGLE-QUADRANT DRIVES CONNECT.B2HK 1-PH., AC 220/380V E300/5 MRE-GDE 8-0
6RA2216-8DD20-1	SIEMENS	Simoreg	DC DRIVE
6RA2216-8DK26-1-Z-A04	SIEMENS	Simoreg	SIMOREG INPUT 2AC 400V (230V) 22A 50/60HZ OUTPUT DC 300V (170V0 22A
6RA2216-8DK27-1	SIEMENS	Simoreg	SIMOREG K CONVERTER F.FOUR-QUADRANT DRIVES CONNECTION (B2)A(B2)C 2-PHASE, AC 230/400 WITH HOUSING E260-22 MREQ-GDG 8-1
6RA2218-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D400/30 MREQ-GDG 6V62
6RA2220-8DV70	SIEMENS	Simoreg	SIMOREG K CONVERTER IN HYBRID TECHNOLOGY FOR FOUR-QUADRANT DRIVES CONNECT.(B6)A(B6)C,3-PH.AC 380V D400/35 MREQ-GDG 8V70
6RA2221-8DD20-1	SIEMENS	Simoreg	SIMOREG K CONVERTER F.SINGLE-QUADRANT DRIVE SIMOREG K CONVERTER IN HYBRID TECHNOLOGY FOR FOUR-QUADRANT DRIVES CONNECT.(B6)A(B6)C,3-PH.AC 380V D400/50 MREQ-GDG 8V70
6RA2223-8DV70	SIEMENS	Simoreg	
6RA2223-8DV71	SIEMENS	Simoreg	SIMOREG K CONVERTER IN HYBRID TECHNOLOGY FOR FOUR-QUADRANT DRIVES CONNECT.(B6)A(B6)C,3-PH.AC 400V D420/50 MREQ-GDG 8V70
6RA2224-6DS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C,3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D460/57 MRE-GDE 6S22
6RA2228-6DS22-0	SIEMENS	Simoreg	SIMOREG KOMPAKT CONVERTER WITH MIKROPROZESSOR B6C, 3 AC 380V D460/125 MRE-GDE 6S22 INPUT 380V 74A OUTPUT 460V 90A
6RA2228-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C, 3-PHASE AC 380V CONTROLLABLE FIELD RECTIFIER D400/90 MREQ-GDG 6V62
6RA2228-6GS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C,3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D600/90 MRE-GDE 6S22
6RA2230-8DV70	SIEMENS	Simoreg	SIMOREG DRIVE
6RA2231-6DS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C,3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D460/125 MRE-GDE 6S22
6RA2275-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C, 3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D400/200 MREQ-GDGF 6V62
6RA2277-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D400/250 MREQ-GDGF 6V62
6RA2277-6DV62-ZA20	SIEMENS	Simoreg	SIMOREG DC DRIVE
6RA2285-6DS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C,3-PHASE, AC 380V CONTROLLABLE FIELD RECTIFIER D460/600 MRE-GDEF 6S22
6RA2325-6DV61-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVE CONNECT.(B6)A(B6)C,3-PHASE,400V UNCONTROLLED FIELD RECTIFIER D 420/60MREQ-GEG6V61
6RA2385-6DS21-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVE CONNECT. B6C, 3-PHASE, AC 400V UNCONTROLLED FIELD RECTIFIER D 485/600 MRE-GEEF 6S21
6RA2418-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 400V CONTROLLABLE FIELD RECTIFIER D420/30 MREQ-GEG 6V62
6RA2425-6DV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 400V CONTROLLABLE FIELD RECTIFIER D420/60 MREQ-GEG 6V62
6RA2430-6GV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D520/90 MREQ-GDG 6V62
6RA2431-6GS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C,3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D600/125 MRE-GEE 6S22
6RA2475-6DS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C, 3-PHASE,AC 400V CONTROLLABLE FIELD RECTIFIER D485/200 MRE-GEEF 6S22
6RA2475-6GV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D520/200 MREQ-GEF 6V62
6RA2477-6GV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D520/250 MREQ GEGF 6V62
6RA2485-6GV62-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6)A(B6)C 3-PHASE, AC 500V CONTROLLABLE FIELD RECTIFIER D520/600 MREQ-GEF 6V62
6RA2487-4DS22-0	SIEMENS	Simoreg	SIMOREG K CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C, 3-PHASE,AC 400V CONTROLLABLE FIELD RECTIFIER D460/850 MRE-GEEF4S22
6RA2610-6DX30-0	SIEMENS	Simoreg	D200/11 SIMOREG
6RA2610-6MV30-0	SIEMENS	Simoreg	Siemens Simoreg Regler
6RA2615-6MV30-0	SIEMENS	Simoreg	SIMOREG
6RA2621-6MV30-0	SIEMENS	Simoreg	THYRISTOR CONVERTER CURRENT-FREE INVERSE-PARALLEL CONNECTION 2 SIX-PULSE BRIDGE CIRCUITS D200/40 MREQ-GCG 6V30
6RA2621-6MW30-1A	SIEMENS	Simoreg	SIEMENS SIMOREG-KOMP. GERAT
6RA2625-6DV51-1A	SIEMENS	Simoreg	SIEMENS SIMOREG

6RA2625-6GV57-0	SIEMENS	Simoreg	SIMOREG CONVERTER W/ EXTENSION CONTROLLER MODULE W/ FIELD-WEAKENING CONTROL D500/65 MREQ-GCG 6V57
6RA2625-6MV30-0	SIEMENS	Simoreg	Siemens 6RA2625 60 Amp DC Drive
6RA2627-6DV30-0	SIEMENS	Simoreg	Simoreg DC drive 400V 84A
6RA2628-6DV51-1A	SIEMENS	Simoreg	SIMOREG CONVERTER W/ COMPACT CONTROLLER MODULE WITH FIELD-WEAKENING CONTROL D380/90 MREQ-GCG 6V55
6RA2632-6DV55-ZY08	SIEMENS	Simoreg	SIMOREG D380/130
6RA2632-6DV57-0	SIEMENS	Simoreg	SIMOREG CONVERTER W/ EXTENSION CONTROLLER MODULE W/ FIELD-WEAKENING CONTROL D380/130 MREQ-GCG 6V57
6RA2632-6DV57-1A	SIEMENS	Simoreg	SIMOREG CONVERTER W/ EXTENSION CONTROLLER MODULE W/ FIELD-WEAKENING CONTROL D380/130 MREQ-GCG 6V57
6RA2675-6DV57-0	SIEMENS	Simoreg	Siemens 190A DC Drive
6RA2677-6DV57-0	SIEMENS	Simoreg	SIMOREG DRIVE
6RA2728-6DV57-0	SIEMENS	Simoreg	6RA27 74 AMP DC DRIVE
6RA2775-6DV57-0	SIEMENS	Simoreg	
6RA2777-6GV57-0	SIEMENS	Simoreg	SIMODRIVE
6RA2965-6DV01-7H80	SIEMENS	Simoreg	DC POWER SUPPLY
6RA4001-1AA01-Z	SIEMENS	Simoreg	SINUMERIK
6RA4001-2AA07	SIEMENS	Simoreg	SINUMERIK ...
6RA7013-6DV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 13A CONTROLLABLE FIELD RECTIFIER D420/15 MREQ-GE6V62 OUTPUT: DC 420V, 15A OUTPUT US-RATING:DC420V, 14A FIELD-INP. 400V,-OUTP.
6RA7025-6DV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 50A CONTROLLABLE FIELD RECTIFIER D420/60 MREQ-GE6V62 OUTPUT: DC 420V, 60A OUTPUT US-RATING:DC420V, 53A FIELD-INP. 400V,-OUTP.
6RA7025-6DV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 50A CONTROLLABLE FIELD RECTIFIER D420/60 MREQ-GE6V62 OUTPUT: DC 420V, 60A OUTPUT US-RATING:DC420V, 53A FIELD-INP. 400V,-OUTP. 325V,1
6RA7025-6GV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 575V, 50A CONTROLLABLE FIELD RECTIFIER D600/60 MREQ-GE6V62 OUTPUT: DC 600V, 60A OUTPUT US-RATING:DC600V, 53A FIELD-INP. 460V,-OUTP.
6RA7031-6DS22-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C INPUT: 3-PHASE AC 400V, 104A CONTROLLABLE FIELD RECTIFIER D485/125 MRE-GE6S22 OUTPUT: DC 485V, 125A OUTPUT US-RATING:DC485V, 104A FIELD-INP. 400V,-OUTP. 325V,10A
6RA7031-6DV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 104A CONTROLLABLE FIELD RECTIFIER D420/125 MREQ-GE6V62 OUTPUT: DC 420V, 125A OUTPUT US-RATING:DC420V, 107A FIELD-INP. 400V,-OUTP. 32
6RA7031-6FV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 460V, 104A CONTROLLABLE FIELD RECTIFIER D480/125 MREQ-GE6V62 OUTPUT: DC 480V, 125A OUTPUT US-RATING:DC500V, 100A FIELD-INP. 460V,-OUTP. 37
6RA7031-6GV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 575V, 104A CONTROLLABLE FIELD RECTIFIER D600/125 MREQ-GE6V62 OUTPUT: DC 600V, 125A OUTPUT US-RATING:DC600V, 107A FIELD-INP. 460V,-OUTP. 37
6RA7075-6DS22-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C INPUT: 3-PHASE AC 400V, 175A CONTROLLABLE FIELD RECTIFIER D485/210 MRE-GE6S22 OUTPUT: DC 485V, 210A OUTPUT US-RATING:DC485V, 158A FIELD-INP. 400V,-OUTP. 325V,15
6RA7075-6DV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 175A CONTROLLABLE FIELD RECTIFIER D420/210 MREQ-GE6V62 OUTPUT: DC 420V, 210A OUTPUT US-RATING:DC420V, 158A FIELD-INP. 400V,-OUT 325
6RA7078-6DS22-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C INPUT: 3-PHASE AC 400V, 233A CONTROLLABLE FIELD RECTIFIER D485/280 MRE-GE6S22 OUTPUT: DC 485V, 280A OUTPUT US-RATING:DC485V, 216A FIELD-INP. 400V,-OUTP. 325V,15
6RA7078-6DV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 233A CONTROLLABLE FIELD RECTIFIER D420/280 MREQ-GE6V62 OUTPUT: DC 420V, 280A OUTPUT US-RATING:DC420V, 216A FIELD-INP. 400V,-OUTP
6RA7081-6DS22-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C INPUT: 3-PHASE AC 400V, 332A CONTROLLABLE FIELD RECTIFIER D485/400 MRE-GE6S22 OUTPUT: DC 485V, 400A OUTPUT US-RATING:DC485V, 276A FIELD-INP. 400V,-OUTP. 325V,25
6RA7081-6DV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 332A CONTROLLABLE FIELD RECTIFIER D420/400 MREQ-GE6V62 OUTPUT: DC 420V, 400A OUTPUT US-RATING:DC420V, 286A FIELD-INP. 400V,-OUTP
6RA7081-6GV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 575V, 332A CONTROLLABLE FIELD RECTIFIER D600/400 MREQ-GE6V62 OUTPUT: DC 600V, 400A OUTPUT US-RATING:DC600V, 286A FIELD-INP. 460V,-OUT
6RA7085-6DV62-0-Z	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 498A CONTROLLABLE FIELD RECTIFIER D420/600 MREQ-GE6V62 OUTPUT: DC 420V, 600A OUTPUT US-RATING:DC420V, 450A FIELD-INP. 400V,-OUTP
6RA7087-6DS22-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR SINGLE-QUADRANT DRIVES CONNECTION B6C INPUT: 3-PHASE AC 400V, 705A CONTROLLABLE FIELD RECTIFIER D485/850 MRE-GE6S22 OUTPUT: DC 485V, 850A OUTPUT US-RATING:DC485V, 620A FIELD-INP. 400V,-OUTP. 325V,30
6RA7093-4DV62-0	SIEMENS	Simoreg	SIMOREG DC MASTER CONVERTER WITH MICROPROCESSOR FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 1326A CONTROLLABLE FIELD RECTIFIER D420/1600 MREQ-GE6V62 OUTPUT: DC 420V, 1600A OUTPUT US-RATING:DC420V,1190A FIELD-INP. 400V,-OUT
6RA8018-6DV62-0AA0-Z	SIEMENS	Simoreg	SINAMICS DCM DC CONVERTER FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 25A CONTROLLABLE FIELD RECTIFIER D420/30 MREQ-GE6V62 OUTPUT: DC 420V, 30A
6RA8025-6DV62-0AA0-Z	SIEMENS	Simoreg	SINAMICS DCM DC CONVERTER FOR FOUR-QUADRANT DRIVES CONNECTION (B6) A (B6) C INPUT: 3-PHASE AC 400V, 50A CONTROLLABLE FIELD RECTIFIER D420/60 MREQ-GE6V62 OUTPUT: DC 420V, 60A

Part Number	OEM	Product Group	Description
6SC SIMODRIVE			SIMODRIVE 610 - 650 - 660 - 690
6SC6000-0NA00	SIEMENS	Simodrive	SIMORIVE 6SC60 AC FDD CLOSED-LOOP CONTROL
6SC6000-0NA02	SIEMENS	Simodrive	SIMODRIVE 6SC60 AC FDD CLOSED-LOOP CONTROL P.C.B 462000.9080.02
6SC6030-3AA01	SIEMENS	Simodrive	SIEMENS SIMOVERT P
6SC6100-0AB00	SIEMENS	Simodrive	SIMODRIVE 610/210 AC FEED DRIVE P.C.B VOLTAGE CLAMPING 0.9/90 KW (WITHOUT PULSED RESISTOR AND INSTALLATION MATERIAL)
6SC6100-0GA11	SIEMENS	Simodrive	SIMODRIVE 610/210 FDD P.C.B POWER SUPPLY UNIT AND MONITORING UNIT
6SC6100-0GA12	SIEMENS	Simodrive	SIMODRIVE 610/210 FEED DRIVE, POWER SUPPLY P.C.B
6SC6100-0GB00	SIEMENS	Simodrive	SIMODRIVE 610/210 FDD P.C.B POWER SUPPLY AND MONITORING UNIT AND VOLTAGE CLAMPING
6SC6100-0GB11	SIEMENS	Simodrive	SIMODRIVE 610/210 FDD PCB POWER SUPPLY AND VOLTAGE LIMITATION
6SC6100-0GB12	SIEMENS	Simodrive	SIMODRIVE 610/210 FDD POWER SUPPLY MODULE AND VOLTAGE CLAMPING
6SC6100-0GC02	SIEMENS	Simodrive	SIMODRIVE 650 AC MSD P.C.B. POWER SUPPLY
6SC6100-0GC10	SIEMENS	Simodrive	SIMODRIVE 650 AC-HSA FBG STROMVERSORGUNG

6SC6100-0GC14	SIEMENS	Simodrive	SIMODRIVE 650 AC MAIN SP. DRIVE P.C.B POWER SUPPLY FOR 6SC6502/03-4AA01/02
6SC6100-0GC15	SIEMENS	Simodrive	SIMODRIVE 690 POWER SUPPLY MODULE WITH VOLTAGE CLAMPING
6SC6100-0GE01	SIEMENS	Simodrive	SIMODRIVE 650/690 AC MSD/COMBI CPU
6SC6100-0NA01	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE, CLOSED-LOOP CONTROL P.C.B ANALOG, 1 AXIS
6SC6100-0NA11	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE, CLOSED-LOOP CONTROL P.C.B. ANALOG, 2 AXES
6SC6100-0NA21	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE, CLOSED-LOOP CONTROL P.C.B ANALOG, 3 AXES
6SC6100-0NA80	SIEMENS	Simodrive	RETROFIT ASSEMBLY FOR TRANSISTOR PWM CONVERTER 6SC61 ANALOG CLOSED-LOOP CONTROL AS SINGLE-AXIS CONTROL OPTION
6SC6100-0SA11	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE, SETTING MODULE, 2 AXES
6SC6100-0SA21	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE, SETTING MODULE, 3 AXES
6SC6101-1V	SIEMENS	Simodrive	SIMODRIVE 610/210 AC FEED DRIVE RECTIFIER MODULE V25 6 MF /350 V
6SC6101-2A-Z	SIEMENS	Simodrive	TRANSISTOR PWM CONVERTERS HOUSING 240 MM 2 MODULE LOCATIONS
6SC6101-2B-Z	SIEMENS	Simodrive	HOUSING FOR TRANSISTOR PWM CONVERTER 6SC61 WIDTH 240MM WITH POWER SUPPLY MODULE WITHOUT DC LINK VOLTAGE 2 SLOTS FOR POWER SECTIONS
6SC6101-3A-Z	SIEMENS	Simodrive	TRANSISTOR PWM CONVERTERS HOUSING 340 MM 4 MODULE LOCATIONS
6SC6101-3B-Z	SIEMENS	Simodrive	HOUSING FOR 6SC61 WIDTH 340 MM WITH POWER SUPPLY MODULE WITHOUT DC LINK VOLTAGE LIMITER 4 SLOTS FOR POWER SECTIONS
6SC6101-4A-Z	SIEMENS	Simodrive	TRANSISTOR PWM CONVERTERS HOUSING 440 MM 6 MODULE LOCATIONS
6SC6101-4B-Z	SIEMENS	Simodrive	HOUSING FOR 6SC61 WIDTH 440 MM WITH POWER SUPPLY MODULE WITHOUT DC LINK VOLTAGE LIMITER 6 SLOTS FOR POWER SECTIONS
6SC6103-0SE30	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER CIRCUIT P.C.B, A13 3/6 A, 1 AXIS
6SC6103-0SG30	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER CIRCUIT P.C.B, A23 3/6 A, 2 AXES
6SC6103-0SG31	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER CIRCUIT P.C.B, A23 3/6 A, 2 AXES
6SC6103-0SN30	SIEMENS	Simodrive	SIMODRIVE 610 AC-VSA FBG LEISTUNGSTEIL,
6SC6108-0SE01	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD PCB POWER UNIT, A18 8/16 A, 1 AXIS
6SC6108-0SE02	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER CIRCUIT P.C.B, A18 8/16 A, 1 AXIS
6SC6108-0SG01	SIEMENS	Simodrive	SIMODRIVE 610 AC-VSA FBG LEISTUNGSTEIL
6SC6108-0SN00	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER CIRCUIT P.C.B, A38 8/16A, 3 AXES
6SC6110-0EA00	SIEMENS	Simodrive	SIMODRIVE 611 PARAMETER BOARD FOR FEED MODULES
6SC6110-0EA10	SIEMENS	Simodrive	DC SERVO DRIVE: ADJUSTMENT CARD FOR THE SPEED CONTROLLER PARAMETERS OVER POTS
6SC6110-0GA01	SIEMENS	Simodrive	SIMODRIVE 611 SERVO CONTROLLER
6SC6110-0GB00	SIEMENS	Simodrive	SIMODRIVE 611 PULSWIDERSTANDSMODUL
6SC6110-0PA00	SIEMENS	Simodrive	SIMODRIVE 611 MAIN SPINDLE MODULE
6SC6110-3AA00	SIEMENS	Simodrive	SIMODRIVE 611 VORSCHUBMODUL 3/
6SC6110-6AA00	SIEMENS	Simodrive	SIMODRIVE 611 FEED MODULE 6/12 A
6SC6110-7VA01	SIEMENS	Simodrive	SIMODRIVE 611 EIN-/RUECKSPEISEMODUL 7/14
6SC6111-1VA00	SIEMENS	Simodrive	SIMODRIVE 611 INFED/REGENERATIVE FEEDBACK MODULE 11 KW
6SC6111-1VA01	SIEMENS	Simodrive	SIMODRIVE 611 INFED/REGENERATIVE FEEDBACK MODULE 11 KW
6SC6111-2AA00	SIEMENS	Simodrive	SIMODRIVE 611 VORSCHUBMODUL 12
6SC6112-0AA00	SIEMENS	Simodrive	SIMODRIVE 611 FEED MODULE 20/40 A
6SC6112-2VA01	SIEMENS	Simodrive	SIMODRIVE 611 EIN-/RUECKSPEISEMODUL 22 K
6SC6114-0AA00	SIEMENS	Simodrive	SIMODRIVE 611 FEED MODULE 40/80 A
6SC6114-5HA00	SIEMENS	Simodrive	SIMODRIVE 611 MAIN SPINDLE MODULE 45/60 A
6SC6115-5VA01	SIEMENS	Simodrive	SIMODRIVE 611 EIN-/RUECKSPEISEMODUL 55/8
6SC6116-0AA00	SIEMENS	Simodrive	SIMODRIVE 611 VORSCHUBMODUL 60/120 A
6SC6116-0HA00	SIEMENS	Simodrive	SIMODRIVE 611 HAUPTSPINDELMODUL 60/80 A
6SC6120-0FE00	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER P.C.B
6SC6120-0FE01	SIEMENS	Simodrive	SIMODRIVE 610 AC-VSA FBG LEISTUNGSTEIL 2
6SC6130-0FE00	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER P.C.B 30/60 A, 1 AXIS
6SC6130-0FE01	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER P.C.B 30/60 A, 1 AXIS
6SC6140-0FE00	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER P.C.B 40/80 A, 1 AXIS
6SC6140-0FE01	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER P.C.B 40/80 A, 1 AXIS
6SC6170-0FC01	SIEMENS	Simodrive	SIMODRIVE 610 AC-VSA FBG LEISTUNGSTEIL 7
6SC6170-0FC50	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER P.C.B 70/140 A, TYPE II, 1/2 AXES
6SC6170-0FC51	SIEMENS	Simodrive	SIMODRIVE 610 AC-VSA FBG LEISTUNGSTEIL 7
6SC6190-0FA01	SIEMENS	Simodrive	SIMODRIVE 610 AC FEED DRIVE POWER P.C.B 200/400 A, 1/6 AXES
6SC6190-0FB00	SIEMENS	Simodrive	DRIVE BOARD
6SC6190-0FB60	SIEMENS	Simodrive	SIMODRIVE 610 AC FDD POWER P.C.B 120/240 A, 1/3 AXES
6SC6500-0B801	SIEMENS	Simodrive	SIMODRIVE 650 FEEDRATE CONTROL (C AXIS)
6SC6500-0BC01	SIEMENS	Simodrive	SIMODRIVE 650 SPINDLE POSITIONING W/O NC
6SC6500-0NA00	SIEMENS	Simodrive	SIMODRIVE 650 AC MSD CLOSED-LOOP CONTROL MODULE FOR 6SC6535/56 SPARE PART IN EXCHANGE ONLY
6SC6500-0NA01	SIEMENS	Simodrive	SIMODRIVE 650 CLOSED-LOOP CONTROL MODULE FOR 6SC65...-4AA01
6SC6500-0NA02	SIEMENS	Simodrive	SIMODRIVE 650 CLOSED-LOOP CONTROL MODULE
6SC6500-0NA04	SIEMENS	Simodrive	SIEMENS SIMODRIVE 650 FBG MAP 6SC6500-0NA04
6SC6500-0NA44	SIEMENS	Simodrive	SIMODRIVE 650 FBG REGELUNG MIT SW (6SC65
6SC6500-0UC01	SIEMENS	Simodrive	SIMODRIVE 650 FBG EIN-/AUSGABE
6SC6501-0AB01	SIEMENS	Simodrive	SIMODRIVE 690 AC MSD/FDD AC FEED DRIVE POWER CIRCUIT 7/14 A
6SC6502-0AB01	SIEMENS	Simodrive	SIMODRIVE 690 AC MSD/FDD AC FEED DRIVE POWER CIRCUIT 15/30 A
6SC6502-0AB02	SIEMENS	Simodrive	SIMODRIVE 690 AC-VORSCHUBANTRIEB FBG LEI
6SC6502-0AF01	SIEMENS	Simodrive	SIMODRIVE 650/690 POWER CIRCUIT PCB 20 A COMPACT POWER CIRCUIT
6SC6502-4AA02-Z	SIEMENS	Simodrive	SIMODRIVE 650 AC MSD TRANSISTOR PWM CONVERTER COMPACT UNIT, 15 KVA, 20 A
6SC6504-0AF01	SIEMENS	Simodrive	SIMODRIVE 650/690 AC MAIN SPINDLE DRIVE, POWER UNIT MODULE 40 A, COMPACT POWER UNIT
6SC6504-4AA02-Z	SIEMENS	Simodrive	SIMODRIVE 650 TRANSISTOR PWM CONVERTER COMPLETE DEVICE, 30 KVA, 40 A
6SC6506-0AF02	SIEMENS	Simodrive	SIMODRIVE 690 AC-HAUPTSPINDELANTRIEB KOM
6SC6506-4AA02	SIEMENS	Simodrive	SIMODRIVE 650 TRANSISTOR PWM CONVERTER COMPLETE DEVICE, 45 KVA, 60 A
6SC6508-0AA02	SIEMENS	Simodrive	SIMODRIVE 650 TRANSISTOR CONTROL P.C.B, 80 A FOR 6SC6508-4AA02
6SC6508-4AA02	SIEMENS	Simodrive	SIMODRIVE 650 AC-HSA TRANSISTOR-PULSUMRI
6SC6600-4DA01	SIEMENS	Simodrive	SIEMENS SIMODRIVE 660
6SC6600-4GA00	SIEMENS	Simodrive	SIMODRIVE 660 FBG ZENTRALBAUGRUPPE
6SC6600-4NU00	SIEMENS	Simodrive	SIMODRIVE 660 FBG REGELUNG
6SC6600-8AA02	SIEMENS	Simodrive	SIMODRIVE 660 BGR SYSTEM-SOFTWARE FUER GERAEE- TE 85/120/200 A, SW-STAND: 2.0
6SC6608-4AA00	SIEMENS	DIVERSEN	SIMODRIVE 660 TRANSISTOR CONTROL P.C.B, 80 A
6SC6612-4AA00	SIEMENS	Simodrive	SIMODRIVE 660 TRANSISTOR CONTROL P.C.B, 120A
6SC6901-0EA00-Z	SIEMENS	Simodrive	SIMODRIVE 690
6SC6901-0VR05	SIEMENS	Simodrive	SIMODRIVE 690 AC-HSA/VSA EIN-/RUECKSPEIS
6SC6901-1AA00-Z	SIEMENS	Simodrive	
6SC6901-2AA00-Z	SIEMENS	Simodrive	SIMODRIVE 690
6SC9111-2AE35	SIEMENS	Simodrive	TRANSDUCER (MEA) 659 001 9004.13
6SC9111-2AJ45	SIEMENS	Simodrive	PULSE EVALUATION AND AMPLIFIER 659 001 9008.14
6SC9112-3BA05	SIEMENS	Simodrive	VOLTAGE CONTROLLER +15V 659 001 9010.10

6SC9121-5CD15	SIEMENS	Simodrive	MULTIPLEXER, TEST SYSTEM (MXP) 659 001 9023.11
6SC9311-2GF25	SIEMENS	Simodrive	PULSE SYSTEM SELECTOR (PSA) 659 001 9065.12
6SC9311-2GJ15	SIEMENS	Simodrive	PULSE MODULAT.TRIGGER SET (PMS) 659 001 9068.11
6SC9311-3FK15	SIEMENS	Simodrive	ACTIVE CURRENT CONTROL (RWP) 659 001 9059.11
6SC9411-0BA15	SIEMENS	Simodrive	ICSA MODULE 459 501 9010.15 SOFTWARE VERSION 2.5 FOR 6SC23 CONVERTERS
6SC9711-0JA1	SIEMENS	Simodrive	RECTIFIER/INVERTER TRIGGER SET 459 401 9016.01 FOR 6SC22 CONVERTERS
6SC9830-0BB61	SIEMENS	Simodrive	INTERF.AND SIGN.TRSDUCER(IST) FOR 6SC3610-..A AND 6SC3610-..B CONVERTERS SUBST.: 6SC9830-0HG60
6SC9830-0HF30	SIEMENS	Simodrive	INTERF.AND SIGN.TRSDUCER(IST) FOR 6SC3611, 6SE5211 CONVERTERS
6SC9837-0KA01	SIEMENS	Simodrive	OPERATOR PANEL (OP) FOR 6SC36/37, 6SE35/36, 6SE51/52 AND 6SC23 CONVERTERS

Part Number	OEM	Product Group	Description
-------------	-----	---------------	-------------


6SE SIMOVERT

6SE1107-2AA10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P
6SE1110-2WA10	SIEMENS	Simodrive	SIMODRIVE TRANSISTOR PULS INVERTER 380V 10KVA
6SE1200-1GA31-2	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 CLOSED-LOOP CONTROL MODULE CCU A1-108-101-501 REPLACEMENT: 6SE1200-1GA31-2
6SE1200-7AA10-1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 COMPLETE OPERATOR PANEL OPP A1-108-101-502 REPLACEMENT: 6SE1200-7AA10-3
6SE1200-7AA10-3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 COMPLETE OPERATOR PANEL OPP 470 103 9001.03 FOR 3.5 TO 200 KVA
6SE1204-2AA03	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT, DEGREE OF PROT. IP00, 3.5 KVA 3PH 380/415 V 50/60 HZ
6SE1210-2AA03	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT DEGREE OF PROTECT. IP00 10 KVA 3PH 380/415 V, 50/60 HZ
6SE1210-2AB00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT
6SE1210-2AB03	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT W.PULSED RESISTOR DEGREE OF PROTECT. IP00 10 KVA 3PH 380/415 V, 50/60 HZ
6SE1216-2AA03	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT DEGREE OF PROTECT. IP00 16 KVA, 3PH 380/415 V, 50/60 HZ
6SE1218-3YB03-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT W.PULSED RESISTOR DEGREE OF PROTECT. IP00 18KVA 3AC 500V 50/60HZ
6SE1222-2AA03	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P. 6SE12/13 TRANS. PULSE-CTR. AC CONVERTER CHASSIS UNIT DEGREE OF PROTECT. IP00 22 KVA, 3PH 380/415 V, 50/60 HZ
6SE1222-2AB00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT
6SE1222-2AB02	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVE
6SE2000-1BB06	SIEMENS	Simovert / Micro / Midi/ Masterdrive	OPTION CHOPPER RESISTOR PW FOR 6SE210-3 380/415V
6SE2000-1BC06	SIEMENS		OPTION CHOPPER RESISTOR PW FOR 6SE210-3 460/500V
6SE2001-1AA02	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT P
6SE2002-1AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT P
6SE2003-2AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT P
6SE2005-2AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT P
6SE2005-3AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SERVO DRIVE 5HP 3PHASE 460V NEMA1
6SE2008-3AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SERVO DRIVE 7.5HP 3PHASE 460V
6SE2100-1BB35	SIEMENS	DIVERSEN	OPTION FOR CONVERTERS 6SE21 PULSED RESISTOR ELECTRONICS SINGLE
6SE2100-1FC20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	FILTER FOR MD/MDV550/2 - MD/MDV750/2 208-240V +/-10% AND MD/MDV750/3 - MD/MDV1850/3 380-460V +/-10% CLASS B
6SE2103-1AF00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTOR PWM CONVERTER CHASSIS UNIT DEG.OF PROT.IP20 VERSION F.RADIO INTERF.SUPPRESS 1-PHASE, AC 230V, 50/60HZ 2.7KVA
6SE2103-3AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTOR PWM CONVERTER CHASSIS UNIT DEG.OF PROT.IP20 3-PHASE AC 380-500V, 50/60HZ 2.8KVA (400V)/ 3.5KVA (500V)
6SE2103-3AA21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTORIZED PWM CONVERTER CHASSIS UNIT DEG.OF PROT. IP21 3-PHASE, AC 380-500V, 50/60HZ 2.8KVA (400V)/ 3.5KVA (500V)
6SE2105-3AA21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTORIZED PWM CONVERTER CHASSIS UNIT DEG.OF PROT. IP21 3-PHASE, AC 380-500V, 50/60HZ 5.3KVA (400V) / 6.6KVA (500V)

6SE2108-3AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTOR PWM CONVERTER CHASSIS UNIT DEG.OF PROT.IP20 3-PHASE 380-500V, 50/60HZ 8.3KVA (400V)/ 9.5KVA (500V)
6SE2117-3AA01	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P TRANSISTORIZED PWM CONVERTER CHASSIS UNIT DEG.OF PROT. IP21 3-PHASE, AC 380-500V, 50/60HZ 17KVA (400V) / 22KVA (500V)
6SE3012-6BA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICRO MASTER SINGLE-PH. 230V 50/60HZ, MM55 RATED OUTPUT 550W WEIGHT 2.2KW
6SE3013-4BA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICRO MASTER SINGLE-PH. 230V 50/60HZ, MM75 RATED OUTPUT 750W WEIGHT 2.2KG
6SE3016-4BC00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICRO MASTER SINGLE-PH. 230V 50/60HZ, MM150 RATED OUTPUT 1.5KW WEIGHT 4.5KG
6SE3017-7DC00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICRO MASTER 3-PH. 400/500V 50/60HZ, MM300/3 RATED OUTPUT 3KW WEIGHT 4.5KG
6SE3112-1BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER SINGLE-PH. 230V 50/60HZ, MM37 WITH MM37 FILTER RATED OUTPUT 370W WEIGHT 1.9KG
6SE3112-8BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER SINGLE-PH. 230V 50/60HZ, MM55 WITH MM55 FILTER RATED OUTPUT 550W WEIGHT 1.9KG
6SE3112-8CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER 1/3-PH. 230V 50/60HZ, MM110/2 RATED OUTPUT 1.1KW WEIGHT 2.4KG
6SE3113-6BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER SINGLE-PH. 230V 50/60HZ, MM75 WITH MM75 FILTER RATED OUTPUT 750W WEIGHT 1.9KG
6SE3114-0DC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV150/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3115-2CB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER 1/3-PH. 230V 50/60HZ, MM110/2 RATED OUTPUT 1.1KW WEIGHT 2.4KG
6SE3116-8BB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER SINGLE-PH. 230V 50/60HZ, MM150 WITH MM150 FILTER RATED OUTPUT 1.5KW WEIGHT 2.6KG
6SE3117-3DC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER 3-PH. 380-500V 50/60HZ, MM300/3 RATED OUTPUT 3KW WEIGHT 5KG
6SE3121-0DC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER 3-PH. 380-500V 50/60HZ, MM400/3 RATED OUTPUT 4KW WEIGHT 5KG
6SE3121-3CC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MICROMASTER 1/3-PH. 230V 50/60HZ, MM300/2 RATED OUTPUT 3KW WEIGHT 4.5KG
6SE3121-7DG40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MIDI MASTER 3-PH. 380-500V, 50/60HZ, MD750/3, RATED OUTPUT 7.5KW WEIGHT 19.5KG
6SE3122-4DG40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MIDI MASTER 3-PH. 380-500V, 50/60HZ, MD1100/3, RATED OUTPUT 11KW WEIGHT 20.5KG
6SE3122-4DS45	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDI MASTER 1100/3 IP56 3 AC 380-500V 50/60HZ RATED OUTPUT 11KW IP56
6SE3123-0DH40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MIDI MASTER 3-PH. 380-500V, 50/60HZ, MD1500/3, RATED OUTPUT 15KW WEIGHT 24KG
6SE3123-5DH40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MIDI MASTER 3-PH. 380-500V, 50/60HZ, MD1850/3, RATED OUTPUT 18.5KW WEIGHT 25KG
6SE3126-8DJ40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT P MIDI MASTER 3-PH. 380-500V, 50/60HZ, MD3700/3, RATED OUTPUT 37KW WEIGHT 32KG
6SE3190-0DC87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	FILTER KIT FOR MM25/2 UNTIL MM75/2 ONLY 1 AC 230V FILTER WITH METALISED COVER. FILTER CLASS B1
6SE3190-0XX87-8BF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLEAR TEXT DISPLAY FOR 6SE3111 TO 6SE3121 1PH AND 6SE3114 TO 6SE3121 3PH FOR 6SE3121 TO 6SE3127 UND 575V 6SE3121 TO 6SE3125 F. MICROMASTER AND MIDIMASTER
6SE3190-0XX87-8PB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	PROFIBUS MODULE OPMP
6SE3210-7BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV12 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.12 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3210-7CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV12/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.12 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3211-1DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV37/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 0.37 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3211-4DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV55/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 0.55 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3211-5CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV25/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.25 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3212-0DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV75/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 0.75 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C

6SE3212-8BA0		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV55 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.55 KW OVERLOAD 150%, 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3212-8CA40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV55/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.55 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3213-6CA40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV75/2 UNFILTERED 1AC/3AC 208-240V -/10% 50/60HZ CONSTANT TORQUE: 0.75 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3214-0DA40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV150/3 UNFILTERED 3AC 380-500V -/10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3215-2B840		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV110 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 1.1 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3215-8D840		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV220/3 UNFILTERED 3AC 380-500V -/10% 50/60HZ CONSTANT TORQUE: 2.2 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3216-8B840		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV150 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3216-8CB40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV150/2 UNFILTERED 1AC/3AC 208-240V -/10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3217-3D840		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV300/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 3.0 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3217-3DB50		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV300/3 WITH BUILT IN CLASS A FILTER 3AC 380-480V -/10% 50/60HZ CONSTANT TORQUE: 3.0 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-0BC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV220 WITH BUILT IN CLASS A FILTER 1AC 208-240V -/10% 50/60HZ CONSTANT TORQUE: 2.2 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 185 X 215 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-0CC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV220/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 2.2 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 185 X 215 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-0DC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV400/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 4.0 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-0DC50		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV400/3 WITH BUILT IN CLASS A FILTER 3AC 380-480V +/-10% 50/60HZ CONSTANT TORQUE: 4.0 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-3CC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV300/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 3.0 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 185 X 215 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-3DC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV550/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 5.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-5DC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV750/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 7.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3221-7DG40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV750/3 3AC 380-500V -/10% 50/60HZ CONSTANT TORQUE: - OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 11 KW 450 X 275 X 210 MM (H X W X D) PROTECTION IP21 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3221-7DG50		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV750/3 WITH INTEGRAL CLASS A FILTER 3AC 380-480V -/10% 50/60HZ CONSTANT TORQUE: - OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 11 KW 700 X 275 X 210 MM (H X W X D) PROTECTION IP20 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3221-8CC40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER VECTOR MMV400/2 UNFILTERED 3AC 208-240V -/10% 50/60HZ CONSTANT TORQUE: 4 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: N/A 185 X 215 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE3222-4DG40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV1100/3 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 11 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 15 KW 450 X 275 X 210 MM (H X W X D) PROTECTION IP21 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3222-7FH40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV1850/4 3AC 525-575V +/-15% 50/60HZ CONSTANT TORQUE: 18.5 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 22 KW 550 X 275 X 210 MM (H X W X D) PROTECTION IP21 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3223-0DH40		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV1500/3 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 15 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 18.5 KW 550 X 275 X 210 MM (H X W X D) PROTECTION IP21 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3223-0DH50		SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV1500/3 WITH INTEGRAL CLASS A FILTER 3AC 380-480V -/10% 50/60HZ CONSTANT TORQUE: 15 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 18.5 KW 800 X 275 X 210 MM (H X W X D

6SE3226-8DJ40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV3700/3 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 37 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 45 KW 650 X 275 X 285 MM (H X W X D) PROTECTION IP21 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3226-8DJ50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV3700/3 WITH INTEGRAL CLASS A FILTER 3AC 380-480V +/-10% 50/60HZ CONSTANT TORQUE 37 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 45 KW 920 X 275 X 285 MM (H X W X D) PROTECTION IP20 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3231-0DK50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV5500/3 WITH INTEGRAL CLASS A FILTER 3AC 380-480V +/-10% 50/60HZ CONSTANT TORQUE: 55 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 75 KW 1150 X 420 X 310 MM (H X W X D) PROTECTION IP20 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3231-4DK50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER VECTOR MDV7500/3 WITH INTEGRAL CLASS A FILTER 3AC 380-480V +/-10% 50/60HZ CONSTANT TORQUE: 75 KW OVERLOAD 150% 60SEC, 200% 3SEC VARIABLE TORQUE: 90 KW 1150 X 420 X 310 MM (H X W X D) PROTECTION IP20 NEMA 1 AMBIENT TEMPERATURE 0-40 DEG C
6SE3290-0BA87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR 1AC UNITS MM12/2, MMV12/2, MM25/2, MMV25/2
6SE3290-0BA87-0FB2	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR 1AC UNITS MM37/2, MMV37/2, MM55/2, MMV55/2, MM75/2, MMV75/2
6SE3290-0BB87-0FB4	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR 1AC UNITS MM110/2, MMV110/2, MM150/2, MMV150/2
6SE3290-0BC87-0FB4	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR 1AC UNITS MM220/2, MMV220/2, MM300/2, MMV300/2 MMV300/2
6SE3290-0CA87-2RA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	BRAKING RESISTOR FOR MMV12- MMV75 AND MMV12/2 - MMV75/2 450V DC 40W CONTINUOUS 800W FOR 12 SEC (5% DUTY CYCLE) 200 OHMS
6SE3290-0CB87-2RA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	BRAKING RESISTOR FOR MMV110- MMV150 AND MMV110/2-MMV150/2 450V DC 80W CONTINUOUS 1600W FOR 12 SEC (5% DUTY CYCLE) 100 OHMS
6SE3290-0DA87-0FA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS A FOOTPRINT FILTER FOR 3AC UNITS MM37/3, MMV37/3, MM55/3, MMV55/3, MM75/3, MMV75/3, MM110/3, MMV110/3, MM150/3, MMV150/3
6SE3290-0DA87-0FB1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR UNITS MM37/3 MMV37/3 MM55/3 MMV55/3 MM75/375 MMV75/3 MM110/3 MMV110/3 MM150/3 MMV150/3
6SE3290-0DA87-2RA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	BRAKING RESISTOR FOR MMV37/3 - MMV150/3 900V DC 80W CONTINUOUS 1600W FOR 12 SEC (5% DUTY CYCLE) 400 OHMS
6SE3290-0DB87-0FA3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS A FOOTPRINT FILTER SUITABLE FOR 3PH UNITS MM220/3 MMV220/3 MM300/3 MMV300/3
6SE3290-0DB87-0FB3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR 3PH UNITS MM220/3 MMV220/3 MM300/3 MMV300/3
6SE3290-0DB87-2RA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	BRAKING RESISTOR MMV220/3- MMV300/3 900V DC 150W CONTINUOUS 3000W FOR 12 SEC (5% DUTY CYCLE) 200 OHMS
6SE3290-0DC87-0FA4	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS A FOOTPRINT FILTER SUITABLE FOR UNITS MM400/3, MMV400/3, MM550/3, MMV550/3, MM750/3, MMV750/3
6SE3290-0DC87-0FB4	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLASS B FOOTPRINT FILTER SUITABLE FOR UNITS MM400/3, MMV400/3, MM550/3, MMV550/3, MM750/3, MMV750/3
6SE3290-0DK87-0FA7	SIEMENS	Simovert / Micro / Midi/ Masterdrive	FILTER FOR MDV3000/2 - MDV4500/2 208-240V +/-10% AND MDV4500/3 - MDV7500/3 380-460V +/-10% CLASS A
6SE3290-0XX87-8BF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	OPERATOR PANEL OPM 2
6SE4710-2AA00	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT P AC DRIVE INPUT 3AC 380V 16A 50/60HZ OUTPUT 3AC 0-380V 16/24A 0-500HZ
6SE6100-2FA00-6AD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 EMC FILTER
6SE6400-0AP00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 ADVANCED OPERATOR PANEL (AOP)
6SE6400-0AP00-0AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 ADVANCED OPERATOR PANEL (AOP)
6SE6400-0BE00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BASIC OPERATOR PANEL 2 (BOP-2)
6SE6400-0BE00-0AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BASIC OPERATOR PANEL 2 (BOP-2)
6SE6400-0BP00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BASIC OPERATOR PANEL (BOP)
6SE6400-0BP00-0AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BASIC OPERATOR PANEL (BOP)
6SE6400-0EN00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 ENCODER OPTION MODULE TTL DIFFERENTIAL / HTL INCREMENTAL 300 KHZ MAX., 5 V OR 24 V, 3W ENCA, ENCB, ENCZ // ENC-REC
6SE6400-0GP00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 GLAND PLATE CABLE SCREENING KIT (FSA)



6SE6400-0GP00-0BA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 GLAND PLATE CABLE SCREENING KIT (FSB)
6SE6400-0GP00-0CA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 GLAND PLATE CABLE SCREENING KIT (FSC)
6SE6400-0PA00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 PC - AOP MOUNTING KIT
6SE6400-0PM00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BOP/AOP SINGLE INVERTER DOOR MOUNTING KIT
6SE6400-0SP00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 OPERATOR PANEL
6SE6400-1CB00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 CANOPEN MODULE FOR MM420/MM430/MM440 161 X 73 X 43.5 (H X WX D) IP20
6SE6400-1PB00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 PROFIBUS MODULE
6SE6400-1PC00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 PC - INVERTER CONNECTION KIT
6SE6400-2FA00-6AD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 EMC FILTER 380V-480V 3AC 6A FOOTPRINT FSA - CLASS A
6SE6400-2FA01-4BC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 EMC FILTER 200V-240V 3AC 14A FOOTPRINT FSB - CLASS A
6SE6400-2FB00-6AD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 EMC FILTER 380V-480V 3AC 6A FOOTPRINT FSA - CLASS B
6SE6400-3CC00-2AD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 1,9A FOOTPRINT FSA - 3X5.2MH
6SE6400-3CC00-4AB3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-240V 1AC 3,4A FOOTPRINT FSA - 9.5MH
6SE6400-3CC00-4AD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 3,5A FOOTPRINT FSA - 3X3.9MH
6SE6400-3CC00-6AD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 4,8A FOOTPRINT FSA - 3X1.53MH
6SE6400-3CC01-0BD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 9A FOOTPRINT FSB - 2.2MH
6SE6400-3CC01-4BD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 12,1A FOOTPRINT FSB - 1.3MH
6SE6400-3CC02-2CD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 22A FOOTPRINT FSC - 1MH
6SE6400-3CC02-2CD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 25A FOOTPRINT FSC - 1MH
6SE6400-3CC03-5CD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 35A FOOTPRINT FSC - 0.53MH
6SE6400-3CC03-5CD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 AC COMMUTATION CHOKE 200V-480V 3AC 31,3A FOOTPRINT FSC - 0.53MH
6SE6400-3CC04-4DD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 COMMUTATING CHOKE 380-600 V 3AC 45,8A FOOTPRINT FSD - 0.41 MH
6SE6400-3CC05-2DD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 COMMUTATING CHOKE 200-480 V 3AC 53,6A FOOTPRINT FSD - 0.29 MH
6SE6400-3CC08-3ED0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 COMMUTATING CHOKE 380-600 V 3AC 86,9A FOOTPRINT FSE - 0.22 MH
6SE6400-3CC11-7FD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 COMMUTATING CHOKE 200-480 V 3AC 186 A STAND ALONE FSF - 0.09 MH
6SE6400-3TC00-4AD2	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT CHOKE 380-480V 3AC 4A FOOTPRINT FSA - 2.0MH 400V: UP TO 150M CABLE LENGTH 440V: UP TO 100M CABLE LENGTH
6SE6400-3TC00-4AD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT CHOKE 230V 3AC 4A FOOTPRINT FSA - 1.7MH 230V: UP TO 200M CABLE LENGTH
6SE6400-3TC01-0BD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT CHOKE 380V-480V 3AC 10A FOOTPRINT FSB - 0.28MH 230V: UP TO 200M CABLE LENGTH 400V: UP TO 150M CABLE LENGTH 480V: UP TO 100M CABLE LENGTH
6SE6400-3TC01-8CE3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT CHOKE 500-600V 3AC 18A FOOTPRINT FSC - 0.75 MH 550V: UP TO 100M CABLE LENGTH
6SE6400-3TC03-2CD3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT CHOKE 380V-600V 3AC 32A FOOTPRINT FSC - 0.048MH 400V: UP TO 200M CABLE LENGTH 480V: UP TO 100M CABLE LENGTH
6SE6400-3TD01-0CE0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 OUTPUT LC FILTER 500-600V 3AC 9.0 / 6.1 A (40 / 50 DEG C) FOOTPRINT FSC 382 X 185 X 140 (H X W X D)

6SE6400-4BD11-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BRAKING RESISTOR 380-480 V 390R 2000 W PK 100 W CONT 230 X 72 X 43.5 MM H X W X D IP20
6SE6400-4BD12-0BA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BRAKING RESISTOR 380-480 V 160R 4000 W PK 200 W CONT 239 X 149 X 43.5 MM H X W X D IP20
6SE6400-4BD16-5CA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BRAKING RESISTOR 380-480 V 56R 13000 W PK 650 W CONT 285 X 185 X 150 MM H X W X D IP20
6SE6400-4BD22-2EA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 BRAKING RESISTOR 380-480 V 15R 44000 W PK 2200 W CONT 645 X 270 X 175 MM H X W X D IP20
6SE6401-1EM00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 411 EM MODULE (ELECTROMECHANICAL BRAKE CONTROL MODULE) FOR MM411 AND CM411 114.5 X 132 X 50 (H X W X D) IP66
6SE6401-1PB00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 PROFIBUS MODULE FOR MM411 AND CM411 114.5 X 132 X 50 (H X W X D) IP66
6SE6401-1RB00-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 4 REM MODULE (RESISTOR AND ELECTROMECHANICAL BRAKE CONTROL MODULE FOR MM411 AND CM411 131 X 132 X 111 (H X W X D) IP66
6SE6410-2BB13-7AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITH BUILT-IN CLASS B FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.37 KW OVERLOAD 150% SQUARED TORQUE POWER 0.12 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UA11-2AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 100-120 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.12 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.12 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UA13-7AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 100-120 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.37 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.37 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UB11-2AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.12 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.12 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UB12-5AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.25 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.25 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UB13-7AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.37 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.37 KW 150 X 69 X 118 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UB15-5BA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.55 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.55 KW 150 X 69 X 138 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6410-2UB17-5BA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 410 WITHOUT FILTER 1AC 200-240 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 0.75 KW OVERLOAD 150% FOR 60 S SQUARED TORQUE POWER 0.75 KW 150 X 69 X 138 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT OP
6SE6411-6BD21-1VS3	SIEMENS	Simovert / Micro / Midi/ Masterdrive	
6SE6411-6BD22-2CA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 411 WITH BUILT IN CLASS B FILTER 3AC 380-480V 10/-10% 47-63HZ CONSTANT TORQUE POWER 2.2 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 2.2 KW 170 X 255 X 177 (H X L X W) PROTECTION IP66 AMBIENT TEMP -10 TO 40 DEG C
6SE6411-6BD23-0CA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 411 WITH BUILT IN CLASS B FILTER 3AC 380-480V 10/-10% 47-63HZ CONSTANT TORQUE POWER 3 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 3 KW 170 X 255 X 177 (H X L X W) PROTECTION IP66 AMBIENT TEMP -10 TO 40 DEG C
6SE6420-2AB11-2AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.12 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.12 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB12-5AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.25 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.25 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB12-5AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.25 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.25 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB13-7AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.37 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.37 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB13-7AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.37 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.37 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB15-5AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.55 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.55 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB15-5AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.55 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.55 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB17-5AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.75 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.75 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB17-5AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 0.75 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 0.75 KW 173 X 73 X 149 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB21-1BA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 1.1 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 1.1 KW 202 X 149 X 172 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB21-5BA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 1.5 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 1.5 KW 202 X 149 X 172 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB21-5BA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 1.5 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 1.5 KW 202 X 149 X 172 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP
6SE6420-2AB22-2BA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 420 WITH BUILT IN CLASS A FILTER 1AC 200-240V 10/-10% 47-63HZ CONSTANT TORQUE POWER 2.2 KW OVERLOAD 150% FOR 60S VARIABLE TORQUE POWER 2.2 KW 202 X 149 X 172 (H X W X D) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C W/O AOP/BOP

[illegible]

[illegible]

[illegible]

[illegible]

6SE6440-2UE33-7EA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER 440 WITHOUT FILTER 3AC 500-600 V 10/-10% 47-63 HZ CONSTANT TORQUE POWER 37 KW OVERLOAD 150% 60 S, 200% 3 S SQUARED TORQUE POWER 45 KW 650 X 275 X 245 (H X W X D) PROTECTION IP20 AMBIENT TEMP. -10 TO 50 DEG. C WITHOUT AOP/BOP
6SE7011-5EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3 380-480V AC, 50/60HZ, 1.5A DOCUMENTATION ON CD
6SE7011-5EP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 CONVERTER COMPACT PLUS UNIT, IP20 3AC 380-480V, 50/60HZ, 1.5A NOMINAL POWER RATING: 0.55KW DOCUMENTATION ON CD
6SE7012-0EP87-0FB1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES COMPACT PLUS DESIGN RI SUPPRESSION FILTER, ACC. TO EN 55011, GROUP 1, CLASS B 3-PH. 380-480 V, 50/60 HZ, 2 A WITH MAINS COMMUTATING REACTOR REL. SHORT-CIRCUIT VOLTAGE UK=2 %, UL APPROVAL
6SE7012-0TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS INVERTER 510 V - 650 V DC, 2 A POWER RATING: 0.75 KW DOCUMENTATION ON CD
6SE7012-0TP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510V - 650V, 2A NOMINAL POWER RATING: 0.75 KW DOCUMENTATION ON CD
6SE7012-0TP70-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510V - 650V, 2A NOMINAL POWER RATING: 0.75 KW DOCUMENTATION ON CD
6SE7013-0EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3-PH. 380-480 V, 50/60 HZ, 3 A POWER RATING: 1.1 KW DOCUMENTATION ON CD
6SE7013-0EP50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3-PH. 380-480 V, 50/60 HZ, 3 A POWER RATING: 1.1 KW DOCUMENTATION ON CD
6SE7013-0EP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 3AC 380-480 V, 50/60 HZ 3 A NOM. POWER RATINGS: 1.1 KW DOCUMENTATION ON CD
6SE7014-0TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS INVERTER 510 V - 650 V DC, 4 A POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7014-0TP70-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510V - 650V, 4A NOMINAL POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7014-5FB10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC CONVERTER COMPACT UNIT, IP20 3-PH. 500-600 V AC, 50/60 HZ, 4.5 A NOM. POWER RATING: 2.2 KW
6SE7014-5FB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 500-600V AC, 50/60HZ, 4.5 A NOM. POWER RATINGS: 2.2KW DOCUMENTATION ON CD
6SE7014-5UB10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC INVERTER COMPACT UNIT, IP20 DC 675-780 V 4.5 A NOM. POWER RATINGS: 2.2 KW
6SE7015-0EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3-PH. 380-480 V, 50/60 HZ, 5 A POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7015-0EP50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3-PH. 380-480 V, 50/60 HZ, 5 A POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7015-0EP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 CONVERTER COMPACT PLUS UNIT, IP20 3AC 380-480V, 50/60HZ, 5A NOMINAL POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7015-0EP70-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 CONVERTER COMPACT PLUS UNIT, IP20 3AC 380-480V, 50/60HZ, 5A NOMINAL POWER RATING: 1.5 KW DOCUMENTATION ON CD
6SE7016-0EP87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL RI SUPPRESSION FILTER, ACC. TO EN55011. GROUP 1. CLASS B 3 AC 380-480V, 50/60HZ, 6 A WITH MAINS COMMUTATING REACTOR REL. SHORT-CIRCUIT VOLT. UK=2%
6SE7016-0EP87-0FB1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES COMPACT PLUS DESIGN RI SUPPRESSION FILTER, ACC. TO EN 55011, GROUP 1, CLASS B 3-PH. 380-480 V, 50/60 HZ, 6 A WITH MAINS COMMUTATING REACTOR REL. SHORT-CIRCUIT VOLTAGE UK=2 %, UL APPROVAL
6SE7016-0TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS INVERTER 510 V - 650 V DC, 6.1 A POWER RATING: 2.2 KW DOCUMENTATION ON CD
6SE7016-0TP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 DC510V-650V, 6.1A NOM. POWER RATINGS: 2.2 KW DOCUMENTATION ON CD
6SE7016-1EA11	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC CONVERTER COMPACT UNIT, IP20 3-PH. 380-460 V, 50/60 HZ 6.1 A POWER RATING: 2.2 KW
6SE7016-1EA51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT CONVERTER 3 380-480V AC, 50/60HZ, 6.1A DOCUMENTATION ON CD
6SE7016-1EA51-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT CONVERTER 3 380-480V AC, 50/60HZ, 6.1A DOCUMENTATION ON CD
6SE7016-1EA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 6.1 A NOM. POWER RATINGS: 2.2KW DOCUMENTATION ON CD
6SE7016-1EA87-1FC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SINUSFILTER 3 380-460V AC 6.1A
6SE7016-1ES85-8XC0-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER FOR COMPACT UNIT 6SE7016-1EA.0 3AC 380-460 V, 50/60 HZ 6.1 A
6SE7016-1TA20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC INVERTER COMPACT UNIT, IP20 DC 510-620 V 6.1 A NOM. POWER RATINGS: 2.2 KW

6SE7016-1TA21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC INVERTER COMPACT UNIT, IP20 DC 510-620 V 6.1 A NOM. POWER RATINGS: 2.2 KW
6SE7016-1TA51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT INVERTER 510V - 650V DC, 6.1A DOCUMENTATION ON CD
6SE7016-1TA51-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT INVERTER 510V - 650V DC, 6.1A DOCUMENTATION ON CD
6SE7016-1TA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 6.1 A NOM. POWER RATINGS: 2.2KW DOCUMENTATION ON CD
6SE7016-1TE30	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIEMENS SIMOVERT SC
6SE7016-2UB10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC INVERTER COMPACT UNIT, IP20 3AC 675-780 V, 6.2 A NOM. POWER RATINGS: 3 KW
6SE7016-2UB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 675-810V DC, 6.2 A NOM. POWER RATINGS: 3KW DOCUMENTATION ON CD
6SE7016-4FS87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 675-780V DC, 5KW
6SE7018-0EA51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT CONVERTER 3 380-480V AC, 50/60HZ, 8A DOCUMENTATION ON CD
6SE7018-0EA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 8.0 A NOM. POWER RATINGS: 3KW DOCUMENTATION ON CD
6SE7018-0EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS CONVERTER 3-PH. 380-480 V, 50/60 HZ, 8 A POWER RATING: 3.0 KW DOCUMENTATION ON CD
6SE7018-0ES87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 510-620V DC, 5KW
6SE7018-0ES87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT PROTECTION IP20 510-620 V DC, 5 KW FOR COMPACT PLUS DESIGN DOCUMENTATION ON CD
6SE7018-0ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 510-620V DC 5KW, 80 OHM
6SE7018-0TA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 8.0 A NOM. POWER RATINGS: 3KW DOCUMENTATION ON CD
6SE7021-0EA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 10.2 A NOM. POWER RATINGS: 4KW DOCUMENTATION ON CD
6SE7021-0EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CONVERTER COMPACT-PLUS-UNIT, IP20 3 AC 380V-480V, 50/60HZ, 10A NOM. POWER RATINGS: 4KW DOCUMENTATION ON CD
6SE7021-0EP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 CONVERTER COMPACT PLUS UNIT, IP20 3AC 380V-480V, 50/60HZ, 10A NOMINAL POWER RATING: 4KW DOCUMENTATION ON CD
6SE7021-0ES87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL FUNKENTSTÖRFILTER B1 3 AC 380-460V --> 3 AC 380-480V 50/60HZ, 12A
6SE7021-0ES87-0FB1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL RADIO INTERF. SUPPR. FILTER B1 3-PH 380-460 V, 50/60 HZ, 12 A
6SE7021-0TA31	SIEMENS	Simovert / Micro / Midi/ Masterdrive	THINPH PART INDUSTRIAL AUTOMATION LTD SIMOVERT MASTERDRIVES SIMOVERT SC, INVERTER COMPACT UNIT, IP20 DC 510-620 V, 10.2 A NOM. POWER RATING: 4 KW
6SE7021-0TA61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL WECHSELRICHTERGERAET KOMPAKTGERAET, IP20 DC 510-650V, 10,2 A TYPENLEISTUNG: 4KW DOKUMENTATION AUF CD
6SE7021-0TA61-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 10.2 A NOM. POWER RATINGS: 4KW DOCUMENTATION ON CD
6SE7021-0TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT PLUS INVERTER 510 V - 650 V DC, 10.2 A POWER RATING: 4.0 KW DOCUMENTATION ON CD
6SE7021-0TP70-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510V - 650V, 10.2A NOMINAL POWER RATING: 4.0 KW DOCUMENTATION ON CD
6SE7021-1CA60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 200-230V AC, 50/60HZ, 10.6 A NOM. POWER RATINGS: 2.2KW
6SE7021-1RA30	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT SC COMPACT UNIT/IP20, 280-310V DC 10.6 A
6SE7021-1UB10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 675-810V DC, 11A NOM. POWER RATINGS: 5.5KW. DOCUMENTATION ON CD.
6SE7021-1UB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 675-810V DC, 11A NOM. POWER RATINGS: 5.5KW DOCUMENTATION ON CD
6SE7021-2EP87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL RI SUPPRESSION FILTER, ACC. TO EN55011. GROUP 1. CLASS B 3 AC 380-480V, 50/60HZ, 12A WITH MAINS COMMUTATING REACTOR REL. SHORT-CIRCUIT VOLT. UK=2%
6SE7021-3EB20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER COMPACT UNIT, IP20 3-PH. 380-460 V, 50/60 HZ 13.2A POWER RATING: 5.5 KW

6SE7021-3FS87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 675-780V DC, 10KW
6SE7021-3TB20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, INVERTER COMPACT UNIT, IP20 510-620V DC, 13.2 A NOM. POWER RATING: 5.5 KW
6SE7021-3TB30	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT SC, INVERTER COMPACT UNIT, IP20 DC 510-620 V, 13.2 A NOM. POWER RATING: 5.5 KW
6SE7021-3TB51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT INVERTER 510V - 650V DC, 13.2A DOCUMENTATION ON CD
6SE7021-3TB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 13.2 A NOM. POWER RATINGS: 5.5KW DOCUMENTATION ON CD
6SE7021-3TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT PLUS UNIT, IP20 510-650 V DC, 13.2 A NOM. POWER RATINGS: 5.5 KW DOCUMENTATION ON CD
6SE7021-3TP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510-650V, 13.2A NOMINAL POWER RATING: 5.5KW DOCUMENTATION ON CD
6SE7021-4EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CONVERTER COMPACT-PLUS-UNIT, IP20 3 AC 380V-480V, 50/60HZ, 14A NOM. POWER RATINGS: 5.5KW DOCUMENTATION ON CD
6SE7021-4EP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 3AC 380-480 V, 50/60 HZ 14 A NOM. POWER RATINGS: 5.5 KW DOCUMENTATION ON CD
6SE7021-5FB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 500-600V AC, 50/60HZ, 15.1A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7021-6ES87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 510-620V DC, 10KW
6SE7021-6ES87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT PROTECTION IP20 510-650 V DC, 10 KW FOR COMPACT PLUS DESIGN DOCUMENTATION ON CD
6SE7021-6ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 510-620V DC, 10KW, 40 OHM
6SE7021-8EB10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC, CONVERTER COMPACT UNIT, IP20 3AC 380-460 V, 50/60 HZ, 17.5 A NOM. POWER RATING: 7.5 KW
6SE7021-8EB21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER COMPACT UNIT, IP20 3 380-460V AC, 50/60HZ, 17.5A NOM. POWER RATING: 7.5 KW
6SE7021-8EB51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT CONVERTER 3 380-480V AC, 50/60HZ, 17.5A DOCUMENTATION ON CD
6SE7021-8EB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 17.5 A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7021-8EP87-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL RI SUPPRESSION FILTER, ACC. TO EN55011. GROUP 1. CLASS B 3 AC 380-480V, 50/60HZ, 18A WITH MAINS COMMUTATING REACTOR REL. SHORT-CIRCUIT VOLT. UK=2%
6SE7021-8RB30	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT SC COMPACT UNIT/IP20 280-310V DC, 17.7 A
6SE7021-8TB61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 17.5 A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7021-8TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT-PLUS-UNIT, IP20 510-650V DC, 17.5A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7021-8TP50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT-PLUS-UNIT, IP20 510-650V DC, 17.5A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7021-8TP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 DC510V-650V, 17.5A NOM. POWER RATINGS: 7.5 KW DOCUMENTATION ON CD
6SE7022-0ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 12 KW FOR COMPACT PLUS DESIGN DEGREE OF PROT. IP20 12 KW, 33.3 R P3 = 18 KW, PPERM. = 900 W
6SE7022-1EC85-1AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER/REGENERATIVE UNIT COMPACT UNIT/IP20 3 380-480V AC, 50/60HZ 21A
6SE7022-1EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CONVERTER COMPACT-PLUS-UNIT, IP20 3 AC 380V-480V, 50/60HZ, 20.5A NOM. POWER RATINGS: 7.5KW DOCUMENTATION ON CD
6SE7022-1EP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 3AC 380-480 V, 50/60 HZ 20.5 A NOM. POWER RATINGS: 7.5 KW DOCUMENTATION ON CD
6SE7022-2FC61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 500-600V AC, 50/60HZ, 22 A NOM. POWER RATINGS: 11KW DOCUMENTATION ON CD
6SE7022-2UC21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC INVERTER UNIT COMPACT UNIT, IP20 675 TO 780 V DC 22.0 A NOMINAL POWER RATING: 11 KW
6SE7022-6EC10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC CONVERTER COMPACT UNIT, IP20 3-PH. 380-460 V, 50/60 HZ 25.5A POWER RATING: 11 KW
6SE7022-6EC21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER COMPACT UNIT, IP20 3-PH. 380-460 V, 50/60 HZ 25.5A POWER RATING: 11 KW

6SE7022-6EC51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT CONVERTER 3 380-480V AC, 50/60HZ, 25.5A DOCUMENTATION ON CD
6SE7022-6EC61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 25.5 A NOM. POWER RATINGS: 11KW DOCUMENTATION ON CD
6SE7022-6EC81	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES 3-PH. 380-460 V, 25.5 A AFE RECTIFIER/REGENERAT. UNIT, INVERTER NOM. POWER RATING: 11 KW AIR-COOLED RATED RECTIFIER/REGENER. POWER 17 KW DOCUMENTATION ON CD
6SE7022-6TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT-PLUS-UNIT, IP20 510-650V DC, 25.5A NOM. POWER RATINGS: 11KW DOCUMENTATION ON CD
6SE7022-6TP50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT-PLUS-UNIT, IP20 510-650V DC, 25.5A NOM. POWER RATINGS: 11KW DOCUMENTATION ON CD
6SE7022-6TP70	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510-650V, 25.5A NOMINAL POWER RATING: 11KW DOCUMENTATION ON CD
6SE7022-7EP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CONVERTER COMPACT-PLUS-UNIT, IP20 3 AC 380V-480V, 50/60HZ, 27A NOM. POWER RATINGS: 11KW DOCUMENTATION ON CD
6SE7023-0UD21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, INVERTER COMPACT UNIT, IP20 DC 675-780 V, 29 A NOM. POWER RATING: 18.5 KW
6SE7023-2ES87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT PROTECTION IP20 510-650 V DC, 20 KW COMPACT PLUS DESIGN DOCUMENTATION ON CD
6SE7023-2ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 510-620V DC, 20KW, 20 OHM
6SE7023-4EC11	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC, CONVERTER COMPACT UNIT, IP20 3 380-460V AC, 50/60 HZ, 34 A NOM. POWER RATING: 15 KW
6SE7023-4EP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 3AC 380-480 V, 50/60 HZ 34 A NOM. POWER RATINGS: 15 KW DOCUMENTATION ON CD
6SE7023-4ES87-0FB1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL/MOTION CONTROL RADIO INTERF. SUPPR. FILTER B1 3-PH. 380-460 V, 50/60 HZ, 36 A
6SE7023-4TC51	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT INVERTER 510V - 650V DC, 34A DOCUMENTATION ON CD
6SE7023-4TC61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 34 A NOM. POWER RATINGS: 15KW DOCUMENTATION ON CD
6SE7023-4TC61-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 34 A NOM. POWER RATINGS: 15KW DOCUMENTATION ON CD
6SE7023-4TP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 DC510V-650V, 34A NOM. POWER RATINGS: 15 KW DOCUMENTATION ON CD
6SE7023-4TP60-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER UNIT COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 DC510V-650V, 34A NOM. POWER RATINGS: 15 KW DOCUMENTATION ON CD D99-SUPPLIED WITHOUT OPERATING
6SE7023-8ED11	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC, CONVERTER COMPACT UNIT, IP20 3 380-460V AC, 50/60HZ, 37.5 A NOM. POWER RATING: 18.5 KW
6SE7023-8TD61-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 37.5 A NOM. POWER RATINGS: 18.5KW DOCUMENTATION ON CD
6SE7023-8TP50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL INVERTER COMPACT-PLUS-UNIT, IP20 510-650V DC, 37.5A NOM. POWER RATINGS: 18.5KW DOCUMENTATION ON CD
6SE7023-8TP60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT PLUS DESIGN DEGREE OF PROTECTION IP20 DC510V-650V, 37.5A NOM. POWER RATINGS: 18.5 KW DOCUMENTATION ON CD
6SE7023-8TP70-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL - PERFORMANCE 2 INVERTER COMPACT PLUS UNIT, IP20 DC 510-650V, 37.5A NOMINAL POWER RATING: 18.5KW DOCUMENTATION ON CD
6SE7024-1EB85-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER COMPACT UNIT/IP20 3 380-480V AC, 50/60HZ 41A
6SE7024-1EP85-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MOTION CONTROL COMPACT PLUS RECTIFIER 3 AC 380V - 480V, 41A POWER RATING: 1.5 KW
6SE7024-1EP85-0AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MASTERDRIVES COMPACT PLUS RECTIFIER UNIT 3-PH. 380-480 V, 41 A UNIT RATING: 15 KW
6SE7024-1FC85-1AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER/REGENERATIVE UNIT COMPACT UNIT/IP20 3 500-575V AC, 50/60HZ, 41A
6SE7024-7ED20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER COMPACT UNIT, IP20 3AC 380-460 V, 50/60 HZ, 47 A NOM. POWER RATING: 22 KW
6SE7024-7ED21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER COMPACT UNIT, IP20 3AC 380-460 V, 50/60 HZ, 47 A NOM. POWER RATING: 22 KW
6SE7024-7ED61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 47 A NOM. POWER RATINGS: 22KW DOCUMENTATION ON CD
6SE7024-7ED81	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES 3-PH. 380-460 V, 47 A AFE RECTIFIER/REGENERAT. UNIT, INVERTER NOM. POWER RATING: 22 KW AIR-COOLED RATED RECTIFIER/REGENER. POWER 32 KW DOCUMENTATION ON CD

6SE7024-7FD10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT FC, CONVERTER COMPACT UNIT, IP20 3AC 500-575 V, 50/60 HZ, 46.5 A NOM. POWER RATING: 30 KW
6SE7024-7TD20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC INVERTER COMPACT UNIT, IP20 510-620V DC 47A NOM. POWER RATINGS: 22KW
6SE7025-0TP87-2DD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MOTION CONTROL CAPACITOR MODULE FOR POWER BACK-UP 510 V DC (-15%) 720WS 650 V DC (10%) 500WS
6SE7025-3HA87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 890-930V DC, 50KW
6SE7026-0ED20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER COMPACT UNIT, IP20 3 380-460V AC, 50/60HZ, 59A NOM. POWER RATINGS: 30KW
6SE7026-0ED61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 59 A NOM. POWER RATINGS: 30KW DOCUMENTATION ON CD
6SE7026-0TD61-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 59 A NOM. POWER RATINGS: 30KW DOCUMENTATION ON CD
6SE7026-1FE20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC UMRICHTERGERAET EINBAUGERAET, IP00 3 AC 500-575V, 50/60HZ 61A TYPENLEISTUNG: 37KW
6SE7026-3CA87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 280-310V DC, 20KW
6SE7026-4FA87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 675-780V DC, 50KW
6SE7027-2ED20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER COMPACT UNIT, IP20 3AC 380-460 V, 50/60 HZ 72 A NOM. POWER RATING: 37 KW
6SE7027-2ED61	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER COMPACT UNIT, IP20 3 380-480V AC, 50/60HZ, 72 A NOM. POWER RATINGS: 37KW DOCUMENTATION ON CD
6SE7027-2ES87-1FF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES OUTPUT REACTOR 3 380-460V AC, 72A 59 UH
6SE7027-2TD21	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, INVERTER COMPACT UNIT, IP20 DC 510-620 V, 72 A NOM. POWER RATING: 37 KW
6SE7027-2TD51-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMPACT UNIT INVERTER 510V - 650V DC, 72A DOCUMENTATION ON CD
6SE7027-2TD61-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER COMPACT UNIT, IP20 510-650V DC, 72 A NOM. POWER RATINGS: 37KW DOCUMENTATION ON CD
6SE7028-0EA87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 510-620V DC, 50KW
6SE7028-0ES87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT PROTECTION IP20 510-650 V DC, 50 KW FOR COMPACT PLUS DESIGN DOCUMENTATION ON CD
6SE7028-0ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 510-620V DC, 50KW, 8 OHM
6SE7028-0FF20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER UNIT CHASSIS UNIT, IP00 3-PH. 500 TO 575 V, 50/60 HZ 79.0 A NOMINAL POWER RATING: 55 KW
6SE7028-2HS87-1FE0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES OUTPUT REACTOR FMAX = 300HZ, FP = 3KHZ 3 500-575/660-690V AC 79/82A
6SE7028-6EC85-1AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER/REGENERATIVE UNIT COMPACT UNIT/IP20 3 380-480V AC, 50/60HZ 86A
6SE7028-8FC85-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER COMPACT UNIT/IP20 3 500-575V AC, 50/60HZ 94A
6SE7031-0EE20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER UNIT CHASSIS UNIT, IP00 3-PH. 380 TO 460 V, 50/60 HZ 92.0 A NOMINAL POWER RATING: 45 KW
6SE7031-0EE84-1JC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES INVERTER TRIGGERING MODULE IGD1 FOR UNITS 3-PH 380-460 V AC, 50/60HZ A. 510-620V DC, 92A AND 146A
6SE7031-0TE50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CHASSIS UNIT INVERTER 510V - 650V DC, 92A DOCUMENTATION ON CD
6SE7031-0TE50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CHASSIS UNIT INVERTER 510V - 650V DC, 92A DOCUMENTATION ON CD
6SE7031-1FG20-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT VC CHASSIS UNIT / IP 00 3-PH. 500 TO 575V, 50/60HZ 108.0 A
6SE7031-1UF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER CHASSIS UNIT, IP00 675-810V DC, 108 A NOM. POWER RATINGS: 75KW DOCUMENTATION ON CD
6SE7031-2EF20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER CHASSIS UNIT, IP00 3 380-460V AC, 50/60HZ, 124A NOM. POWER RATING: 55 KW
6SE7031-2EF50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL CHASSIS UNIT CONVERTER 3 380-480V AC, 50/60HZ, 124A DOCUMENTATION ON CD



THIN PART INDUSTRIAL AUTOMATION LTD

6SE7031-2EF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER CHASSIS UNIT, IP00 3 380-480V AC, 50/60HZ, 124 A NOM. POWER RATINGS: 55KW DOCUMENTATION ON CD
6SE7031-2EP85-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL, RECTIFIER UNIT COMPACT-PLUS UNIT, IP20 3-PH. 380-480 V, 50/60 HZ, 120A NOM. POWER RATING: 50 KW
6SE7031-2TF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER CHASSIS UNIT, IP00 510-650V DC, 124 A NOM. POWER RATINGS: 55KW DOCUMENTATION ON CD
6SE7031-2TF60-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER CHASSIS UNIT, IP00 510-650V DC, 124 A NOM. POWER RATINGS: 55KW DOCUMENTATION ON CD
6SE7031-5EF20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC, CONVERTER CHASSIS UNIT, IP00 3 380-460V AC, 50/60HZ, 146A NOM. POWER RATING: 75 KW
6SE7031-5EF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER CHASSIS UNIT, IP00 3 380-480V AC, 50/60HZ, 146 A NOM. POWER RATINGS: 75KW DOCUMENTATION ON CD
6SE7031-5EF84-1BH0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES STANDARD MODULE ABO FOR UNITS: 3-PH. 380-460V AC AND 510-620 V DC, 146 A
6SE7031-5EF84-1JC1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES INVERTER TRIGGERING MODULE IGD1 FOR UNITS: 3-PH 380-460 V AC, 50/60 HZ A. 510-620V DC, 92 A AND 146 A
6SE7031-6EB87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAK. UNIT DEGR.OF P. IP20 510-620V DC, 100KW
6SE7031-6ES87-2DC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING RESISTOR 510-620 V DC 100 KW, 4 OHM
6SE7031-6FG84-1JC1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	INVERTER GATING MODULE IGD5 FOR UNITS 3 AC 380-460V, 50/60HZ, 260A A. 3 AC 500-575V, 50/60HZ, 156A
6SE7031-8EF20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SIMOVERT VC CONVERTER UNIT CHASSIS UNIT, IP00 3-PH. 380 TO 460 V, 50/60 HZ 186.0 A NOMINAL POWER RATING: 90 KW
6SE7031-8EF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER CHASSIS UNIT, IP00 3 380-480V AC, 50/60HZ, 186 A NOM. POWER RATINGS: 90KW DOCUMENTATION ON CD
6SE7031-8EF84-1BH0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES STANDARD MODULE ABO FOR UNITS: 3-PH. 380-460 V AC AND 510-620 V DC, 186 A
6SE7031-8ES87-0FA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RADIO INTERF. SUPPR. FILTER A1 3 380-460V AC, 50/60HZ 146A/186A
6SE7031-8TF60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER CHASSIS UNIT, IP00 510-650V DC, 186 A NOM. POWER RATINGS: 90KW DOCUMENTATION ON CD
6SE7032-1EG60	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL CONVERTER CHASSIS UNIT, IP00 3 380-480V AC, 50/60HZ, 210 A NOM. POWER RATINGS: 110KW DOCUMENTATION ON CD
6SE7032-4FE85-0AA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER CHASSIS UNIT/IP00 3 500-575V AC, 50/60HZ, 235A
6SE7032-5FB87-2DA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING UNIT DEGR.OF P. IP20 675-810 V DC, 200 KW
6SE7032-5FB87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING UNIT 675 -810 V DC, 200 KW PROTECTION IP20 DOCUMENTATION ON CD
6SE7032-6EG84-1BH0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	STANDARD MODULE ABO FOR UNITS: 3-PH. 380-460V AC AND 510-620 V DC, 260 A
6SE7032-6ES87-1FE0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES OUTPUT REACTOR FMAX = 120HZ, FP = 3KHZ 3 380-460V AC, 260A
6SE7032-6TG60-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL INVERTER CHASSIS UNIT, IP00 510-650V DC, 260 A NOM. POWER RATINGS: 132KW DOCUMENTATION ON CD
6SE7032-7EB87-2DA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES BRAKING UNIT 510 -650 V DC, 170 KW PROTECTION IP20 DOCUMENTATION ON CD
6SE7032-8FH84-1JA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	POWER SUPPLY UNIT PSU1 FOR UNITS OF DESIGN E TO H 3-PH. 500-575V AC, 50/60 HZ AND 675-780 V DC
6SE7033-2ES87-0FA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL RADIO INTERF. SUPPR. FILTER A1 3-PH 380-460 V AC --> 380-480V 50/60 HZ, 320 A
6SE7033-8EE85-0AA0-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES RECTIFIER CHASSIS UNIT/IP00 3 380-480V AC, 50/60HZ, 375A
6SE7036-0ES87-0FA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL RI SUPPRESSION FILTER A1 3 380-460V AC, 50/60HZ, 600A
6SE7036-0TK84-1BH0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	STANDARD MODULE ABO F. UNITS 510-620V DC, 590A
6SE7038-6EK84-1GF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	INVERTER PROT. CIRCUIT SMU3
6SE7038-6GK84-1GF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SNUBBER MODULE UPPER UNIT SMU3

6SE7038-6GK84-1GG0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	INVERTER PROT. CIRCUIT SML3
6SE7038-6GL84-1JA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	POWER SUPPLY UNIT PSU2 F. UNITS OF DESIGN J TO M
6SE7090-0XB87-3CA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES CONNECTION ADAPTER FOR CABLE SCREENS DESIGN B ACCESSORY
6SE7090-0XP87-3CR0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL DC LINK MODULE FOR DC LINK COUPLING OF COMPACT UNITS AND COMPACT-PLUS UNITS 510-650 V DC, 120 A ACCESSORY
6SE7090-0XX84-0AA1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES CLOSED-LOOP AND OPEN-LOOP CONTROL MODULE CU1 SOFTWARE VERSION 1.1
6SE7090-0XX84-0AB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLOSED-LOOP AND OPEN-LOOP CONTROL MODULE VECTOR CONTROL SIMOVERT MASTERDRIVES FIRMWARE VERSION: V3.4
6SE7090-0XX84-0AD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLOSED-LOOP AND CONTROL MODULE MOTION CONTROL
6SE7090-0XX84-0AD1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLOSED-LOOP AND CONTROL MODULE MOTION CONTROL 60 MHZ
6SE7090-0XX84-0AD5	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CONTROL MODULE MOTION CONTROL PERFORMANCE 2
6SE7090-0XX84-0AE0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES COMMUNICATIONS MODULE
6SE7090-0XX84-0AF1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES CLOSED-LOOP AND OPEN-LOOP CONTROL MODULE CU2 REDESIGN SOFTWARE VERSION 1.34
6SE7090-0XX84-0AG1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	CLOSED-LOOP CONTROL AND CONTROL MODULE CU3 SOFTWARE VERSION 1.1
6SE7090-0XX84-0AJ0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MWH BOARD FOR CU2 CONTROL UNIT
6SE7090-0XX84-0BC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SER. INTERFACE MOD. SCB1 FOR PEER TO PEER PROTOCOL VIA FO CABLE OR CONNECTION OF SCI 1/SCI 2
6SE7090-0XX84-0FA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL MEAS. VAL. ENCODER MOD. FOR PULSE ENCODER SBP DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-0FB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL MEAS. VAL. ENCODER MOD. FOR RESOLVER W/O PULSE ENCODER SIMULATION SBR1 DELIVERY W/O OPERAT. INSTRUCT.
6SE7090-0XX84-0FC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL MEAS. VAL. ENCODER MOD. FOR RESOLVER W. PULSE ENCODER SIMULATION SBR2 DELIVERY W/O CONNECTORS AND SHORT GUIDE
6SE7090-0XX84-0FD0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL MEAS. VALUE ENCODER MOD. FOR MULTI-TURN ENCODER/ENCOD. SBM DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-0FE0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL MEAS. VALUE ENCODER MOD. FOR MULTI-TURN ENCODER/ENCOD. SBM2 DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-0FF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMMUNICATIONS MODULE PROFIBUS CBP DELIVERY W/O OPERAT. INSTRUCT.
6SE7090-0XX84-0FF5	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMMUNICATION MODULE PROFIBUS CBP2 DELIVERED W/O OPERATING INSTR.
6SE7090-0XX84-0FG0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMMUNICATIONS MODULE CAN-BUS CBC DELIVERY W/O OPER. INSTRUCTIONS
6SE7090-0XX84-0FJ0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL COMMUNICATIONS MODULE SIMOLINK SLB DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-0KA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL ADAPTER MODULE FOR COMPACT AND CHASSIS UNITS ADB
6SE7090-0XX84-0KB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL EXPANSION BOARD EB1 DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-0KC0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL EXPANSION BOARD EB2 DELIVERY W/O CONNECTORS AND OPERATING INSTRUCTIONS
6SE7090-0XX84-1CG1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	POWER UNIT INTERFACE MODULE FOR MULTI-PARALLEL CONNECTION IMPI
6SE7090-0XX84-1HK0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SSB BOARD SIMOVERT MASTERDRIVES
6SE7090-0XX84-2FA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES OPER./PARAMETER ASSIGNMENT UNIT PMU F. UNITS OF DESIGN A AND B
6SE7090-0XX84-2FF0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTER DRIVES OPERATOR PANEL OP1
6SE7090-0XX84-2FK0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES VECTOR CONTROL / MOTION CONTROL OPERATING UNIT W. INTEGRATED MEMORY OP 1 S

6SE7090-0XX84-3EH0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MASTERDRIVES TERMINAL BLOCK SE300 FOR TECHNOLOGICAL BOARD T300
6SE7090-0XX84-4HA0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES LOCAL BUS ADAPTER FOR ELECTRONIC BOX LBA
6SE7090-0XX84-6AB5	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES CLOSED-LOOP AND OPEN-LOOP CONTROL MODULE VECTOR CONTROL CUVC VARNISHED MODULE
6SE7090-0XX84-6FF5	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL/VECTOR CONTROL CBP2 COMMUNICATIONS BOARD PROFIBUS BOARD COATED SUPPLIED WITHOUT OPERATOR S MANUAL
6SE7090-0XX84-6FJ0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES MOTION CONTROL/VECTOR CONTROL SLB COMMUNICATIONS BOARD SIMOLINK VARNISHED BOARD SUPPLIED WITHOUT CONNECTOR AND OPERATOR S MANUAL
6SE7090-0XX87-0BB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES TECHNOLOGICAL BOARD T100 INCL. OPERATING INSTRUCTIONS FOR HW, BUT WITHOUT SOFTWARE MODULE (SOFTWARE MODULE AND LBA ADAPTER HAVE TO BE ORDERED SEPARATELY)
6SE7098-0XX84-0AH1	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MEMORY MODULE MS301 FOR T300 BLANK, NEEDED FOR INDIVIDUAL CONFIGURATION W. STRUC. SEE DA99. NOT NEEDED FOR STANDARD CONFIGURATION ON MEMORY MODULE MS3**
6SE7098-0XX84-0BB0	SIEMENS	Simovert / Micro / Midi/ Masterdrive	SIMOVERT MASTERDRIVES SOFTWARE MODULE MS100 UNIVERSAL DRIVE FOR TECHNOLOGICAL BOARD T100 (EPROM MEMORY MODULE) WITHOUT MANUAL (MANUAL HAS TO BE ORDERED SEPARATELY)
6SE9110-7BA53	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER JUNIOR MMJ12 120W CLASS A FILTER 230V 1 AC
6SE9111-5CA13	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER JUNIOR MMJ25/2 250W WITHOUT FILTER 230V 1 AC
6SE9113-4BA53	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER JUNIOR MMJ75 750W CLASS A FILTER 230V 1 AC
6SE9113-4JA13	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER JUNIOR MMJ75/3 750W WITHOUT FILTER 400-460V 3AC
6SE9211-1DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM37/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 0.37 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9211-5CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM25/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.25 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9212-1BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM37 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.37 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9212-1CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM37/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.37 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9212-7DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM110/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 1.1 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9212-8BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM55 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.55 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9212-8CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM55/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.55 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9213-6BA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM75 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: THINK THAT INDUSTRIAL AUTOMATION LTD
6SE9213-6CA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM75/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 0.75 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 175 X 73 X 141 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9215-2BB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM110 WITH BUILT IN CLASS A FILTER 3AC 208-230V +/-10% 50/60HZ CONSTANT TORQUE: 1.1 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9215-2CB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM110/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 1.1 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9215-8DB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM220/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 2.2 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9216-8BB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM150 WITH BUILT IN CLASS A FILTER 1AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9216-8CB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM150/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 1.5 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 184 X 149 X 172 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9221-0DC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM400/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 4.0 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9221-3CC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM300/2 UNFILTERED 1AC/3AC 208-240V +/-10% 50/60HZ CONSTANT TORQUE: 3.0 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9221-5DC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM750/3 UNFILTERED 3AC 380-500V +/-10% 50/60HZ CONSTANT TORQUE: 7.5 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM(H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9221-8CC13	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MM400/2 UNFILTERED 3AC 208-230V +/-10% 50/60HZ CONSTANT TORQUE: 4.0 KW OVERLOAD 150% 60SEC VARIABLE TORQUE: N/A 215 X 185 X 195 MM (H X W X D) PROTECTION IP20 AMBIENT TEMPERATURE 0-50 DEG C
6SE9514-0DA40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER ECO IP20 ECO1-150/3 UNFILTERED 3AC 380-500V +/-10% 47-63HZ VARIABLE TORQUE:1.5KW 147 X 73 X 141 MM (H X W X D) OPERATING TEMPERATURE 0 TO +50 C

6SE9515-5CB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER ECO IP20 ECO1-110/2 UNFILTERED 3AC 208-240V +/-10% 47-63HZ VARIABLE TORQUE:1.1KW 184 X 149 X 172 MM (H X W X D) OPERATING TEMPERATURE 0 TO +50 C
6SE9517-7DB40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER ECO IP20 ECO1-300/3 UNFILTERED 3AC 380-500V /-10% 47-63HZ VARIABLE TORQUE:3.0KW 184 X 149 X 172 MM (H X W X D) OPERATING TEMPERATURE 0 TO 50 C
6SE9521-0CC40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER ECO IP20 ECO1-220/2 UNFILTERED 3AC 208-240V +/-10% 47-63HZ VARIABLE TORQUE:2.2KW 215 X 185 X 195 MM (H X W X D) OPERATING TEMPERATURE 0 TO +50 C
6SE9521-8CC40	SIEMENS		MICROMASTER ECO IP20 ECO1-400/2 UNFILTERED 3AC 208-240V /-10% 47-63HZ VARIABLE TORQUE:4KW 215 X 185 X 195 MM (H X W X D) OPERATING TEMPERATURE 0 TO 50 C
6SE9523-0DG50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER ECO IP20 ECO1-1500/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ VARIABLE TORQUE:15KW 700 X 275 X 210 MM (H X W X D) OPERATING TEMPERATURE 0 TO 40 C
6SE9523-7DH50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER ECO IP20 ECO1-1850/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ VARIABLE TORQUE:18.5KW 800 X 275 X 210 MM (H X W X D) OPERATING TEMPERATURE 0 TO 40 C
6SE9524-3DS45	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER ECO IP56 ECO1-2200/3 UNFILTERED 3AC 380-500V /-10% 47-63HZ VARIABLE TORQUE:22KW 775 X 360 X 422 MM (H X W X D) OPERATING TEMPERATURE 0 TO 40 C
6SE9527-1DJ40	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MIDIMASTER ECO IP21 ECO1-3700/3 UNFILTERED 3AC 380-500V /-10% 47-63HZ VARIABLE TORQUE:37KW 650 X 275 X 285 MM (H X W X D) OPERATING TEMPERATURE 0 TO 40 C
6SE9611-1DF50	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI37/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ CONSTANT TORQUE:0.37KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 0.37KW 105 X 120 X 160 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9611-8DF50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI75/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ CONSTANT TORQUE:0.75KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 0.75KW 105 X 120 X 160 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9613-7DF10	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI150/3 UNFILTERED 3AC 380-500V /-10% 47-63HZ CONSTANT TORQUE:1.5KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 1.5KW 105 X 120 X 160 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9613-7DF50-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI150/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ CONSTANT TORQUE:1.5KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 1.5KW 105 X 120 X 160 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9615-8DD10ZC87	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER MI220/3 2,2KW
6SE9621-3DD50ZC01	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI550/3 WITH BUILT IN FILTER CLASS A 3AC 380-480V /-10% 47-63HZ CONSTANT TORQUE:5.5KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 5.5KW 128 X 171 X 243 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9621-7DD10-Z	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED MI750/3 UNFILTERED 3AC 380-500V /-10% 47-63HZ CONSTANT TORQUE:7.5KW OVERLOAD 150% 60 SEC VARIABLE TORQUE: 7.5KW 128 X 171 X 243 MM PROTECTION DEGREE: IP65 OPERATING TEMPERATURE -10 TO 50 C
6SE9996-0XA07	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED AND COMBIMASTER OPTION MECHANICAL BRAKE CONTROL FOR CSA
6SE9996-0XA17	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED AND COMBIMASTER OPTION CUSTOMER SPECIFIC COMMUNICATION OPTION
6SE9996-0XA20	SIEMENS	Simovert / Micro / Midi/ Masterdrive	MICROMASTER INTEGRATED AND COMBIMASTER OPTION CM PROFIBUS CB155 WITH FCC CONNECTOR FOR ISSUE A CSB UNITS ONLY

Part Number	OEM	Product Group	Description
-------------	-----	---------------	-------------

6SL SINAMICS

6SL3000-0BE21-0AA0	SIEMENS	Sinamics	611U MAINS FILTER FOR 10KW MODULE
6SL3000-0BE21-6AA0	SIEMENS	Sinamics	SINAMICS MAINS FILTER FOR 16 KW ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V, 50/60HZ
6SL3000-0BE21-6DA0	SIEMENS	Sinamics	SINAMICS / SIMODRIVE 611 BASIC LINE FILTER FOR 16KW ACTIVE LINE MODULE AND 16KW SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ PLEASE OBSERVE CONDITIONS OF USE!
6SL3000-0BE23-6AA0	SIEMENS	Sinamics	SINAMICS MAINS FILTER FOR 36 KW ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V, 50/60HZ
6SL3000-0BE23-6DA0	SIEMENS	Sinamics	SINAMICS / SIMODRIVE 611 BASIC LINE FILTER FOR 36KW ACTIVE LINE MODULE AND 36KW SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ PLEASE OBSERVE CONDITIONS OF USE!
6SL3000-0BE23-6DA1	SIEMENS	Sinamics	SINAMICS BASIC LINE FILTER FOR 40 KW BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ
6SL3000-0BE25-5AA0	SIEMENS	Sinamics	SINAMICS MAINS FILTER FOR 55 KW ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V, 50/60HZ
6SL3000-0BE28-0AA0	SIEMENS	Sinamics	SINAMICS MAINS FILTER FOR 80 KW ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V, 50/60HZ
6SL3000-0BE28-0DA0	SIEMENS	Sinamics	SINAMICS BASIC LINE FILTER FOR 80KW ACTIVE LINE MODULE INPUT: 3- PH 380-480V, 50/60HZ
6SL3000-0BE31-2AA0	SIEMENS	Sinamics	SINAMICS MAINS FILTER FOR 120 KW ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V, 50/60HZ
6SL3000-0BE31-2AA1	SIEMENS	Sinamics	SINAMICS LINE FILTER FOR 120 KW ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ WITH CONNECTORS
6SL3000-0CE21-6AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR 16 KW SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ
6SL3000-0CE33-3AA0	SIEMENS	Sinamics	SINAMICS/MICROMASTER PX LINE REACTOR INPUT: 3AC 380-480 V, 50/60 HZ 331 A
6SL3000-0DE21-6AA0	SIEMENS	Sinamics	SIMODRIVE 611 HFD LINE REACTOR FOR 16 KW INFED / REGENERATIVE FEEDBACK MODULE INPUT: 3PH 380-480 V, 50/60 HZ
6SL3000-0DE23-6AA0	SIEMENS	Sinamics	SINAMICS HFD LINE REACTOR FOR 36 KW ACTIVE LINE MODULE INPUT: 3PH. 380-480 V, 50/60 HZ
6SL3000-0DE25-5AA1	SIEMENS	Sinamics	SINAMICS / SIMODRIVE HFD COMMUTATING REACTOR FOR 55KW ACTIVE LINE MODULE
6SL3000-0HE15-0AA0	SIEMENS	Sinamics	SINAMICS LINE FILTER FOR 5 KW SMART LINE MODULE INPUT: 3-PH. 380-480 V 50/60 HZ
6SL3000-0HE21-0AA0	SIEMENS	Sinamics	SINAMICS LINE FILTER FOR 10 KW SMART LINE MODULE INPUT: 3-PH. 380-480 V 50/60 HZ
6SL3040-0IA00-0AA0	SIEMENS	Sinamics	SINAMICS S110 CONTROL UNIT CU305 DP WITH PROFIBUS INTERFACE WITHOUT MEMORY CARD
6SL3040-0IA01-0AA0	SIEMENS	Sinamics	SINAMICS S110 CONTROL UNIT CU305 PN WITH PROFINET INTERFACE WITHOUT MEMORY CARD
6SL3040-0IA02-0AA0	SIEMENS	Sinamics	SINAMICS S110 CONTROL UNIT CU305 CAN WITH CAN-BUS INTERFACE WITHOUT MEMORY CARD
6SL3040-0IA00-0AA0	SIEMENS	Sinamics	SINAMICS CONTROL UNIT CU310 DP WITH PROFIBUS INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-0IA00-0AA1	SIEMENS	Sinamics	SINAMICS S120 CONTROL UNIT CU310 DP WITH PROFIBUS INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-0IA01-0AA0	SIEMENS	Sinamics	SINAMICS CONTROL UNIT CU310 PN WITH ROFINET INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-0IA01-0AA1	SIEMENS	Sinamics	SINAMICS S120 CONTROL UNIT CU310 PN WITH PROFINET INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-0MA00-0AA0	SIEMENS	Sinamics	SINAMICS CU320 CONTROL UNIT WITHOUT COMPACT FLASH CARD WITHOUT UL APPROVAL
6SL3040-0MA00-0AA1	SIEMENS	Sinamics	SINAMICS CONTROL UNIT CU320 WITHOUT COMPACT FLASH CARD
6SL3040-0NA00-0AA0	SIEMENS	Sinamics	SIMOTION DRIVE-BASED CONTROLLER EXTENSION CX32; INVERTER CONTROL MODULE; TO INCREASE DRIVE COUNT ON SIMOTION D4XS; INTERFACES: 4 DI, 4 DI/DO, 4 DRIVE-CLIQ
6SL3040-0NB00-0AA0	SIEMENS	Sinamics	SINAMICS NUMERIC CONTROL EXTENSION NX15 EXTENSION DRIVE CONTROL FOR SINUMERIK 840 D SL UP TO 6 AXES
6SL3040-0NC00-0AA0	SIEMENS	Sinamics	SINAMICS NUMERIC CONTROL EXTENSION NX10 EXTENSION DRIVE CONTROL FOR SINUMERIK 840 D SL UP TO 3 AXES
6SL3040-0PA00-0AA0	SIEMENS	Sinamics	CONTROL UNIT ADAPTER CUA31 FOR POWER MODULES PM340
6SL3040-0PA00-0AA1	SIEMENS	Sinamics	CONTROL UNIT ADAPTER CUA31 FOR POWER MODULES PM340
6SL3040-0PA01-0AA0	SIEMENS	Sinamics	CONTROL UNIT ADAPTER CUA32 FOR POWER MODULES PM340 WITH INTERFACE FOR INCREMENTAL ENCODER HTL/TTL

6SL3040-1LA00-0AA0	SIEMENS	Sinamics	SINAMICS S120 CONTROL UNIT CU310-2 DP WITH PROFIBUS INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-1LA01-0AA0	SIEMENS	Sinamics	SINAMICS S120 CONTROL UNIT CU310-2 PN WITH PROFINET INTERFACE WITHOUT COMPACTFLASH CARD
6SL3040-1MA00-0AA0	SIEMENS	Sinamics	SINAMICS CONTROL UNIT CU320-2 DP WITH PROFIBUS INTERFACE WITHOUT COMPACT FLASH CARD
6SL3040-1MA01-0AA0	SIEMENS	Sinamics	SINAMICS CONTROL UNIT CU320-2 PN WITHOUT COMPACT FLASH CARD
6SL3040-1NB00-0AA0	SIEMENS	Sinamics	SINAMICS NUMERIC CONTR. EXTENSION NX15.3 EXTENSION DRIVE CONTROL FOR SINUMERIK 840 D SL UP TO 6 AXES
6SL3040-1NC00-0AA0	SIEMENS	Sinamics	SINAMICS NUMERIC CONTR. EXTENSION NX10.3 EXTENSION DRIVE CONTROL FOR SINUMERIK 840D SL AND 828D UP TO 3 AXES
6SL3053-0AA00-3AA0	SIEMENS	Sinamics	SINAMICS VOLTAGE SENSING MODULE VSM10 WITHOUT DRIVE-CLIQ CABLE
6SL3053-0AA00-3AA1	SIEMENS	Sinamics	SINAMICS VOLTAGE SENSING MODULE VSM10
6SL3054-0CD00-1AA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD WITHOUT PERFORMANCE EXTENSION INCLUDING CERTIFICATE OF LICENCE V2.03
6SL3054-0CE01-1AA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD WITH FIRMWARE OPTION PERFORMANCE-EXTENSION 1 INCLUDING CERTIFICATE OF LICENCE V2.04
6SL3054-0CF01-1AA0-Z	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD WITH FIRMWARE OPTION PERFORMANCE-EXTENSION 1 INCLUDING CERTIFICATE OF LICENCE V2.5
6SL3054-0CG00-1AA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD W/O PERFORMANCE EXTENSION INCLUDING CERTIFICATE OF LICENCE V2.6
6SL3054-0CG01-1AA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD WITH FIRMWARE OPTION PERFORMANCE-EXTENSION 1 INCLUDING CERTIFICATE OF LICENCE V2.6
6SL3054-0EF00-1BA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD W/O PERFORMANCE EXTENSION INCLUDING CERTIFICATE OF LICENCE V4.05
6SL3054-0TA00-1BA0-Z	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD W/O PERFORMANCE EXTENSION INCLUDING CERTIFICATE OF LICENCE V4.3 SP2
6SL3054-1BD00-0AA0	SIEMENS	Sinamics	SINAMICS S120 COMPACTFLASH CARD FIRMWARE VERSION V01.03 NMA: ASE00229894
6SL3054-1CC00-1AA0	SIEMENS	Sinamics	SINAMICS G150 COMPACTFLASH CARD FIRMWARE VERSION V02.02.03.00
6SL3054-4EB00-0AA0	SIEMENS	Sinamics	SINAMICS S110 MULTIMEDIA-CARD 64 MB INCLUDING CERTIFICATE OF LICENCE V4.1
6SL3055-0AA00-2EB0	SIEMENS	Sinamics	SINAMICS S120 CBE20 PROFINET MODULE TO CONNECTION ON PROFINET IO WITH 4 RJ45 PORTS WITH SWITCH FUNCTIONALITY
6SL3055-0AA00-2TA0	SIEMENS	Sinamics	SINAMICS S120 TERMINAL BOARD TB30 FOR CONTROL UNIT CU320 AND SIMOTION D425, D435, D445
6SL3055-0AA00-3AA0	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE CABINET TM31 WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-3AA1	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE TM31 ADD ON BOARD FOR SINAMICS WITH DIGITAL AND ANALOG IN- AND OUTPUTS IP20 FOR CAP RAIL MOUNTING
6SL3055-0AA00-3BA0	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE CABINET TM54F WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-3FA0	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE TM15 24 DI/O; 24 V DC/0.5 A; WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-3HA0	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE TM17 HIGH FEATURE; 16 DI/O; 24 V DC/0.5 A; WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-3PA0	SIEMENS	Sinamics	SINAMICS TERMINAL MODULE CABINET TM41 WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-3PA1	SIEMENS	Sinamics	SIMOTION / SINAMICS S120 TERMINAL MODULE CABINET TM41 WITHOUT DRIVE-CLIQ CABLE ADD ON BOARD FOR SINAMICS CONVERTORS WITH DIGITAL AND ANALOG IN- AND OUTPUTS PLUS INCREMENTAL ENCODER SIMULATION
6SL3055-0AA00-4BA0	SIEMENS	Sinamics	SINAMICS S120 BASIC OPERATOR PANEL BOP20 FOR ELECTRONIC CONTROLS TWO-LINE DISPLAY, 6 KEYS FOR PARAMETER SETTING AND DIAGNOSTIC INFORMATION SUITED FOR CONTROL UNITS CU305, CU310, CU320
6SL3055-0AA00-4CA2	SIEMENS	Sinamics	SINAMICS OPERATION PANEL AOP30 ENGLISH / GERMAN FOR FIRMWARE V2.3
6SL3055-0AA00-4CA3	SIEMENS	Sinamics	SINAMICS OPERATOR PANEL AOP30 LANGUAGE INDEPENDENT FOR FIRMWARE FROM V2.4!
6SL3055-0AA00-4CA4	SIEMENS	Sinamics	SINAMICS OPERATOR PANEL AOP30 LANGUAGE INDEPENDENT FOR FIRMWARE FROM V2.4!
6SL3055-0AA00-4CA5	SIEMENS	Sinamics	SINAMICS OPERATOR PANEL AOP30 LANGUAGE INDEPENDENT WITH MEMORY EXTENTION FOR FIRMWARE FROM V2.4!
6SL3055-0AA00-5AA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC10 RESOLVER WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5AA3	SIEMENS	Sinamics	SINAMICS S120 SENSOR MODULE SMC10 SENSOR BOARD FOR EVALUATION OF A RESOLVER WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5BA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC20 INCREMENTAL ENCODER: SIN/COS 1VPP ABSOLUTE ENCODER: ENDAT WITHOUT DRIVE-CLIQ CABLE WITHOUT UL APPROVAL
6SL3055-0AA00-5BA1	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC20 INCREMENTAL ENCODER: SIN/COS 1VPP ABSOLUTE ENCODER: ENDAT WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5BA2	SIEMENS	Sinamics	SINAMICS S120 SENSOR MODULE SMC20 INCREMENTAL ENCODER: SIN/COS 1VPP ABSOLUTE ENCODER: ENDAT WITHOUT DRIVE-CLIQ CABLE 30 MM WIDTH
6SL3055-0AA00-5BA3	SIEMENS	Sinamics	SINAMICS S120 SENSOR MODULE SMC20 BOARD FOR EVALUATION OF INCREMENTAL ENCODER: SIN/COS 1VPP ABSOLUTE ENCODER: ENDAT WITHOUT DRIVE-CLIQ CABLE 30 MM WIDTH
6SL3055-0AA00-5CA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC30 INCREMENTAL ENCODER: TTL/HTL WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5CA1	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC30 INCREMENTAL ENCODER: TTL/HTL OR KOMBI ENCODER SSI WITH INCREMENTAL TRACES WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5CA2	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SMC30 INCREMENTAL ENCODER: TTL/HTL OR KOMBI ENCODER SSI WITH INCREMENTAL TRACES WITHOUT DRIVE-CLIQ CABLE 30 MM WIDTH
6SL3055-0AA00-5DA0	SIEMENS	Sinamics	SINAMICS S120 SENSOR MODULE SMC40 BOARD FOR EVALUATION OF ENDAT 2.2 ENCODER 30 MM WIDTH
6SL3055-0AA00-5EA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME20 INCREMENTAL ENCODER: SIN/COS 1VPP PROTECTION IP67 WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5HA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME25 ABSOLUTE ENCODER: ENDAT PROTECTION IP67
6SL3055-0AA00-5HA3	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME25 ABSOLUTE ENCODER: ENDAT PROTECTION IP67
6SL3055-0AA00-5JA0	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME120 INCREMENTAL ENCODER: SIN/COS 1VPP; PTC- AND KTY-INPUTS WITH SET; DEGREE OF PROTECTION IP67; WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5JA3	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME120 INCREMENTAL ENCODER: SIN/COS 1VPP; PTC- AND KTY-INPUTS WITH SET; DEGREE OF PROTECTION IP67; WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-5KA3	SIEMENS	Sinamics	SINAMICS SENSOR MODULE SME125 ABSOLUTE ENCODER: ENDAT; PTC- AND KTY-INPUTS WITH SET; DEGREE OF PROTECTION IP67; WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-6AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ MODULE CABINET DMC20 WITHOUT DRIVE-CLIQ CABLE
6SL3055-0AA00-6AB0	SIEMENS	Sinamics	SINAMICS DME20 DRIVE-CLIQ MODULE EXTERNAL IP67 WITHOUT 24V SUPPLY CABLE WITHOUT DRIVE-CLIQ CABLE
6SL3060-1FE21-6AA0	SIEMENS	Sinamics	SINAMICS ADAPTER SET FOR 16 KW ACTIVE LINE MODULE LINE FILTER AND LINE REACTOR
6SL3060-4AB00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.11 M
6SL3060-4AD00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.16 M
6SL3060-4AF00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.21 M
6SL3060-4AH00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.26 M
6SL3060-4AK00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.31 M
6SL3060-4AM00-0AA0	SIEMENS	Sinamics	SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0.36 M
6SL3060-4AP00-0AA0	SIEMENS	Sinamics	.SINAMICS DRIVE-CLIQ CABLE IP20/IP20 LENGTH: 0,41M
6SL3100-0BE21-6AB0	SIEMENS	Sinamics	SINAMICS S120 ACTIVE INTERFACE MODULE FOR 16KW ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ FRAME SIZE: BOOKSIZE
6SL3100-0BE23-6AB0	SIEMENS	Sinamics	SINAMICS S120 ACTIVE INTERFACE MODULE FOR 36KW ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ FRAME SIZE: BOOKSIZE
6SL3100-0BE25-5AB0	SIEMENS	Sinamics	SINAMICS ACTIVE INTERFACE MODULE FOR 55KW ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ
6SL3100-0BE28-0AB0	SIEMENS	Sinamics	SINAMICS ACTIVE INTERFACE MODULE FOR 80KW ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ
6SL3100-0BE31-2AB0	SIEMENS	Sinamics	SINAMICS ACTIVE INTERFACE MODULE FOR 120KW ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ
6SL3100-1AE31-0AB0	SIEMENS	Sinamics	SINAMICS BREAKING MODULE INPUT: 600 V DC OUTPUT: PEAK 100 KW/2 S
6SL3100-1BE21-3AA0	SIEMENS	Sinamics	SINAMICS / SIMODRIVE HFD-RESISTOR 15 R 800 W FOR HFD-REACTOR
6SL3100-1CE14-0AA0	SIEMENS	Sinamics	SINAMICS CAPACITOR MODULE INPUT: 600 V DC 4000 UF
6SL3100-1DE22-0AA0	SIEMENS	Sinamics	SINAMICS CONTROL SUPPLY MODULE INPUT: 600 V DC/3-PH. 380-480 V 50/60 HZ OUTPUT: 26 V DC /-2%, 20 A
6SL3100-1VE00-0AA0	SIEMENS	Sinamics	SINAMICS VOLTAGE CLAMPING MODULE INPUT: 600 V DC
6SL3111-4VE22-0HA0	SIEMENS	Sinamics	SINAMICS S120 COMBI POWER MODULE INPUT: DC 400V, 20KW OUTPUT: 3AC 400V,30A,12A,9A,9A FRAME SIZE: COMBI EXTERNAL AIR COOLING SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS
6SL3120-1TE13-0AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 3 A INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3120-1TE13-0AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3-PH 400V, 3A FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3120-1TE15-0AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 5 A INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3120-1TE15-0AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3-PH 400V, 5A FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE

[illegible]

6SL3121-2TE21-0AA3	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 9A/9A FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3121-2TE21-0AA4	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 9A/9A FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3121-2TE21-8AA0	SIEMENS	Sinamics	SINAMICS DOUBLE MOTOR MODULE INPUT: 600 V DC OUTPUT 3-PH. 400 V, 18 A/18 A EXTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3121-2TE21-8AA3	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 18A/18A FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-1TE21-0AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 9A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-1TE21-8AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 18A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-1TE23-0AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 30 A COLD-PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-1TE23-0AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 30A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-1TE24-5AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 45 A COLD-PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-1TE26-0AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 60 A COLD-PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-1TE28-5AA0	SIEMENS	Sinamics	SINAMICS SINGLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 85 A COLD-PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-1TE32-0AA3	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 200A FRAME SIZE: BOOKSIZE OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE COLD-PLATE COOLING
6SL3126-2TE13-0AA3	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 3A/3A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-2TE15-0AA3	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 5A/5A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3126-2TE21-0AA0	SIEMENS	Sinamics	SINAMICS DOUBLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH. 400 V, 9A/9A COLD-PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-2TE21-8AA0	SIEMENS	Sinamics	SINAMICS DOUBLE MOTOR MODULE INPUT: 600 V DC OUTPUT: 3-PH 400 V, 18 A/18 A COLD PLATE AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3126-2TE21-8AA3	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 18A/18A FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING OPTIMIZED PULSE SAMPLE AND SUPPORT OF THE EXTENDED SAFETY INTEGRATED FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3130-1TE22-0AA0	SIEMENS	Sinamics	SINAMICS S120 BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ OUTPUT: DC 600V, 3A, 20KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-1TE31-0AA0	SIEMENS	Sinamics	SINAMICS S120 BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ OUTPUT: DC 600V, 167 A, 100KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-6AE15-0AA0	SIEMENS	Sinamics	SINAMICS SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 8.3 A, 5 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER
6SL3130-6AE15-0AB0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 600VDC, 8.3A, 5KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER MODULES PAINTED
6SL3130-6AE21-0AA0	SIEMENS	Sinamics	SINAMICS SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 17 A, 10 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER
6SL3130-6AE21-0AB0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 600VDC, 17A, 10KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER MODULES PAINTED
6SL3130-6TE21-6AA3	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 27A, 16KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-6TE21-6AB0	SIEMENS	Sinamics	SINAMICS SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 27 A, 16 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE PAINTED MODULE
6SL3130-6TE23-6AB0	SIEMENS	Sinamics	SINAMICS SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 60 A, 36 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE PAINTED MODULE
6SL3130-6TE25-5AA3	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 90A, 55KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-7TE21-6AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 27 A, 16 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE WITHOUT UL APPROVAL
6SL3130-7TE21-6AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 27 A, 16 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE21-6AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3-PH 380-480V, 50/60HZ OUTPUT: DC 600V, 27A, 16KW FRAME SIZE: BOOKSIZE INTERNE LUFTKUEHLUNG INKL. DRIVE-CLIQ LEITUNG
6SL3130-7TE21-6AB0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 600VDC, 27A, 16KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE MODULE PAINTED
6SL3130-7TE23-6AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 60 A, 36 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE WITHOUT UL APPROVAL
6SL3130-7TE23-6AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 60 A, 36 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE23-6AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 60A, 36KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-7TE25-5AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 92 A, 55 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE WITHOUT UL APPROVAL
6SL3130-7TE25-5AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 92 A, 55 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE25-5AA2	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 92 A, 55 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE25-5AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 92A, 55KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-7TE28-0AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 133 A, 80 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE28-0AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 133A, 80KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-7TE31-2AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 200 A, 120 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE31-2AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 200 A, 120 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3130-7TE31-2AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 200A, 120KW FRAME SIZE: BOOKSIZE INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3130-7VE21-6AA0	SIEMENS	Sinamics	SINAMICS S120 VALUE ACTIVE LINE MODULE INPUT: 3AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 27 A, 16 KW INTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3131-6AE15-0AA0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 8.3 A, 5 KW FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3131-6AE21-0AA0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3 AC 380-480 V, 50/60HZ OUTPUT: 600 V DC, 17 A, 10 KW FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3131-7TE21-6AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 27 A, 16 KW EXTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3131-7TE21-6AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 27A, 16KW FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3131-7TE23-6AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT:: DC 600V, 60A, 36KW FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE

6SL3131-7TE25-SAA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 92 A, 55 KW EXTERNAL AIR COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3131-7TE25-SAA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 92A, 55KW FRAME SIZE: BOOKSIZE EXTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3136-1TE22-0AA0	SIEMENS	Sinamics	SINAMICS S120 BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ OUTPUT: DC 600V, 34 A, 20KW FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING INCL. DRIVE-CLIQ CABLE
6SL3136-1TE24-0AA0	SIEMENS	Sinamics	SINAMICS S120 BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ OUTPUT: DC 600V, 67 A, 40KW FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING INCL. DRIVE-CLIQ CABLE
6SL3136-1TE31-0AA0	SIEMENS	Sinamics	SINAMICS S120 BASIC LINE MODULE INPUT: 3PH 380-480V, 50/60HZ OUTPUT: DC 600V, 167 A, 100KW FRAME SIZE: BOOKSIZE COLD-PLATE-COOLING INCL. DRIVE-CLIQ CABLE
6SL3136-6AE15-0AA0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3-PH 380-480 V, 50/60 HZ OUTPUT: 600 V DC, 8.3 A, 5 KW FRAME SIZE: BOOKSIZE COLD PLATE AIR COOLING INCL. CONTROL VOLTAGE ADAPTER
6SL3136-6TE23-6AA0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE COLD PLATE COOLING INPUT 3AC 380-460V 50/60HZ OUTPUT DC 600V 60A 36KW
6SL3136-7TE21-6AA3	SIEMENS	Sinamics	SINAMICS S120 ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 27A, 16KW FRAME SIZE: BOOKSIZE COLD PLATE COOLING INCL. DRIVE-CLIQ CABLE
6SL3136-7TE23-6AA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V 50/60 HZ OUTPUT: 600 V DC, 60 A, 36 KW COLD-PLATE CCOOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3136-7TE25-SAA0	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3-PH. 380-480 V 50/60 HZ OUTPUT: 600 V DC, 92 A, 55 KW COLD-PLATE CCOOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3136-7TE28-0AA1	SIEMENS	Sinamics	SINAMICS ACTIVE LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 600V DC, 134A, 80KW COLD-PLATE COOLING INCL. CONTROL VOLTAGE ADAPTER AND DRIVE-CLIQ CABLE
6SL3161-0EP00-0AA0	SIEMENS	Sinamics	SINAMICS S120 COMBI EXTERNAL FAN UNIT INPUT: DC 20,4 - 28,8V POWER CONSUMPTION: 18W CURRENT CONSUMPTION: 0,8A VOLUMETRIC AIR FLOW: 290 CBM/H W:258MM, H:104MM, D:86MM
6SL3162-2BM01-0AA0	SIEMENS	Sinamics	SINAMICS DC LINK ADAPTER SET FOR MULTI-TIER DESIGN SCREW TERMINALS 35-95 SQMM FOR ALL LINE/MOTOR MODULES IN BOOKSIZE FORMAT
6SL3200-0AE20-0AA0	SIEMENS	Sinamics	SINAMICS G120 STARTERKIT SYSTAINER SIZE 2 CONSISTING OF: 1.5KW AC-DRIVE, WITHOUT FILTER ANALOG INPUT, BOP, PC-KIT INCL. TOOL-CD, DOCU(OPI,PL) ENGLISH SCREWDRIVER
6SL3201-0BE12-0AA0	SIEMENS	Sinamics	SINAMICS BRAKING RESISTOR FOR POWER MODULE FSB FOOT PRINT
6SL3202-0AJ23-2CA0	SIEMENS	Sinamics	SINAMICS OUTPUT REACTOR FOR POWER MODULE FSC FOOT PRINT
6SL3203-0CD21-0AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSB 2.2 AND 3,0 KW, FOOT PRINT
6SL3203-0CD21-4AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSB 4.0 KW, FOOT PRINT
6SL3203-0CD22-2AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSC 7,5 AND 11 KW RATED POWER BASED ON I_L FOOT PRINT
6SL3203-0CD23-5AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSC 15 KW, RATED POWER BASED ON I_L FOOT PRINT
6SL3203-0CD25-3AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSD 30 KW, RATED POWER BASED ON I_L FOOT PRINT
6SL3203-0CJ28-6AA0	SIEMENS	Sinamics	SINAMICS LINE REACTOR FOR POWER MODULE FSE 37 AND 45 KW, RATED POWER BASED ON I_L FOOT PRINT
6SL3210-1KE14-3AP0	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 1,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP PROTECTION: IP20/ UL OPEN TYPE SIZE: FSA 196X73X203(HXW XD)
6SL3210-1KE15-8AF1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 2,2KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFINET-PN PROTECTION: IP20/ UL OPEN TYPE SIZE: FSA 196X73X203(HXW XD)
6SL3210-1KE18-8AF1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 4,0KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFINET-PN PROTECTION: IP20/ UL OPEN TYPE SIZE: FSA 196X73X203(HXW XD)
6SL3210-1KE21-3AP1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 5,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP PROTECTION: IP20/ UL OPEN TYPE SIZE: FSB 196X100X203(HXW X)
6SL3210-1KE21-7AF1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 7,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFINET-PN PROTECTION: IP20/ UL OPEN TYPE SIZE: FSB 196X100X203(HXW X)
6SL3210-1KE21-7AP0	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 7,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP PROTECTION: IP20/ UL OPEN TYPE SIZE: FSB 196X100X203(HXW X)
6SL3210-1KE21-7AP1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 7,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP PROTECTION: IP20/ UL OPEN TYPE SIZE: FSB 196X100X203(HXW X)
6SL3210-1KE21-7UP0	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 7,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V +10/-20% 47-63HZ UNFILTERED I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP PROTECTION: IP20/ UL OPEN TYPE SIZE: FSB 196X100X203(HXW XD)
6SL3210-1KE23-8AF1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 18,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V 10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFINET-PN PROTECTION: IP20/ UL OPEN TYPE SIZE: FSC 295X140X203(HX)
6SL3210-1KE23-8AP0	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 18,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V 10/-20% 47-63HZ INTEGRATED FILTER CLASS A I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: PROFIBUS-DP ROTECTION: IP20/ UL OPEN TYPE SIZE: FSC 295X140X203(HX)
6SL3210-1KE23-8UB1	SIEMENS	Sinamics	SINAMICS G120C RATED POWER 18,5KW WITH 150% OVERLOAD FOR 3 SEC 3AC380-480V 10/-20% 47-63HZ UNFILTERED I/O-INTERFACE: 6DI, 2DO,1AI,1AO SAFE TORQUE OFF INTEGRATED FIELD BUS: USS/ MODBUS RTU PROTECTION: IP20/ UL OPEN TYPE SIZE: FSC 295X140X203(HXW XD) EXTERN
6SL3210-1NE11-7AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 0,55KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE11-7UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 0,55KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE13-1AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 1,1KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL A
6SL3210-1NE14-1UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 1,5KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE17-7AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 3KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE17-7UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 3KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 196 X 73 X 165 (HXW XD), FSA WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE21-8AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 7,5KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) 292 X 100 X 165 (HXW XD), FSB WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE23-8AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 18,5KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) 355 X 140 X 165 (HXW XD), FSC WITHOUT CONTROL UNIT AND PANEL

6SL3210-1NE23-8UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 18,5KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 355 X 140 X 165 (HXWXD), FSC WITHOUT CONTROL UNIT AND PANEL APPROVED FOR
6SL3210-1NE24-5AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20
6SL3210-1NE24-5UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20
6SL3210-1NE27-5AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 37KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 419 X 275 X 204 (HXWXD), FSD WITHOUT CONTROL UNIT AND PANEL APPROVED
6SL3210-1NE27-5UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 37KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 419 X 275 X 204 (HXWXD), FSD WITHOUT CONTROL UNIT AND PANEL APPROVED FOR CU240B/E-2 A
6SL3210-1NE28-8UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20
6SL3210-1NE31-1AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 55KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 499 X 275 X 204 (HXWXD), FSE WITHOUT CONTROL UNIT AND PANEL APPROVED
6SL3210-1NE31-1UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 55KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 499 X 275 X 204 (HXWXD), FSE WITHOUT CONTROL UNIT AND PANEL APPROVED FOR CU240B/E-2 A
6SL3210-1NE31-5UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 75KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 634 X 350 X 316 (HXWXD), FSF WITHOUT CONTROL UNIT AND PANEL APPROVED FOR CU240B/E-2 A
6SL3210-1NE31-8AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 18,5KW FOR 150% 3S,110% 57S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 355 X 140 X 165 (HXWXD), FSC WITHOUT CONTROL UNIT AND PANEL
6SL3210-1NE31-8UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 90KW FOR 110% 60S,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 634 X 350 X 316 (HXWXD), FSF WITHOUT CONTROL UNIT AND PANEL APPROVED FOR CU240B/E-2 A
6SL3210-1NE32-1UL0	SIEMENS	Sinamics	SIEMENS POWER MODULE PM230 (3AC, 400V, UF, 110kW) FSF IP20
6SL3210-1PE14-3UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM240-2 STANDARD WITHOUT FILTER WITH BUILT IN BRAKING CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 1,1KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP 0 TO +50 DEG C OUTPUT LOW OVERLOAD: 1,5KW FOR 150% 3S,110% 57S,10
6SL3210-1PE16-1AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM240-2 STANDARD WITH BUILT IN CL. A FILTER WITH BUILT IN BRAKING CHOPPER 3AC380-480V +10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 1,5KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP 0 TO +50 DEG C OUTPUT LOW OVERLOAD: 2,2KW FOR 150% 3S POWERMODULE 250, INPUT 3AC 400-480V /-10% 36A
6SL3210-1QE23-8AL0	SIEMENS	Sinamics	POWERMODULE 250, AC3 400-480V /-10% 84A
6SL3210-1QE24-5AL0	SIEMENS	Sinamics	
6SL3210-1QE28-8AL0	SIEMENS	Sinamics	
6SL3210-1SB11-0AA0	SIEMENS	Sinamics	
6SL3210-1SB11-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 0,9A (0,12KW) FRAME SIZE: BLOCKSIZE SIZE FSA WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SB12-3AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 0,9A (0,12KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SB12-3UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 2,3A (0,37KW) FRAME SIZE: BLOCKSIZE SIZE FSA WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SB12-3UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 2,3A (0,37KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SB14-0AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 3,9A (0,75KW) FRAME SIZE: BLOCKSIZE SIZE FSA WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SB14-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 1AC 200-240V, 50/60HZ OUTPUT: 3AC 3,9A (0,75KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE11-3UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 1,3A (0,37KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE11-7UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 1,7A (0,55KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE12-2UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 2,2A (0,75KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE13-1UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 3,1A (1,1KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE14-1UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 4,1A (1,5KW) FRAME SIZE: BLOCKSIZE SIZE FSA INTERNAL AIR COOLING
6SL3210-1SE16-0AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 5,9A (2,2KW) FRAME SIZE: BLOCKSIZE SIZE FSB WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE16-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 5,9A (2,2KW) FRAME SIZE: BLOCKSIZE SIZE FSB INTERNAL AIR COOLING
6SL3210-1SE17-7AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 7,7A (3,0KW) FRAME SIZE: BLOCKSIZE SIZE FSB WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE17-7UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 7,7A (3,0KW) FRAME SIZE: BLOCKSIZE SIZE FSB INTERNAL AIR COOLING
6SL3210-1SE21-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 10A (4,0KW) FRAME SIZE: BLOCKSIZE SIZE FSB INTERNAL AIR COOLING
6SL3210-1SE22-5AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 25A (11KW) FRAME SIZE: BLOCKSIZE SIZE FSC WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE22-5UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 25A (11KW) FRAME SIZE: BLOCKSIZE SIZE FSC INTERNAL AIR COOLING
6SL3210-1SE23-2UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 32A (15KW) FRAME SIZE: BLOCKSIZE SIZE FSC INTERNAL AIR COOLING
6SL3210-1SE23-8UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 38A (18,5KW) FRAME SIZE: BLOCKSIZE SIZE FSD INTERNAL AIR COOLING
6SL3210-1SE26-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 60A (30KW) FRAME SIZE: BLOCKSIZE SIZE FSD INTERNAL AIR COOLING
6SL3210-1SE27-5UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 75A (37KW) FRAME SIZE: BLOCKSIZE SIZE FSE INTERNAL AIR COOLING
6SL3210-1SE31-0AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 90A (45KW) FRAME SIZE: BLOCKSIZE SIZE FSE WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE31-0UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 90A (45KW) FRAME SIZE: BLOCKSIZE SIZE FSE INTERNAL AIR COOLING
6SL3210-1SE31-1AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 110A (55KW) FRAME SIZE: BLOCKSIZE SIZE FSF WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE31-5AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 145A (75KW) FRAME SIZE: BLOCKSIZE SIZE FSF WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING
6SL3210-1SE31-8AA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 178A (90KW) FRAME SIZE: BLOCKSIZE SIZE FSF WITH INTEGRATED LINE FILTER INTERNAL AIR COOLING

[illegible]

6SL3211-0AB21-SUB0	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 1.5KW; VT: 1.5KW CT-OVERLOAD: 150% 60S 160 X 140 X 142 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHOUT ANALOG INPUT
6SL3211-0AB21-SUB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 1.5KW; VT: 1.5KW CT-OVERLOAD: 150% 60S 160 X 140 X 142 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHOUT ANALOG INPUT
6SL3211-0AB22-2AA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. A FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 2.2KW; VT: 2.2KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHOUT RS485-INTERFACE
6SL3211-0AB22-2AB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. A FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 2.2KW; VT: 2.2KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHOUT ANALOG I
6SL3211-0AB22-2UA0	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 2.2KW; VT: 2.2KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHOUT RS485-INTERFACE
6SL3211-0AB22-2UB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 2.2KW; VT: 2.2KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHOUT ANALOG INPUT
6SL3211-0AB23-OAA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. A FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 3.0KW; VT: 3.0KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHOUT RS485-INTERFACE
6SL3211-0AB23-OUA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 3.0KW; VT: 3.0KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHOUT RS485-INTERFACE
6SL3211-0AB23-0UB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 3.0KW; VT: 3.0KW CT-OVERLOAD: 150% 60S 181 X 184 X 152 (HXWXd) PROTECTION IP20 AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHOUT ANALOG INPUT
6SL3211-0BA12-5BA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.12KW; VT: 0.12KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP
6SL3211-0KB11-2BA1	SIEMENS	Sinamics	
6SL3211-0KB11-2UA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.12KW; VT: 0.12KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHO
6SL3211-0KB11-2UB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 0.12KW; VT: 0.12KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C
6SL3211-0KB12-5BA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.25KW; VT: 0.25KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP
6SL3211-0KB12-5UA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.25KW; VT: 0.25KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP WITHO
6SL3211-0KB13-7BA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.37KW; VT: 0.37KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50 DEG C WITHOUT BOP
6SL3211-0KB13-7BB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 0.37KW; VT: 0.37KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50
6SL3211-0KB15-5BB1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ RS485-INTERFACE (USS-PROTOCOL) CT: 0.55KW; VT: 0.55KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 50
6SL3211-0KB17-5BA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE,BUILT IN CL. B FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.75KW; VT: 0.75KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP
6SL3211-0KB17-5UA1	SIEMENS	Sinamics	SINAMICS G110 - CPM110 AC-DRIVE, WITHOUT FILTER 1AC200-240V 10/-10% 47-63HZ ANALOG INPUT CT: 0.75KW; VT: 0.75KW CT-OVERLOAD: 150% 60S 150 X 90 X 101 (HXWXd) IP20; WITH FLAT HEATSINK; COLDPLATE ASSEMBLY ONLY AMBIENT TEMP -10 TO 40 DEG C WITHOUT BOP WITHO
6SL3211-1NE17-7AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 3KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 238 X 126 X 171 (HXWXd), FSA WITHOUT CONTROL UNIT AND PAN
6SL3211-1NE17-7UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 3KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 238 X 126 X 171 (HXWXd), FSA WITHOUT CONTROL UNIT AND PANEL APPROVED FOR
6SL3211-1NE21-8AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 7,5KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 345 X 154 X 171 (HXWXd), FSB WITHOUT CONTROL UNIT AND
6SL3211-1NE21-8UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 7,5KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 345 X 154 X 171 (HXWXd), FSB WITHOUT CONTROL UNIT AND PANEL APPROVED F
6SL3211-1NE23-8AL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 18,5KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 411 X 200 X 171 (HXWXd), FSC WITHOUT CONTROL UNIT AND
6SL3211-1NE23-8UL0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM230 UNFILTERED PROTECTION IP20 / PT 3AC380-480V +10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 18,5KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO +40 DEG C(LO) 411 X 200 X 171 (HXWXd), FSC WITHOUT CONTROL UNIT AND PANEL APPROVED F
6SL3214-3AE22-2AB0	SIEMENS	Sinamics	SINAMICS G120 COMPACT PM240, CU240E AND BOP WITH BUILT IN CL. A FILTER WITH BUILT IN BRAKING CHOPPER 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 2,2KW FOR 200% 35,150% 575,100% 240S AMBIENT TEMP -10 TO 50 DEG C 270 X 153 X 204 (HXWXd), FSB PROTECTI
6SL3215-1SE31-8UA0	SIEMENS	Sinamics	SINAMICS S120 CONVERTER POWER MODULE PM340 INPUT: 3AC 380-480V, 50/60HZ OUTPUT: 3AC 178A (90KW) FRAME SIZE: BLOCKSIZE SIZE FSF LIQUID COOLING
6SL3223-0DE31-1AA0	SIEMENS	Sinamics	SINAMICS G120P POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP55 / UL TYPE12 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 11KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) XXX X XXX X XXX (HXWXd), FSC WITHOUT CONTROL UNI
6SL3223-0DE32-2AA0	SIEMENS	Sinamics	SINAMICS G120P POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP55 / UL TYPE12 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 22KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) XXX X XXX X XXX (HXWXd), FSD WITHOUT CONTROL UNI
6SL3223-0DE33-7AA0	SIEMENS	Sinamics	SINAMICS G120P POWER MODULE PM230 WITH BUILT IN CL. A FILTER PROTECTION IP55 / UL TYPE12 3AC380-480V 10/-10% 47-63HZ OUTPUT LOW OVERLOAD: 37KW FOR 150% 35,110% 575,100% 240S AMBIENT TEMP 0 TO 40 DEG C(LO) XXX X XXX X XXX (HXWXd), FSE WITHOUT CONTROL UNI
6SL3224-0BE13-7UA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM240 WITHOUT FILTER WITH BUILT IN BRAKING CHOPPER 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 0,37KW FOR 200% 35,150% 575,100% 240S AMBIENT TEMP -10 TO 50 DEG C 173 X 73 X 145 (HXWXd), FSA PROTECTION IP20 WITHOUT CONTROL

[illegible]

6SL3225-0BE31-1AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 11KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 15KW FOR 150% 3S,110% 57S,1
6SL3225-0BE31-1AA1	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 11KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 15KW FOR 150% 3S,110% 57S,1
6SL3225-0BE31-5AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 15KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 18,5KW FOR 150% 3S,110% 57S
6SL3225-0BE31-8AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 18,5KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 22KW FOR 150% 3S,110% 57S
6SL3225-0BE32-2AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 22KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 30KW FOR 150% 3S,110% 57S,1
6SL3225-0BE32-2UA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITHOUT FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 22KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 30KW FOR 150% 3S,110% 57S,100% 240S AMB
6SL3225-0BE33-0AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 30KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 37KW FOR 150% 3S,110% 57S,1
6SL3225-0BE33-0UA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITHOUT FILTER POSSIBILITY OF REGENERATION 3AC380-480V +10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 30KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO +50 DEG C OUTPUT LIGHT OVERLOAD: 37KW FOR 150% 3S,110% 57S,100% 240S AMB
6SL3225-0BE33-7AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 37KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 45KW FOR 150% 3S,110% 57S,1
6SL3225-0BE33-7UA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITHOUT FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 37KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 45KW FOR 150% 3S,110% 57S,100% 240S AMB
6SL3225-0BE37-5AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM250 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 75KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 90KW FOR 150% 3S,110% 57S,1
6SL3225-0BH27-5AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 7,5KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 11KW FOR 140% 3S,110% 57S,
6SL3225-0BH31-1AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V +10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 11KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO +50 DEG C OUTPUT LIGHT OVERLOAD: 15KW FOR 140% 3S,110% 57S,1
6SL3225-0BH31-5AA1	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V +10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 15KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO +50 DEG C OUTPUT LIGHT OVERLOAD: 18,5KW FOR 140% 3S,110% 57S
6SL3225-0BH32-2AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 22KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 30KW FOR 140% 3S,110% 57S,1
6SL3225-0BH33-0UA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITHOUT FILTER POSSIBILITY OF REGENERATION 3AC660-690V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 30KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 37KW FOR 140% 3S,110% 57S,100% 240S AMB
6SL3225-0BH33-7AA0	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 37KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 55KW FOR 140% 3S,110% 57S,1
6SL3225-0BH33-7AA1	SIEMENS	Sinamics	SINAMICS G120 POWER MODULE PM260 WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC660-690V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 37KW FOR 200% 3S,150% 57S,100% 240S AMBIENT TEMP -10 TO 50 DEG C OUTPUT LIGHT OVERLOAD: 55KW FOR 140% 3S,110% 57S,1
6SL3225-0SE17-5UA0	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 65 MM 3AC380-480V 10/-15% 47-63HZ POWER 0.75 KW / 1.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE17-5UA1	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 65 MM 3AC380-480V 10/-15% 47-63HZ POWER 0.75 KW / 1.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE17-5UA2	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 65 MM 3AC380-480V 10/-15% 47-63HZ POWER 0.75 KW / 1.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE22-2UA0	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 130 MM 3AC380-480V 10/-15% 47-63HZ POWER 2.2 KW / 3.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE22-2UA1	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 130 MM 3AC380-480V 10/-15% 47-63HZ POWER 2.2 KW / 3.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE24-0UA0	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 130 MM 3AC380-480V 10/-15% 47-63HZ POWER 4.0 KW / 5.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3225-0SE24-0UA1	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONVERTER POWER MODULE IPM25 MODULE WIDTH 130 MM 3AC380-480V 10/-15% 47-63HZ POWER 4.0 KW / 5.0 HP OVERLOAD 150% 60S, 200% 3S POWER RECOVERY EXPANDABLE WITH BRAKE CONTROL MODULE OPTION: EXT. EMC-FILTER (CL. A)
6SL3235-0TE21-1SB0	SIEMENS	Sinamics	FREQ. CONVERTER FOR ET 200PRO WITH FAIL-SAFE FUNCTIONS MODULE WIDTH 155 MM 3AC380-480V 10/-10% 47-63HZ POWER 1.1KW/1.5HP(0... 55 DEG C) POWER 1.5KW/2.0HP(0... 45 DEG C) OVERLOAD 150% 60S, 200% 3S POWER RECOVERY WITH BRAKE CONTROL DC180V WITH EMC-FILTER (CL
6SL3243-0BA30-1HA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 HVAC INTEGRATED USS/ MODBUS RTU 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20 WITHOUT POWER MODULE AND PANEL
6SL3243-0BA30-1PA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 DP INTEGRATED PROFIBUS DP 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20 WITHOUT POWER MODULE AND PANEL
6SL3243-0BB30-1FA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 PN INTEGRATED PROFINET 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20
6SL3243-0BB30-1HA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 HVAC USS/ MODBUS RTU/BACNET MS/TP 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20
6SL3243-0BB30-1HA2	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 HVAC USS/ MODBUS RTU/BACNET MS/TP 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20
6SL3243-0BB30-1HH1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 DP INTEGRATED PROFIBUS DP 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20
6SL3243-0BB30-1PA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU230P-2 DP INTEGRATED PROFIBUS DP 6 DI, 3 DO, 4 AI, 2 AO 1 MOTOR TEMP. SENSOR INPUT 2 PSU-OUT(10V DC, 24V DC) 1 PSU-IN (24V DC) USB- AND MMC-INTERFACE PROTECTION IP20

6SL3244-0BA10-0BA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E, E-TYPE STANDARD RS485-INTERFACE, USS-PROTOCOL 6 DI, 3 DO, 2 AI, 2 AO PTC/KTY INTERFACE EM-BRAKE RELAY, PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT POWER MODULE AND BOP
6SL3244-0BA20-1BA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240S S-TYPE STANDARD RS485-INTERFACE, USS-PROTOCOL 9 DI, 3 DO, 2 AI, 2 AO PTC/KTY INTERFACE EM-BRAKE RELAY, MMC INTERFACE ENCODER INTERFACE PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT POWER MODULE AND BOP
6SL3244-0BA20-1FA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240S PN S-TYPE STANDARD PROFINET 9 DI, 4 DO, 2 AI, 2 AO PTC/KTY INTERFACE EM-BRAKE RELAY, MMC INTERFACE ENCODER INTERFACE PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT POWER MODULE AND BOP
6SL3244-0BA20-1PA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240S DP S-TYPE STANDARD PROFIBUS DP 9 DI, 3 DO, 2 AI, 2 AO PTC/KTY INTERFACE EM-BRAKE RELAY, MMC INTERFACE ENCODER INTERFACE PROTECTION IP20 AMBIENT TEMP -10 TO 50 DEG C WITHOUT POWER MODULE AND BOP
6SL3244-0BA21-1PA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240S DP-F S-TYPE SAFETY INTEGRATED PROFIBUS DP 8 DI, 3 DO, 2 AI, 2 AO PTC/KTY INTERFACE EM-BRAKE RELAY, MMC INTERFACE ENCODER INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 45 DEG C WITHOUT POWER MODULE AND BOP
6SL3244-0BB00-1BA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240B-2 B-TYPE RS485-INTERFACE, USS-PROTOCOL 4 DI, 1 DO, 1 AI, 1 AO PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO +50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB00-1BA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240B-2 B-TYPE RS485-INTERFACE WITH USS-/MODBUS RTU-PROTOCOL 4 DI, 1 DO, 1 AI, 1 AO PTC/KTY/THERMOCLICK INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO +50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB12-1BA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 E-TYPE SAFETY INTEGRATED STO RS485-INTERFACE, USS-PROTOCOL 6DI, 3DO, 2AI, 2AO, MAX 1F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB12-1BA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 E-TYPE SAFETY INTEGRATED STO RS485-INTERFACE, USS-PROTOCOL 6DI, 3DO, 2AI, 2AO, MAX 1F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB12-1PA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 DP E-TYPE SAFETY INTEGRATED STO PROFIBUS DP 6DI, 3DO, 2AI, 2AO, MAX 1F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB12-1PA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 DP E-TYPE SAFETY INTEGRATED STO PROFIBUS DP 6DI, 3DO, 2AI, 2AO, MAX 1F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB13-1BA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 F E-TYPE SAFETY INTEGRATED STO, SS1, SLS, RS485-INTERFACE, 6DI, 3DO, 2AI, 2AO, MAX 3F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB13-1FA0	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 PN-F E-TYPE SAFETY INTEGRATED STO, SS1, SLS, PROFINET 6DI, 3DO, 2AI, 2AO, MAX 3F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0BB13-1PA1	SIEMENS	Sinamics	SINAMICS G120 CONTROL UNIT CU240E-2 DP-F E-TYPE SAFETY INTEGRATED STO, SS1, SLS, PROFIBUS DP 6DI, 3DO, 2AI, 2AO, MAX 3F-DI PTC/KTY INTERFACE USB- AND SD/MMC-INTERFACE PROTECTION IP20 AMBIENT TEMP 0 TO 50 DEG C WITHOUT POWER MODULE AND PANEL
6SL3244-0SA00-1AA0	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONTROL UNIT MODULE WIDTH 15 MM COMBINEABLE WITH CONVERTER POWER MODULE IPM25 CONTROL METHODS: U/F,FCC,SLVC, VC WITH ENCODER, TORQUE CONTROL INPUT MOTOR ENC.: HTL UNIPOLAR INPUT MOTOR TEMP.: PTC/KTY RS232: START-UP-TOOL STA
6SL3244-0SA01-1AA0	SIEMENS	Sinamics	FREQUENCY CONVERTER FOR ET 200S CONTROL UNIT SAFETY INTEGRATED MODULE WIDTH 15 MM COMBINEABLE WITH CONVERTER POWER MODULE IPM25 CONTROL METHODS: U/F,FCC,SLVC, VC WITH ENCODER, TORQUE CONTROL INPUT MOTOR ENC.: HTL UNIPOLAR INPUT MOTOR TEMP.: PTC/KTY RS232:
6SL3252-0BB00-0AA0	SIEMENS	Sinamics	SINAMICS BRAKE RELAY FOR POWER MODULE
6SL3254-0AM00-0AA0	SIEMENS	Sinamics	MMC PARAMETER STORAGE FOR ET 200S FC/SINAMICS G120
6SL3255-0AA00-2AA1	SIEMENS	Sinamics	SINAMICS G110 / G120 PC-INVERTER CONNECTION KIT INCLUDES START-UP SOFTWARE STARTER ON CD-ROM
6SL3255-0AA00-4BA0	SIEMENS	Sinamics	SINAMICS G110 BASIC OPERATOR PANEL (BOP)
6SL3255-0AA00-4BA1	SIEMENS	Sinamics	SINAMICS G110/G120 BASIC OPERATOR PANEL (BOP)
6SL3255-0AA00-4CA1	SIEMENS	Sinamics	SINAMICS G120 BASIC OPERATOR PANEL (BOP-2)
6SL3255-0AA00-4HA0	SIEMENS	Sinamics	SINAMICS G120/G120D AND SIMATIC ET200S FC/ET200 PRO FC HANDHELD FOR INTELLIGENT OPERATOR PANEL(IOP) CONTAINS IOP, HANDHELD HOUSING, POWER SUPPLY (INTERNATIONAL), ACCUMULATORS (4 X AA), RS232 CONNECTION CABLE (3M) AND USB CABLE (1M)
6SL3262-1AC00-0DA0	SIEMENS	Sinamics	SINAMICS SCREENING KIT FOR POWER MODULE FSC
6SL3262-1AD00-0DA0	SIEMENS	Sinamics	SINAMICS SCREENING KIT FOR POWER MODULE FSD AND FSE
6SL3300-1AE32-5AA0	SIEMENS	Sinamics	SINAMICS BRAKING MODULE INPUT: 600 V DC OUTPUT: 250 KW/15 S FOR CHASSIS UNIT GX
6SL3350-6TK00-0CA0	SIEMENS	Sinamics	SINAMICS SPARE-PART CONTROL INTERFACE MODULE (CIM) DESIGN FPGA FOR AIRCOOLED DRIVES
6SL3351-1AE32-6AA1	SIEMENS	Sinamics	SINAMICS/MICROMASTER PX SPARE POWER BLOCK FOR 3PH. 380-480 V, 50/60 HZ, 260 A AC DRIVE/POWER MODULES RECTIFIER AND 3 PHASES
6SL3351-3AE35-0AA0	SIEMENS	Sinamics	SINAMICS S120 SPARE IPD-CARD FOR AIRCOOLED POWER MODULE 3AC 380-480V, 50/60HZ / 490A
6SL3351-6GH28-5AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 85 A POWER MODULE
6SL3351-6GH31-0AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 100 A POWER MODULE
6SL3351-6GH31-2AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 120 A POWER MODULE
6SL3351-6GH31-8AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 175 A POWER MODULE
6SL3351-6GH32-2AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 215 A POWER MODULE
6SL3351-6GH34-1AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 410 A POWER MODULE
6SL3351-6GH34-7AB3	SIEMENS	Sinamics	SINAMICS G REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690 V, 50/60HZ, 465 A POWER MODULE
6SL3352-3AE33-8AC0	SIEMENS	Sinamics	SINAMICS S150 REPLACEMENT IPD MOTOR MODULE 380-480V, 200KW
6SL3352-6BE00-0AA1	SIEMENS	Sinamics	SINAMICS/MICROMASTER PX REPLACEMENT POWER SUPPLY FOR 3AC 380-480V, 50/60HZ AC DRIVE/POWER/MOTOR MODULE
6SL3352-6TE33-1AA0	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 380-480V, 50/60HZ, 310A MOTOR MODULE
6SL3352-6TE33-1AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3PH 380-480 V, 50/60 HZ, 310 A MOTOR MODULE
6SL3352-6TG33-3AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 500-690V, 50/60HZ, 330A MOTOR MODULE
6SL3353-3AE41-0AA0	SIEMENS	Sinamics	SINAMICS S120 SPARE IPD-CARD FOR AIRCOOLED ACTIVE LINE MODULE
6SL3353-3AE41-0AA4	SIEMENS	Sinamics	SINAMICS S120 SPARE IPD-CARD FOR AIRCOOLED ACTIVE LINE MODULE WITH FPGA 3AC 380-480V, 50/60HZ, 985A
6SL3353-3AE41-4AA4	SIEMENS	Sinamics	SINAMICS S120 SPARE IPD-CARD FOR AIRCOOLED ACTIVE LINE MODULE WITH FPGA 3AC 380-480V, 50/60HZ, 1405A
6SL3353-3AG35-5CA0	SIEMENS	Sinamics	SINAMICS S120 REPLACEMENT IPD-CARD FOR AIR COOLED SMART LINE MODULE
6SL3353-6TE33-8AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3PH 380-480 V, 50/60 HZ, 380 A ACTIVE LINE MODUL
6SL3353-6TE41-0AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 380-480 V, 50/60HZ, 985 A ACTIVE LINE MODULE
6SL3355-3AE32-1AA0	SIEMENS	Sinamics	SINAMICS S120 SPARE IPD-CARD FOR WATERCOOLED POWER MODULE 3AC 380-480V, 50/60HZ / 210A
6SL3356-6TG38-1AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 500-690V, 50/60HZ, 810A MOTOR MODULE WATERCOOLING
6SL3356-6TG41-3AA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 500-690V, 50/60HZ, 1270A MOTOR MODULE WATERCOOLING
6SL3357-6TG41-7BA3	SIEMENS	Sinamics	SINAMICS S REPLACEMENT CONTROL INTERFACE BOARD FOR 3AC 660-690V, 50/60HZ, 1650A BASIC LINE MODULE WATERCOOLING
6SL3362-0AF00-0AA1	SIEMENS	Sinamics	SINAMICS/MICROMASTER PX REPLACEMENT FAN FOR 3AC 380-480 V, 50/60 HZ, 210 A AC DRIVE/POWER/MOTOR MODULES CHASSIS UNIT FRAMESIZE F
6SL3362-0AG00-0AA1	SIEMENS	Sinamics	SINAMICS/MICROMASTER PX REPLACEMENT FAN FOR AC DRIVE/POWER/MOTOR MODULES CHASSIS UNIT FRAMESIZES G,H AND J
6SL3400-1AE31-0AA0	SIEMENS	Sinamics	SINAMICS BRAKING MODULE COMPACT INPUT: DC600V OUTPUT: PDB/PMAX 5/100KW
6SL3400-1AE31-0AB0	SIEMENS	Sinamics	

6SL3420-1TE21-0AA0	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 9A FRAME SIZE BOOKSIZE COMPACT INTERNAL AIR COOLING OPTIMIZED PULSE PATTERNS AND HELP HIGHER ORDER SAFETY FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3420-1TE21-8AA0	SIEMENS	Sinamics	SINAMICS S120 SINGLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 18A FRAME SIZE BOOKSIZE COMPACT INTERNAL AIR COOLING OPTIMIZED PULSE PATTERNS AND HELP HIGHER ORDER SAFETY FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3420-2TE13-0AA0	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 3A/3A FRAME SIZE BOOKSIZE COMPACT INTERNAL AIR COOLING OPTIMIZED PULSE PATTERNS AND HELP HIGHER ORDER SAFETY FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3420-2TE15-0AA0	SIEMENS	Sinamics	SINAMICS S120 DOUBLE MOTOR MODULE INPUT: DC 600V OUTPUT: 3AC 400V, 5A/5A FRAME SIZE BOOKSIZE COMPACT INTERNAL AIR COOLING OPTIMIZED PULSE PATTERNS AND HELP HIGHER ORDER SAFETY FUNCTIONS INCL. DRIVE-CLIQ CABLE
6SL3430-6TE21-6AA0	SIEMENS	Sinamics	SINAMICS S120 SMART LINE MODULE INPUT: 3AC 380-480V, 50/60HZ OUTPUT: DC 600V, 27A, 16KW FRAME SIZE BOOKSIZE COMPACT INTERNAL AIR COOLING INCL. DRIVE-CLIQ CABLE
6SL3511-0PE24-0AM0	SIEMENS	Sinamics	SINAMICS G110D AC-DRIVE, W/O REPAIR SWITCH WITH BUILT IN CL. A FILTER WITH BUILT IN BRAKING CHOPPER WITH AS-INTERFACE BUS INTERFACE 3AC380-500V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 4,0KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X
6SL3525-0PE17-5AA0	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 0,75KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X 450 X 110 (HXWxD), FSA PROTECTION IP65 W
6SL3525-0PE17-5AA1	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 0,75KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 55 DEG C 210 X 450 X 110 (HXWxD), FSA PROTECTION IP65 W
6SL3525-0PE21-5AA0	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 1,5KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X 450 X 110 (HXWxD), FSA PROTECTION IP65 W
6SL3525-0PE21-5AA1	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 1,5KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 55 DEG C 210 X 450 X 110 (HXWxD), FSA PROTECTION IP65 W
6SL3525-0PE23-0AA0	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 3,0KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X 450 X 180 (HXWxD), FSB PROTECTION IP65 W
6SL3525-0PE24-0AA0	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 4,0KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X 450 X 220 (HXWxD), FSC PROTECTION IP65 W
6SL3525-0PE24-0AA1	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 4,0KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 55 DEG C 210 X 450 X 220 (HXWxD), FSC PROTECTION IP65 W
6SL3525-0PE27-5AA0	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 7,5KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 40 DEG C 210 X 450 X 220 (HXWxD), FSC PROTECTION IP65 W
6SL3525-0PE27-5AA1	SIEMENS	Sinamics	SINAMICS G120D POWER MODULE PM250D WITH BUILT IN CL. A FILTER POSSIBILITY OF REGENERATION 3AC380-480V 10/-10% 47-63HZ OUTPUT HIGH OVERLOAD: 7,5KW FOR 200% 3S,150% 60S,100% 300S AMBIENT TEMP -10 TO 55 DEG C 210 X 450 X 220 (HXWxD), FSC PROTECTION IP65 W
6SL3544-0FA20-1FA0	SIEMENS	Sinamics	SINAMICS G120D CONTROL UNIT CU240D PN PROFINET 6 DI, 2 DO PTC/KTY INTERFACE EM-BRAKE CONTROL, MMC INTERFACE ENCODER INTERFACE PROTECTION IP65 AMBIENT TEMP -10 TO 55 DEG C WITHOUT POWER MODULE
6SL3544-0FA20-1PA0	SIEMENS	Sinamics	SINAMICS G120D CONTROL UNIT CU240D DP PROFIBUS DP 6 DI, 2 DO PTC/KTY INTERFACE EM-BRAKE CONTROL, MMC INTERFACE ENCODER INTERFACE PROTECTION IP65 AMBIENT TEMP -10 TO 55 DEG C WITHOUT POWER MODULE
6SL3544-0FA21-1PA0	SIEMENS	Sinamics	SINAMICS G120D CONTROL UNIT CU240D DP-F PROFIBUS AND SAFETY INTEGRATED 6 DI, 2 DO PTC/KTY INTERFACE EM-BRAKE CONTROL, MMC INTERFACE ENCODER INTERFACE PROTECTION IP65 AMBIENT TEMP 0 TO 40 DEG C WITHOUT POWER MODULE

Part Number	OEM	Product Group	Description
6SN SIMODRIVE			SIEMENS SIMODRIVE 611 - LT - E/R - Regelungen
6SN1111-0AA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 HF REACTOR, 16/21 KW FOR SINUSOIDAL AND BLOCK-TYPE CURRENT
6SN1111-0AA00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 HF REACTOR 16 KW, UL
6SN1111-0AA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 HF REACTOR, 36/47 KW FOR SINUSOIDAL AND BLOCK-TYPE CURRENT
6SN1111-0AA00-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 HF REACTOR, 36 KW, UL
6SN1111-0AA00-1EA0	SIEMENS	Simodrive	SIMODRIVE 611 HF COMMUTATING REACTOR FOR I/RF MODULE 80 KW, UL
6SN1111-0AA00-1FA0	SIEMENS	Simodrive	SIMODRIVE 611 HF COMMUTATING REACTOR FOR I/RF MODULE 120 KW, UL
6SN1111-0AA01-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 FILTER MODULE 36/47 KW FOR BLOCK CURRENT
6SN1111-0AA01-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 FILTERMODUL 36/47 KW BLOCK
6SN1111-0AA01-1AA0	SIEMENS	Simodrive	SIMODRIVE 611 MAINS FILTER FOR UNREGULATED POWER SUPPLY 10 KW
6SN1111-0AA01-2DA0	SIEMENS	Simodrive	SIMODRIVE 611 MAINS FILTER FOR STABILIZED INFEED 55 KW,SINUS + BLOCK-TYPE CURRENT MODE
6SN1111-0AB00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 SURGE ARRESTER FOR POWER SUPPLY 10 KW, FOR INTERNAL AND EXTERNAL COOLING
6SN1112-1AA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 A/D MONITORING MODULE, COMPLETE
6SN1112-1AB00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 CAPACITOR MODULE 4.1 MF FOR CONNECTION TO DC LINK FOR POWER BACK-UP W X H X D (MM) 100 X 480 X 211
6SN1112-1AC01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 MONITORING MODULE, W. UNIVERS. HOUSING FOR 211/288 MM DEPTH
6SN1112-1AC01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 MONITORING MODULE, WITH HOUSING FOR 211/288 MM DEPTH
6SN1113-1AA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 A/D PULSED RESISTOR MODULE, INTER. RESISTANCE FOR 0.3/25 W
6SN1113-1AA00-1FA0	SIEMENS	Simodrive	SIMODRIVE VPM 85, VOLTAGE PROTECTION MODULE, 85A
6SN1113-1AA00-1JA1	SIEMENS	Simodrive	SIMODRIVE VPM 120, VOLTAGE PROTECTION MODULE, 120 A METRIC THREAD
6SN1113-1AA00-1KC1	SIEMENS	Simodrive	SIMODRIVE VPM 200, VOLTAGE PROTECTION MODULE, 200 A, DYNAMIC METRIC CABLE GLANDS, USE WITH THIRD-PARTY SYNCHR. MOTORS
6SN1113-1AB01-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 PULSED RESISTOR, INTERNAL RESISTANCE FOR 0.3/25 KW UNIVERSAL HOUSING FOR 211/288 MM DEPTH
6SN1113-1AB01-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 PULSED RESISTOR MODULE, INTER. RESISTANCE FOR 0.3/25 KW UNIVERSAL HOUSING FOR 211/288 MM DEPTH
6SN1114-0AA01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A SETTING MODULE FOR FEED MODULE ENHANCED INTERFACE
6SN1114-0AA02-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A OPTION MODULE MAIN SPINDLE FUNCTIONS FOR FEEDRATE CONTROL ENHANCED INTERFACE
6SN1114-0NA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL WITHDRAWABLE TERMINAL EXTENT. UNIT, DI 24V, 8 DO 24V/500MA (MAX.), GALVANICALLY ISOLATED
6SN1114-0NB00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL OPTIONAL PLUG-IN UNIT PROFIBUS DP, PROFIBUS PLUG-IN UNIT DP-STAND-SLAVE FOR CYCLIC/ACYCLIC DATA EXCHANGE
6SN1114-0NB00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL OPT. PLUG-IN UNIT PROFIBUS DP PROFIBUS UNIT DP-NORM-SLAVE FOR CYCLIC AND ACYCLIC DATA EXCHANGE
6SN1114-0NB00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL OPT. PLUG-IN UNIT PROFIBUS DP, PROFIBUS UNIT DP-NORM-SLAVE FOR CYCLIC AND ACYCLIC DATA EXCHANGE
6SN1114-0NB01-0AA0	SIEMENS	Simodrive	MOTION CONTROL W. PROFIBUS DP SYNCHRONOUS STAND. SLAVE UP TO 2 AXES ONLY FOR CYCLIC AND ACYCLIC DATA EXCHANGE UP TO 12 MBAUD
6SN1115-0AA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 MODULE HIGH-RESOLUTION ACTUAL POSITION ACQUISITION
6SN1115-0BA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP CONTR. PLUG-IN UNIT 2-AXES, HYDRAULIC CLOSED-LOOP CONTROL WITH DIR. MEASURING SYSTEM AND SIGNAL
6SN1115-0BA11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CLOSED-LOOP CONTROL 2 AXES HYDRAULIC CLOSED-LOOP CONTROL HLA WITH DIRECT MEASURING SYSTEM AND VOLTAGE SIGNALS

6SN1118		SIMODRIVE	REGELUNGSEINSCHÜBE - regulation cards
		E	
6SN1118-0AA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR FEED DRIVES WITH 1FTS, ENHANCED INTERFACE
6SN1118-0AA11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR FEED DRIVES WITH 1FTS, ENHANCED INTERFACE
6SN1118-0AD11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT, 1-AXIS, FOR FEED DRIVES WITH 1FTS, STANDARD INTERFACE
6SN1118-0AD11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT, 1-AXIS, FOR FEED DRIVES WITH 1FTS, STANDARD INTERFACE
6SN1118-0AE11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES, FOR FEED DRIVES WITH 1FTS, STANDARD INTERFACE
6SN1118-0AE11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT, 2-AXES, FOR FEED DRIVES WITH 1FTS, STANDARD INTERFACE
6SN1118-0BK11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 CLOSED-LOOP PLUG-IN CONTROL UNIT, WITH RESOLVER, 2 AXES ANALOG SETPOINT INTERFACE
6SN1118-0DA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR DIGITAL FEED DRIVES, W/O DIRECT MEASURING SYSTEM
6SN1118-0DA13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR DIGITAL FEED DRIVES, W. DIRECT MEASURING SYSTEM, VOLTAGE SIGNALS
6SN1118-0DB13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT 2 AXES, FOR DIGITAL FEED DRIVES, DIRECT MEASURING SYSTEM, VOLTAGE SIGNALS
6SN1118-0DG11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR DIGITAL DRIVES FEED+MAIN SPINDLE, WITHOUT DIR. MEASURING SYSTEM
6SN1118-0DG12-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT 1 AXIS, FOR DIGITAL DRIVES FEED+MAIN SPINDLE, WITH DIRECT MEASURING SYSTEM, CURRENT SIGN.
6SN1118-0DG13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT 1 AXIS, FOR DIGITAL DRIVES FEED+MAIN SPINDLE, WITH DIRECT MEASURING SYSTEM, VOLTAGE SIGN.
6SN1118-0DG21-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT 1 AXIS, FOR DIGITAL DRIVES FEED+MAIN SPINDLE DRIVES, W/O DIRECT MEASURING SYSTEM, PERFORMANCE CLOSED-LOOP CONTROL
6SN1118-0DG21-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 1 AXIS, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES
6SN1118-0DG22-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D REGELUNGSEINSCHUB 1-ACHS
6SN1118-0DG23-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 1 AXIS, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES WITH DIRECT MEASURING SYSTEM VOLTAGE SIGNALS
6SN1118-0DG23-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 1 AXIS, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES WITH DIRECT MEASURING SYSTEM VOLTAGE SIGNALS
6SN1118-0DH11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 2-AXES, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES W/O DIRECT MEASURING SYSTEM
6SN1118-0DH12-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D REGELUNGSEINSCHUB 2-ACHS
6SN1118-0DH13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES FOR DIGITAL DRIVE, DIRECT MEASURING SYS., VOLTAGE SIGNALS
6SN1118-0DH21-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES, FOR DIGITAL DRIVE FEED DRIVE, WITHOUT DIRECT MEASURING SYSTEM, PERFORMANCE CLOSED-LOOP CONTROL
6SN1118-0DH22-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES FOR DIGITAL DRIVE, FEED DRIVE, WITH DIRECT MEASURING SYSTEM, PERFORMANCE CLOSED-LOOP CONTROL, CURRENT SIGNALS
6SN1118-0DH22-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 2-AXES, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES WITH DIRECT MEASURING SYSTEM CURRENT SIGNALS
6SN1118-0DH23-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 2-AXES, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES WITH DIRECT MEASURING SYSTEM VOLTAGE SIGNALS
6SN1118-0DH23-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN PERFORMANCE CONTROL UNIT, 2-AXES, FOR DIGITAL DRIVES, FEED MAIN SPINDLE DRIVES WITH DIRECT MEASURING SYSTEM VOLTAGE SIGNALS
6SN1118-0DJ21-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL HIGH PERFORMANCE 1 AXIS CLOSED-LOOP CONTROL PLUG-IN
6SN1118-0DJ21-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE, 1 AXIS SIN/COS 1 VPP NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DJ21-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE, 1 AXIS SIN/COS 1 VPP NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DJ23-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL HIGH PERFORMANCE DIRECT MEASURING SYSTEM 1 AXIS CLOSED-LOOP CONTROL PLUG-IN
6SN1118-0DJ23-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 1 AXIS SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DJ23-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 1 AXIS SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DK21-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 2 AXES SIN/COS 1 VPP NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DK23-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH PERFORMANCE 2 AXES SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DM11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES, FOR DIGITAL DRIVE FEED DRIVE+MAIN SPINDLE DRIVE W/O DIRECT MEASURING SYSTEM, STANDARD CLOSED-LOOP CONTROL
6SN1118-0DM11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D PLUG-IN CLOSED-LOOP CONTROL UNIT, 2-AXES VERS., FOR DIGITAL DRIVE, FDD MSD, W/O DIRECT MEASURING SYSTEM, STANDARD CLOSED-LOOP CONTROL
6SN1118-0DM13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 2 AXES FOR DIGITAL DRIVE FEED DRIVE MAIN SPINDLE DRIVE, W. DIRECT MEASURING SYSTEM, STANDARD CLOSED-LOOP CONTROL VOLTAGE SIGNALS
6SN1118-0DM13-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D PLUG-IN CLOSED-LOOP CONTROL UNIT, 2-AXES VERS., FOR DIGITAL DRIVE, FDD MSD, W. DIRECT MEASURING SYSTEM, STANDARD CLOSED-LOOP CONTROL, VOLTAGE SIGNALS
6SN1118-0DM21-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP CONTROL PLUG-IN UNIT, 2 AXES, STANDARD CLOSED- LOOP CONTROL 2, W/O DIRECT MEASURING SYSTEM, MAX. 2 AXES FDD OR 1 AXIS MSD
6SN1118-0DM31-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL HIGH STANDARD, 2 AXES CLOSED-LOOP CONTROL PLUG-IN NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DM31-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD, 2 AXES SIN/COS 1 VPP, NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DM31-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD, 2 AXES SIN/COS 1 VPP, NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DM33-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL HIGH STANDARD DIRECT MEASURING SYSTEM 2 AXES CLOSED-LOOP CONTROL PLUG-IN
6SN1118-0DM33-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXES SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0DM33-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 DIGITAL CONTROL LOOP BLOCK HIGH STANDARD 2 AXES SIN/COS 1 VPP DIRECT MEASURING SYSTEM NC SOFTWARE, REQUIRED FROM 06.04.09
6SN1118-0NH00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITAL CLOSED-LOOP CONTROL PLUG-IN UNIT, 2 AXES, OPTICAL ENCODER, CLOSED-LOOP SPEED CONTROL, ANAL. SET VAL.INTERF. F. 1FT6,1FK6, 1FE1, 1FN1/2, 1PH2/4/6/7 STANDARD MOTORS, PREP. OPTION SLOT
6SN1118-0NH00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITALER REGELU
6SN1118-0NH01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL 2-AXES CLOSED-LOOP CONTROL INCREMENT. ENCODER SIN/COS 1VPP ABSOLUTE VALUE ENDAT
6SN1118-0NH01-0AA1	SIEMENS	Simodrive	SPEED/ROTATIONAL-SPEED TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NH01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL HR 2-AXIS CONTROL LOOP BLOCK INCREMENTAL ENCODER SIN/COS 1 VPP ABSOLUTE VALUE ENCODER ENDAT
6SN1118-0NH10-0AA0	SIEMENS	Simodrive	SPEED-/TORQUE SETPOINT EXPANDABLE BY OPTIONS
6SN1118-0NH10-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL E DIGITAL CLOSED-LOOP PLUG-IN UNIT, 2 AXES, SIN COS 1VPP ENCODER, SPEED CONTROL FOR SINUMERIK 802D, 840DI REQUIRED OPTION: MOTION CONTROL WITH PROFIBUS DP 6SN1114-0NB01-0AA0
6SN1118-0NH11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL E 2-AXES CLOSED-LOOP CONTROL INCREMENT. ENCODER SIN/COS 1VPP ABSOLUTE VALUE ENDAT
6SN1118-0NH11-0AA1	SIEMENS	Simodrive	SPEED/ROTATIONAL-SPEED TORQUE SETPOINT REQUIRED OPTION PROFIBUS-DP V2 6SN1114-0NB01-0AA0
6SN1118-0NH11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL E HR 2-AXIS CONTROL LOOP BLOCK INCREMENTAL ENCODER SIN/COS 1 VPP ABSOLUTE VALUE ENCODER ENDAT
			SPEED/TORQUE SETPOINT REQUIRED OPTION MOTION CONTROL WITH PROFIBUS DP (V2) 6SN1114-0NB01-0AA0

6SN1118-0NJ00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 1-AXIS CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NJ00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 U HR 1-AXIS CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NJ01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 U HR 1-AXIS CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NJ01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 1-AXIS CONTROL LOOP BLOCK RESOLVER SPEED/TORQUE SETPOINT EXPANDABLE BY OPTIONS
6SN1118-0NK00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXES CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NK00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXES CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NK00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXES CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NK01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXES CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-0NK01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXIS CONTROL-LOOP BLOCK RESOLVER SPEED/TORQUE SETPOINT EXPANDABLE BY OPTIONS
6SN1118-1NH00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL 2-AXES CLOSED-LOOP CONTROL INCREMENT. ENCODER SIN/COS 1VPP ABSOLUTE VALUE ENDAT SPEED/ROTATIONAL-SPEED TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-1NH00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL 2-AXES CLOSED-LOOP CONTROL INCREMENT. ENCODER SIN/COS 1VPP ABSOLUTE VALUE ENDAT SPEED/ROTATIONAL-SPEED TORQUE SETPOINT CAN BE EXTENDED WITH OPTIONS
6SN1118-1NH01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL 2-AXES CLOSED-LOOP CONTROL INCREMENT. ENCODER SIN/COS 1VPP ABSOLUTE VALUE ENDAT SPEED/ROTATIONAL-SPEED TORQUE SETPOINT POSITIONING CAN BE EXTENDED WITH OPTIONS
6SN1118-1NH01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL HR 2-AXIS CONTROL-LOOP BLOCK INCREMENTAL ENCODER SIN/COS 1 VPP ABSOLUTE VALUE ENCODER ENDAT SPEED/TORQUE SETPOINT POSITIONING EXPANDABLE BY OPTIONS
6SN1118-1NJ00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITAL CLOSED-LOOP CONTROL PLUG-IN UNIT, 1 AXIS, RESOLVER, POSITION OR POSITION SETPOINT INTERFACE FOR 1FT6, 1FK6, 1FE1, 1FN1/2, 1PH2/4/6/7 STANDARD MOTORS, PREP. OPTION SLOT
6SN1118-1NJ00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITAL CLOSED-LOOP CONTROL PLUG-IN UNIT, 1 AXIS, RESOLVER, POSITIONING OR POSITION SETPOINT INTERFACE FOR 1FT6, 1FK6, 1FE1, 1FN1/2, 1PH2/4/6/7 STANDARD MOTORS PREP. OPTION SLOT
6SN1118-1NJ01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 1-AXIS CONTROL-LOOP BLOCK RESOLVER SPEED/TORQUE SETPOINT POSITIONING EXPANDABLE BY OPTIONS
6SN1118-1NK00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITAL CLOSED-LOOP CONTROL PLUG-IN UNIT, 2 AXES, CONN. FOR RESOLVER, POSITIONING INTERF. OR POSITION SETPOINT INTERFACE FOR 1FT6, 1FK6, 1FE1, 1FN1/2, 1PH2/4/6/7 STANDARD MOTORS, FITTED FOR PLUG-IN OPTION
6SN1118-1NK00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL DIGITAL CLOSED-LOOP CONTROL PLUG-IN UNIT, 2 AXES, CONN. FOR RESOLVER, POSITIONING IF OR POSITION SETPOINT INTERFACE FOR 1FT6, 1FK6, 1FE1, 1FN1/2, 1PH2/4/6/7 STANDARD MOTORS, FITTED FOR PLUG-IN OPTION
6SN1118-1NK01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXES CLOSED-LOOP CONTROL PLUG-IN RESOLVER SPEED/TORQUE SETPOINT POSITIONING CAN BE EXTENDED WITH OPTIONS
6SN1118-1NK01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 U HR 2-AXIS CONTROL-LOOP BLOCK RESOLVER SPEED/TORQUE SETPOINT POSITIONING EXPANDABLE BY OPTIONS

6SN1121-0BA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT FOR MAIN SPINDLE DRIVE WITH 1PH BASIC VERSION
6SN1121-0BA13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT FOR MAIN SPINDLE DRIVE WITH 1PH, WSG INTERFACE OUTPUT
6SN1121-0DA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT, 1 AXIS, FOR MAIN SPINDLE DRIVE, WITHOUT DIRECT MEASURING SYSTEM
6SN1121-0DA13-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D CLOSED-LOOP PLUG-IN CONTROL UNIT 1 AXIS, FOR MAIN SPINDLE DRIVE, DIRECT MEASURING SYSTEM, VOLTAGE SIGNALS

6SN1122-0BA11-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-A PLUG-IN CLOSED-LOOP CONTROL UNIT FOR INDUCTION MOTOR DRIVES UNIVERSAL VERSION
6SN1122-0BA12-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A CLOSED-LOOP PLUG-IN CONTROL UNIT, FOR INDUCTION MOTOR DRIVE, ANALOG INTERFACE, MOTORIZED POTENTIOMETER

6SN1123 / 6SN1124		SIMODRIVE	LEISTUNGSMODULE / power modules
6SN1123-1AA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 15 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 7.5 A 1FT6 = 5 A, INDUCTION M. = 5A
6SN1123-1AA00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 15 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 7.5 A 1FT6 = 5 A, INDUCTION M. = 5A
6SN1123-1AA00-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 15 A INTERNAL COOLING, MOTOR RATED CURRENT: FEED = 5 A MAIN SPINDEL = 5 A
6SN1123-1AA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 25 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 12.5 A 1FT6 = 9 A, INDUCTION M. = 8 A
6SN1123-1AA00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 25 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 12.5 A 1FT6 = 9 A, INDUCTION M. = 8 A
6SN1123-1AA00-0BA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 25 A, INTERNAL COOLING, MOTOR RATED CURRENT: FEED = 9 A MAIN SPINDEL = 8 A
6SN1123-1AA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 50 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 25 A 1FT6 = 18 A, 1PH = 24 A INDUCTION MOTORS = 24 A
6SN1123-1AA00-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 50 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 25 A 1FT6 = 18 A, 1PH = 24 A INDUCTION MOTORS = 24 A
6SN1123-1AA00-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, INTERNAL COOLING, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A
6SN1123-1AA00-0DA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 40 A 1FT6 = 28 A, 1PH = 30 A INDUCTION MOTOR = 30 A
6SN1123-1AA00-0DA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 40 A 1FT6 = 28 A, 1PH = 30 A INDUCTION MOTOR = 30 A
6SN1123-1AA00-0DA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A, INTERNAL COOLING, MOTOR RATED CURRENT: FEED = 28 A MAIN SPINDEL = 30 A
6SN1123-1AA00-0EA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 160 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 80 A 1FT6 = 56 A, 1PH = 60 A INDUCTION MOTOR = 60 A
6SN1123-1AA00-0EA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 160 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 80 A 1FT6 = 56 A, 1PH = 60 A INDUCTION MOTOR = 60 A
6SN1123-1AA00-0EA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, INTERNAL COOLING, MOTOR RATED CURRENTS: FEED = 56 A MAIN SPINDEL = 60 A
6SN1123-1AA00-0FA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 100 A 1FT6 = 70 A, 1PH = 85 A INDUCTION M. = 85 A
6SN1123-1AA00-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 A/D POWER MODULE, 1 AXIS, 200 A, INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 100 A, 1FT6 = 70 A, 1PH = 85 A, INDUCTION = 85 A
6SN1123-1AA00-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A/D POWER MODULE, 1 AXIS, 120 A INTERNAL COOLING, MOTOR RATED CURRENT: 1PH = 45 A, INDUCTION = 45 A
6SN1123-1AA00-0HA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 8 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 4A, 1FT6 = 3A INDUCTION MOTOR = 3 A
6SN1123-1AA00-0HA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 8 A INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 4A, 1FT6 = 3A INDUCTION MOTOR = 3 A
6SN1123-1AA00-0HA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 8 A, INTERNAL COOLING, MOTOR RATED MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A
6SN1123-1AA00-0JA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 300 A, INTERNAL COOLING, ADD-ON FAN REQUIERD OR COOLING F. HOSE COOL. MOTOR RATED FEED = 100 A MAIN SPINDEL = 120 A
6SN1123-1AA00-0JA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 300 A, INTERNAL COOLING, ADD-ON FAN REQUIERD OR COOLING F. HOSE COOL. MOTOR RATED FEED = 100 A MAIN SPINDEL = 120 A

6SN1123-1AA00-0KA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 400 A, INTERNAL COOLING, ADD-ON FAN REQUIRED OR COOLING F. HOSE COOL. MOTOR RATED CURRENT: FEED = 140 A MAIN SPINDEL = 200 A
6SN1123-1AA00-0KA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 400 A, INTERNAL COOLING, ADD-ON FAN REQUIRED OR COOLING F. HOSE COOL. MOTOR RATED CURRENT: FEED = 140 A MAIN SPINDEL = 200 A
6SN1123-1AA00-0LA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 108 A, INTERNAL COOLING MOTOR RATED CURRENT: 1PH = 45 A, INDUCTION M. = 45 A
6SN1123-1AA00-0LA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 108 A INTERNAL COOLING MOTOR RATED CURRENT: 1PH = 45 A ASYNCHRONOUS = 45 A
6SN1123-1AA00-0LA3	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, INTERNAL COOLING, MOTOR RATED CURRENTS: VORSCHUB = 42 A HAUPTSPINDEL = 45 A
6SN1123-1AA01-0FA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A, INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 100 A, 1FT6 = 70 A, 1PH = 85 A, INDUCTION MOTOR = 85 A
6SN1123-1AA01-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A, INTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 100 A, FEED = 70 A MAIN SPINDEL = 85 A
6SN1123-1AA02-0FA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A, INTERNAL COOLING F. HOSE COOL. MOTOR RATED CURRENT: 1FT5 = 100 A, 1FT6 = 70 A, 1PH = 85 A,INDUCT. MOTOR = 85A
6SN1123-1AA02-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A, COOLING F. HOSE COOL. MOTOR RATED CURRENT: FEED = 70 A MAIN SPINDEL = 85 A
6SN1123-1AB00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 15 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 7.5 A, 1FT6 = 5 A
6SN1123-1AB00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 15 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 7.5 A, 1FT6 = 5 A
6SN1123-1AB00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 25 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 12.5 A, 1FT6 = 9 A
6SN1123-1AB00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 25 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 12.5 A, 1FT6 = 9 A
6SN1123-1AB00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A
6SN1123-1AB00-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A
6SN1123-1AB00-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A
6SN1123-1AB00-0CA3	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50A, INTERNAL HEAT DISSIPATION, RATED MOTOR CURRENTS: FEED = 18 A MAIN SPINDEL = 24 A
6SN1123-1AB00-0HA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 8 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 4 A, 1FT6 = 3 A
6SN1123-1AB00-0HA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 8 A INTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 4 A, 1FT6 = 3 A
6SN1123-1AB00-0HA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 8 A, INTERNAL COOLING, MOTOR RATED CURRENT: FEED = 3 A MAIN SPINDEL = 3 A

6SN1124-1AA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611, POWER MODULE, 1 AXIS, 25 A, EXTERNAL COOLING, MOTOR RATED CURRENTS: 1FT5 = 12.5 A, 1FT6 = 9 A, ASYNCHRONOUS = 8 A
6SN1124-1AA00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 25 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 12.5 A, 1FT6 = 9 A INDUCTION MOTOR = 8 A
6SN1124-1AA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611, POWER MODULE, 1 AXIS, 50 A, EXTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A, 1PH = 14 A,INDUCT. MOTOR = 24A
6SN1124-1AA00-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 50 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A 1PH = 14 A,INDUCT. MOTOR = 24A
6SN1124-1AA00-0DA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A, EXTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 40 A, 1FT6 = 28 A, 1PH = 30 A,INDUCT. MOTOR= 30 A
6SN1124-1AA00-0DA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 40 A, 1FT6 = 28 A 1PH = 30 A,INDUCT. MOTOR= 30 A
6SN1124-1AA00-0DA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 80 A, EXTERNAL COOLING, MOTOR RATED CURRENT: FEED = 28 A MAIN SPINDEL = 30 A
6SN1124-1AA00-0EA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 160 A, EXTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 80 A, 1FT6 = 56 A, 1PH = 60 A, INDUCT. MOTOR= 60A
6SN1124-1AA00-0EA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 160 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 =80 A, 1FT6 = 56 A 1PH = 60 A,INDUCT. MOTOR= 60A
6SN1124-1AA00-0EA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, EXTERNAL COOLING; MOTOR RATED CURRENTS: FEED = 56 A MAIN SPINDEL = 60 A
6SN1124-1AA00-0GA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 108 A EXTERNAL COOLING, MOTOR RATED CURRENT: 1PH = 45 A INDUCTION MOTOR = 45 A
6SN1124-1AA00-0JA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 300 A, EXTERNAL COOLING, MOTOR RATED CURRENT: 1PH = 120A
6SN1124-1AA00-0JA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 300 A, EXTERNAL COOLING, ADD-ON FAN REQUIRED MOTOR RATED CURRENT: FEED = 100 A MAIN SPINDEL = 120 A
6SN1124-1AA00-0LA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 108 A EXTERNAL COOLING, MOTOR RATED CURRENT: 1PH = 45 A INDUCTION MOTOR = 45 A
6SN1124-1AA01-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 1 AXIS, 200 A, EXTERNAL COOLING, ADD-ON FAN REQUIRED MOTOR RATED CURRENT: FEED = 70 A MAIN SPINDEL = 85 A
6SN1124-1AB00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 15 A EXTERNAL COOLING, MOTOR RATED CURRENT:1FT5 = 7.5 A,1FT6 = 5 A
6SN1124-1AB00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 LEISTUNGSMODUL, 2-ACHS, 25
6SN1124-1AB00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 25 A EXTERNAL COOLING, MOTOR RATED CURRENT:1FT5 = 12.5 A,1FT6 =9A
6SN1124-1AB00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50 A EXTERNAL COOLING, MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18A
6SN1124-1AB00-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 50 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 25 A, 1FT6 = 18 A
6SN1124-1AB00-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2-AXIS, EXTERNAL COOLING, MOTOR RATED CURRENT: FEED = 18 A MAIN SPINDEL = 24 A
6SN1124-1AB00-0HA1	SIEMENS	Simodrive	SIMODRIVE 611 POWER MODULE, 2 AXES, 8 A EXTERNAL COOLING MOTOR RATED CURRENT: 1FT5 = 4 A, 1FT6 = 3 A

6SN1130-1AA11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 7.5/15 A, ENHANCED INTERFACE
6SN1130-1AA11-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 12.5/25 A, ENHANCED INTERFACE
6SN1130-1AA11-0CA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 25/50 A, ENHANCED INTERFACE
6SN1130-1AA11-0DA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 40/80 A, ENHANCED INTERFACE
6SN1130-1AA11-0EA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 80/160 A, ENHANCED INTERFACE
6SN1130-1AA11-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 4/8 A, ENHANCED INTERFACE
6SN1130-1AA12-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 12.5/25 A, OPTION MAIN SPINDLE,ENHANCED INTERFACE
6SN1130-1AA12-0DA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 40/80 A, OPTION MAIN SPINDLE,ENHANCED INTERFACE
6SN1130-1AD11-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 7.5/15 A, STANDARD INTERFACE
6SN1130-1AD11-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 12.5/25 A, STANDARD INTERFACE
6SN1130-1AD11-0CA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 25/50 A, STANDARD INTERFACE
6SN1130-1AD11-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 4/8 A, STANDARD INTERFACE
6SN1130-1AE11-0AB0	SIEMENS	Simodrive	SIMODRIVE 611-A FEED MODULE, 2 AXES, 2 X 7.5/15 A, STAND. INTERFACE
6SN1130-1DA11-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 1 AXIS, 9/18 A, WITHOUT DIRECT MEASURING SYSTEM
6SN1130-1DA11-0CA0	SIEMENS	Simodrive	SIMODRIVE 611-D VORSCHUBMODUL, 1 ACHSE,
6SN1130-1DA11-0DA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 1 AXIS, 28/56 A, WITHOUT DIRECT MEASURING SYSTEM
6SN1130-1DB11-0CA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 2 AXES, 2 X 18/36A WITHOUT DIRECT MEASURING SYSTEM
6SN1130-1DB12-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 2 AXES, 2 X 9/18 A DIRECT MEAS.SYSTEM,CURR. SIGN.
6SN1130-1DB12-0HA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 2 AXES, 2 X 3/6 A DIRECT MEAS.SYSTEM,CURR. SIGN.
6SN1130-1DG12-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 1 AXIS, 5/10 A, DIR.MEAS.SYSTEM,CURRENT SIGNALS WITHOUT EPROM
6SN1130-1DG13-0FA0	SIEMENS	Simodrive	SIMODRIVE 611-D FEED MODULE, 1 AXIS, FEED DRIVE 70/140A,MAIN SPINDLE DRIVE 85/110/127 A, W. DIRECT MEAS. SYSTEM, VOLTAGE SIGNAL W/O EPROM

6SN1135-1BA12-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A MAIN SPINDLE MODULE, 45/60 A, INPUT DIR. MEASURING SYSTEM TTL
6SN1135-1BA13-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A HAUPTSPINDEL-MODUL, 45/6
6SN1135-1DA11-0EA0	SIEMENS	Simodrive	SIMODRIVE 611-D MAIN SPINDLE MODULE,60/80/102A, W/O DIRECT MEASURING SYSTEM
6SN1135-1DA11-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-D MAIN SPINDLE MODULE,45/60/76 A, W/O DIRECT MEASURING SYSTEM

6SN1140-1BA12-0GA0	SIEMENS	Simodrive	SIMODRIVE 611-A ASYNCHRONMOTOR-MODUL, 60
--------------------	---------	-----------	--

6SN1145 / 6SN1146		SIMODRIVE	E/R MODULE
Part Number	OEM	Product Group	Description
6SN1145-1AA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611-A/611-D INFEEED MODULE, 10/25 KW UNREGULATED
6SN1145-1AA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611A/D INFEEED MODULE, 28/50 KW, UNREGULATED, FOR INTERNAL COOL.
6SN1145-1AA01-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED MODULE, 10/25 KW, UNREGULATED, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1AA01-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED MODULE, 10/25 KW UNREGULATED, INTERNAL/EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1AA01-0AA2	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED MODULE, 10/25 KW, UNREGULATED; INTERNAL/EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-A/611-D INFEEED/REGEN.FEEDBACK MODULE, 16/21 KW, REGULATED
6SN1145-1BA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611-A/D INFEEED/REGEN.FEEDBACK MODULE, 36/47 KW, REGULATED
6SN1145-1BA01-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE 16/21 KW, STABILIZED WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA01-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE 16/21 KW, STABILIZED WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA01-0BA2	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE 16/21 KW, STABILIZED, WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA01-0DA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 55/71 KW, REGULATED, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA01-0DA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 55/71 KW, CLOSED-LOOP CONTROL, WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA02-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 36/47 KW, CLOSED-LOOP CONTROL WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA02-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 36/47 KW, CLOSED-LOOP CONTROL WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1145-1BA02-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 36/47 KW, CLOSED-LOOP CONTROL, WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT.
6SN1145-1BB00-0DA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE, 55/71 KW CLOSED-LOOP CONTROL; MAINS CONTACTOR WITH BREAK CONTACT FOR HOSE COOLING
6SN1145-1BB00-0DA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 55/71 KW, STABILIZED, MAINS CONTACTOR WITH BREAK CONTACT FOR HOSE COOLING
6SN1145-1BB00-0EA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE, 80/104 KW, REGULATED; INTERNAL COOLING
6SN1145-1BB00-0EA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 80/104 KW, CLOSED-LOOP CONTROL INTERNAL COOLING
6SN1145-1BB00-0FA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE, 120/156 KW, REGULATED, INTERNAL COOLING
6SN1145-1BB00-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 120/156 KW, CLOSED-LOOP CONTROL INTERNAL COOLING
6SN1146-1AB00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611-A/611-D INFEEED MODULE, 5/10 KW, UNREGULATED
6SN1146-1AB00-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED MODULE, 5/10 KW, UNREGULATED, WITH INTERNAL/EXT. COOLING
6SN1146-1BB00-0DA0	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN. FEEDBACK MODULE, 55/71 KW, REGULATED, EXTERNAL COOLING, MAINS CONTACTOR W. BREAK CONTACT
6SN1146-1BB00-0DA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 55/71 KW, CLOSED-LOOP CONTROL, EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1146-1BB00-0EA0	SIEMENS	Simodrive	SIMODRIVE 611 EIN-/RUECKSPEISEMODUL 80/104 KW GEREGELT; EXTERNE ENTWAERMUNG
6SN1146-1BB00-0EA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 80/104 KW, CLOSED-LOOP CONTROL EXTERNAL COOLING
6SN1146-1BB00-0FA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN.FEEDBACK MODULE 120/156KW, STABILIZED, EXTERNAL COOLING
6SN1146-1BB01-0BA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGEN. FEEDBACK MODULE 16/21 KW, STABILIZED EXTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1146-1BB01-0BA2	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE 16/21 KW, STABILIZED, WITH INTERNAL COOLING, MAINS CONTACTOR WITH BREAK CONTACT
6SN1146-1BB02-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 EIN-/RUECKSPEISEMODUL 36/47
6SN1146-1BB02-0CA1	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE, 36/47 KW REGULATED, EXTERNAL COOLING MAINS PROTECTION WITH NC CONTACT
6SN1146-1BB02-0CA2	SIEMENS	Simodrive	SIMODRIVE 611 INFEEED/REGENERATIVE FEEDBACK MODULE, 36/47 KW REGULATED, EXTERNAL COOLING, MAINS PROTECTION WITH NC CONTACT
6SN1153-3NX20-4AG0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL-/E SIMOCOM-U/611 UNIVERSAL TOOLBOX IN GER, ENGL, ITAL, SP, FR, SELECTABLE LANGUAGE WITH FIRMWARE AND FUNCTION BLOCKS FOR S7 ON CD-ROM SW VERS. 3.4
6SN1161-1CA00-0AA1	SIEMENS	Simodrive	SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 50 MM ROUND CABLE
6SN1161-1CA00-0EA1	SIEMENS	Simodrive	SIMODRIVE 611-D DRIVE BUS FOR MODULE WIDTH W = 350MM, SHIELDED ROUND CABLE
6SN1162-0BA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 BUILT-ON FAN FOR 300 MM MODULES INTERNAL/EXTERNAL COOLING UL DESIGN. NOT FOR: 6SN1123-1AA01-0FA0, -0FA1 AND 6SN1145-1BA01-0DA0, -0DA1
6SN1162-0BA02-0AA1	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR INTERNAL COOLING, MODULE WIDTH 50 MM
6SN1162-0EA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR INTERNAL COOLING, MODULE WIDTH 100 MM
6SN1162-0EA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR INTERNAL COOLING, MODULE WIDTH 100 MM
6SN1162-0EA00-0CA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR INTERNAL COOLING, MODULE WIDTH 150 MM
6SN1162-0EA00-0KA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR HOSE COOLING, MODULE WIDTH 300 MM
6SN1162-0EB00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR EXTERNAL COOLING, MODULE WIDTH 50 MM
6SN1162-0EB00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 SHIELD CONNEC. PLATE FOR EXTERNAL COOLING, MODULE WIDTH 100 MM
6SN1162-0GA00-0BA0	SIEMENS	Simodrive	SIMODRIVE 611 ADAPTER SET FOR FILTER PACK. 16 KW
6SN1162-0GA00-0EA0	SIEMENS	Simodrive	SIMODRIVE 611 ADAPTER SET FOR FILTER PACK. 80 KW AND 120 KW
6SN1162-1AA00-0AA0	SIEMENS	Simodrive	SIMODRIVE 611 UNIVERSAL EMPTY HOUSING 50 MM WIDE
7MH3305-1AB	SIEMENS	Siwarex	WEIGHING PROCESSOR INTELLIGENT MODULE WITH MEAS. VALUE ACQUISITION AND MEASURED VALUE PROCESSING, WITH SINGLE-COMPONENT BATCHING SCALE FOR APPLICATION IN FOLLOW. SYSTEMS: SIWAREX S; SIMATIC S5 115U, 135U, 155U WIDTH: 1 SLOT
7MH4105-4DC01	SIEMENS	Siwarex	SIWAREX R LOAD CELL SERIES SB - RATED LOAD 2000 KG . - 5 M CONNECTING CABLE - 5 +/- 0.1 M CONNECTING CABLE - MAX. 3000 SCALING INTERVALS - MADE OF STAINLESS STEEL FOR USE WITH CLASS 3 COMMERCIAL SCALES
7MH4113-3DB1	SIEMENS	Siwarex	SELF-ALIGNING BEARING, TOP PART, FOR SIWAREX R LOAD CELLS, CONSISTING OF TOP PLATE WITH SEAL CARRIER AND SEAL; TOP PLATE FORCE GUIDING PIECE, SELF-ALIGNING BOLT NOMINAL LOAD 60/130/280 KG
7MH4205-1AB01	SIEMENS	Siwarex	SIWAREX P WEIGHING AND FORCE MEASURING SYSTEM INSTALLED IN SIMATIC S5-100U HOUSING; WITH LCD AND PUSHBUTTONS; OUTPUT: 0/4 TO 20 MA, 2 LIMIT CONTACTS; TTY INTERFACE; POWER SUPPLY DC 24 V; FOR STAND-ALONE MODE
7MH4205-1AC01	SIEMENS	Siwarex	SIWAREX P WEIGHING AND FORCE MEASURING SYSTEM, INSTALLED IN SIMATIC S5-100U HOUSING; WITH LCD AND PUSHBUTTONS; OUTPUT: 0/4 TO 20 MA, 2 LIMIT CONTACTS, TTY INTERFACE; POWER SUPPLY 24 V DC W. BUS CONN. FOR A PROGRAMMABLE CONTROLLER SIMATIC S5-95U S5-100U
7MH4405-1AA00	SIEMENS	Siwarex	DATA PROCESSING MODULE MV FOR SIWAREX WPSI FOR USE IN SIMATIC S5-115U S5-135U AND S5-155U SYSTEMS AS SINGLE-COMPONENT SCALE WITH BATCHING FUNCTIONS FOR SERIAL LINKING TI DATA ACQUISITION MODULE ME(I)
7MH4406-8AA	SIEMENS	Siwarex	SIWAREX S BACKUP BATTERY 3 V FOR MEASURED VALUE ACQUIS. MODULE MV FOR WEIGHING PROCESS. SYSTEM WPS, LITHIUM BATTERY 3V 950MAH TYPE CR2477

7MH4421-1AA01	SIEMENS	Siwarex	SIWAREX A WEIGHING AND BATCHING SYSTEM WITH VERIFICATION CAPABILITY, USABLE FOR SIMATIC S7- 300 AND ET 200M, INCL. BUS CONNECTOR, EC - CONFORMITY CERTIFICATE 2 X 6000D, FOR FAST GRAVIMETRIC FILLING APPLICATIONS. NOTICE: FOR LEGAL TRADE PLEASE REFER THE
7MH4504	SIEMENS	Siwarex	SIEMENS SIWAREX
7MH4601-1AA01	SIEMENS	Siwarex	SIWAREX U WEIGHING ELECTRONICS (SINGLE CHANNEL VERSION) * FOR CONNECTING ONE SCALE * FOR SIMATIC S7-300 * RS232 INTERFACE FOR CONNECT.
7MH4601-1BA01	SIEMENS	Siwarex	SIWAREX U WEIGHING ELECTRONICS (TWO-CHANNEL VERSION) * FOR CONNECTING TWO SCALES * FOR SIMATIC S7-300 * RS232 INTERFACE FOR CONNECT.
7MH4710-1AA	SIEMENS	Siwarex	JUNCTION AND DISTRIBUTION BOX TO CONNECT/CONNECT IN PARALLEL 1 TO 4 LOAD CELLS IN 4-WIRE OR 6-WIRE SYSTEM, CONNECTION/EXTENSION OF DIFFERENT MEASUREMENT CABLES FOR WEIGHING SYSTEMS DEGREE OF PROTECTION IP 65 DIMENSIONS IN MM:120 X 220 X 80
7MH4710-1BA	SIEMENS	Siwarex	JUNCTION BOX SIWAREX JB DIE-CAST ALUMINIUM QUALITY TO CONNECT IN PARALLEL UP TO 4 LOAD CELLS IN 4-WIRE OR 6-WIRE SYSTEM DEGREE OF PROTECTION: IP 66 USABLE IN EXPLOSION CAPABLE ATMOSPHERES. IN INTRINSICALLY SAFE ELECTRICAL CIRCUITS DIMENSIONS IN MM:220 X 1
7MH4710-5BA	SIEMENS	Siwarex	SIWAREX IS SYSTEM INTERMEDIATE BOX FOR INTRINSIC SAFE CONNECTION OF LOAD CELLS, STANDARD VERSION ATEX APPROVAL: (EEX IB) II C AS ASSOCIATED ELECTRICAL EQUIPMENT
7MH4710-5CA	SIEMENS	Siwarex	SIWAREX IS INTERMEDIATE BOX FOR INTRINSIC SAFE CONNECTION OF LOAD CELLS, LOW-CURRENT WITH ATEX APPROVAL: (EEX IB) II C AS ASSOCIATED ELECTRICAL EQUIPMENT
7MH4900-2AA01	SIEMENS	Siwarex	SIWAREX FTA WEIGHING ELECTRONIC WITH VERIFICATION CAPABILITY.FOR AUTOMATIC AND NON AUTOMATIC WEIGHING APPLICATIONS. USABLE FOR S7-300 AND ET200M. EC-CERTIFICATE OF CONFORMITY 3 X 6000D. APPLICATIONS: RA
7MH4900-3AA01	SIEMENS	Siwarex	SIWAREX FTC WEIGHING ELECTRONIC FOR FORCE MEASUREMENT, BELT SCALE, LOSS-IN-WEIGHT SCALE AND FLOW RATE METER. WITHOUT VERIFICATION CAPABILITY USABLE FOR S7-300 AND ET200M
7MH4910-0AA01	SIEMENS	Siwarex	SIWAREX CS WEIGHING ELECTRONIC FOR CONNECTING ONE SCALE. FOR LEGAL TRADE 2000D FOR SIMATIC ET200S-HEAD STATION IM151-1 BASIC/STANDARD/HIGH FEATURE AND IM151-7 CPU. RS232- INTERFACE FOR CONNECTION OF A PC. TTY-INTERFACE FOR REMOTE DISPLAY. ATTENTION: FOR L
7MH4910-0AK01	SIEMENS	Software / Manual	CONFIGURATION PACKAGE SIWAREX CS FOR SIMATIC S7 ON CD-ROM. S7-FUNCTION BLOCK ADJUSTMENT SOFTWARE SIWATOOL CS.*MANUAL ON CD-ROM.
7MH4920-0AA01	SIEMENS	Siwarex	SIWAREX CF TRANSMITTER FOR CONNECTING ONE STRAIN GAUGE SENSOR FOR FORCE MEASUREMENT - FOR SIMATIC ET200 S-HEAD STATION IM151-1 BASIC / STANDARD / HIGH FEATURE
7MH4930-0AA01	SIEMENS	Siwarex	SIWAREX MS WEIGHING ELECTRONIC FOR CONNECTING ONE SCALE. FOR SIMATIC S7-200 /RS232-INTERFACE FOR CONNECTION OF A PC, TTY-INTERFACE FOR REMOTE DISPLAY
7MH4950-1AA01	SIEMENS	Siwarex	SIWAREX U WEIGHING ELECTRONICS (SINGLE CHANNEL VERSION) * FOR CONNECTING ONE SCALE * FOR SIMATIC S7-300 AND ET200M * RS232 INTERFACE FOR CONNECT. OF A PC * TTY INTERFACE FOR REMOTE DISPLAY CONNECTION WITH BUS CONNECTOR
7MH4950-2AA01	SIEMENS	Siwarex	SIWAREX U WEIGHING ELECTRONICS (TWO-CHANNEL VERSION) * FOR CONNECTING TWO SCALES * FOR SIMATIC S7-300 AND ET200M * RS232 INTERFACE FOR CONNECT. OF A PC * TTY INTERFACE FOR REMOTE DISPLAY CONNECTION WITH BUS CONNECTOR
7MH5101-4AD00	SIEMENS	Siwarex	SIWAREX R LOAD CELL SERIES RN - RATED LOAD 1 T - 3 M CONNECTING CABLE - 3 /- 0.1 M CONNECTING CABLE - MAX. 3000 SCALING INTERVALS FOR USE WITH CLASS 3 COMMERCIAL SCALES
7MH5101-4PD00	SIEMENS	Siwarex	SIWAREX R LOAD CELL SERIES RN - RATED LOAD 5 T - 5 M CONNECTING CABLE - 5 +/- 0.1 M CONNECTING CABLE - MAX. 3000 SCALING INTERVALS FOR USE WITH CLASS 3 COMMERCIAL SCALES
7MH5104-2AD00	SIEMENS	Siwarex	SIWAREX WL 260 LOAD CELL SP-S SA 10KG C3 - RATED LOAD 10KG - ACCURACY CLASS C3 - 1M CABLE LENGTH, 6 CONDUCTOR - MATERIAL STAINLESS STEEL - DEGREE OF PROTECTION IP66
7MH5106-3GD00	SIEMENS	Siwarex	SIWAREX WL 230 LOAD CELL BB-S SA 200KG C3 - RATED LOAD 200KG - ACCURACY CLASS C3 - 3M CABLE LENGTH, 4 CONDUCTOR - MATERIAL STAINLESS STEEL - DEGREE OF PROTECTION IP68
7MH7142-0AA10	SIEMENS	Siwarex	MILLTRONICS MILLPULSE 600: HEAVY DUTY 2 WIRE MOTION SENSOR THAT PROVIDES SOLID STATE SWITCH OUTPUT TO PLC'S BETWEEN 18 TO 135 V AC OR DC.
7MH7150-3AA13-0D	SIEMENS	Siwarex	MILLTRONICS BW100 AN ECONOMICAL INTEGRATOR FOR USE WITH BELT SCALES. STANDARD FEATURES INCLUDE; DUAL TOTALIZER, ANALOG RATE OUTPUT, ALARM RELAY, LINEARIZER AND BI-POLAR CURRENT COMMUNICATIONS. INPUT VOLTAGE: 24 VOLTS DC FEATURE SOFTWARE: STANDARD DATA COM